



京张·城市应得  
THE CITY'S DUE · JING-ZHANG  
JZ-TCD · AN AUDITABLE CIVIC-RETURN FRAMEWORK

# JING-ZHANG · THE CITY'S DUE: An Auditable Civic-Return Design for the Centennial Jing-Zhang AI Innovation Belt


Use what the city opens. Return what the city is due—every opening leaves an auditable, shareable and reusable civic receipt.

## 01 THREE SCALES × PUBLIC RETURN

THE CITY'S DUE: every urban opening leaves auditable civic deliverables

PROVISIONAL ROUGH GEOMETRY | NOT AN OFFICIAL REDLINE, APPROVAL, OWNERSHIP OR ENGINEERING BASIS | FULL RECALCULATION REQUIRED

Provisional site and scenario index



43.6 km<sup>2</sup>

Research: relationships and coordination

11.41 km<sup>2</sup>

Overall design: civic network

3

Key areas: spatial prototypes

FIVE ACCEPTANCE CHECKS

EVIDENCE

SAFETY

USER

OPERATIONS

PUBLIC RETURN

Use what the city opens. Return what the city is due—every opening leaves an auditable, shareable and reusable civic receipt.

THREE WORK INTERFACES × TWO SUPPORT NETWORKS

- K1 Safety verification**  
Safety, edge and closed tests
- K2 Open collaboration**  
Talent, open source, early teams
- K3 Adoption review**  
Interoperability, adoption, acceptance

- W1 ZGC professional support**  
IP, data, law, capital
- W2 Xiaoyue public feedback**  
Limited co-tests, resident feedback

Sources: repository site package, GeoJSON, metrics and matrices. Conceptual recommendation; see sources.json / assumptions.json.

GEOJSON → METRICS → DISPLAY

## CIVIC RETURN RECEIPT

01 Open component

02 Public-service hours

03 Failure/exit log

04 Community compensation or knowledge return

## FIVE ACCEPTANCE REVIEWS

01 Evidence review

02 Safety review

03 User review

04 Operations review


05 Civic-return review

The City's Due means auditable civic deliverables, not cash dividend, fiscal promise, fee receipt or legal debt.


PROVISIONAL ROUGH GEOMETRY | NOT AN OFFICIAL REDLINE, STATUTORY PLAN, OWNERSHIP, APPROVAL OR ENGINEERING BASIS | Rebuild all nine layers, every metric, five figures, HTML and PDFs when official polygons and controls arrive.



02 FUNCTIONAL MOSAIC × TWELVE ACCOUNTABLE ROLES



03 THREE KEY AREAS: THREE WORK INTERFACES



K1

Zhongzhiyuan / Safety Verification Interface

Five-level closed validation for foundation tools, red teams, edge models, agents and embodied AI.

K2

AI Origin / Open Collaboration Interface

Dual mentors, open-source maintenance, students, career switchers and early team formation.

K3

Dazhongsi / Adoption Review Interface

Vendor-neutral adoption clinic, interoperability market, civic-deliverable display and exit.

W1

Zhongguancun Professional Support Network

Back-office scheduling for data, IP, law, standards, capital and international reproduction.

W2

Xiaoyue River Public Feedback Network

Low-risk limited co-tests, accessibility entry, ecological maintenance and resident response.




04WALKING × BLUE-GREEN × EVERYDAY SCENARIOS

The technology layer can be switched off and removed; public space still works without screens

PROVISIONAL ROUGH GEOMETRY | NOT AN OFFICIAL REDLINE, APPROVAL, OWNERSHIP OR ENGINEERING BASIS | FULL RECALCULATION REQUIRED

Conceptual civic network and 12 scenario nodes



DESIGN PRIORITY

01SAFE ACCESS

Repair walking, cycling, accessibility and interchange gaps before any engineered alignment.

02

CLIMATE + ECOLOGY

Shade, drainage, ecological continuity and daily rest precede sensors.

03

HUMAN FALLBACK

Resident services retain in-person, phone, paper and staffed routes.

04

REVERSIBLE TEST

Prefer indoor/recoverable hard surfaces; failure means remove, delete and review.

TYPICAL CIVIC INTERFACE | NO-AI BASELINE

REMOVABLE TECH

STAFFED DESK

ACCESSIBLE WALK

SHADE + REST

DRAINAGE + ECOLOGY

With screens off and devices removed, walking, shade, rest, drainage and staffed service still work.

RESIDENTS 01/03/04/06/12

TALENT + SME 05/07/08

INDUSTRY TEST 09/10/11

Sources: repository site package, GeoJSON, metrics and matrices. Conceptual recommendation; see sources.json / assumptions.json.

8 LINKS · 12 SCENARIOS · 3 LANDMARKS

05FROM GEOMETRY TO REVIEW: A RECOMPUTABLE EVIDENCE CHAIN

No hand-copied metrics: every displayed value derives from GeoJSON and structured content

PROVISIONAL ROUGH GEOMETRY | NOT AN OFFICIAL REDLINE, APPROVAL, OWNERSHIP OR ENGINEERING BASIS | FULL RECALCULATION REQUIRED

01GeoJSON

9 layers

02EPSG:4548

area / length

03metrics.json

formula + confidence

04Matrices

23 + 6 + 15

05Display

MD / PNG / HTML / PDF

11.41 km<sup>2</sup>

Provisional site

site\_area\_sqm · medium

3

Key areas

key\_area\_count · medium

31.58%

Conceptual green ratio

green\_ratio · low

0.97%

Conceptual civic-space ratio

public\_space\_ratio · low

12

Scenario nodes

scenario\_node\_count · medium

3

Industrial validation

industrial\_validation\_scenario\_count · medium

20

Conceptual clusters

building\_count · low

35.07 km

Conceptual link length

mobility\_network\_length\_m · low

RISK AND INTERPRETATION BOUNDARY

PROVISIONAL

Rebuild when official polygons arrive

UNKNOWN

FAR/height/population/parking stay unknown

PASS ≠ APPROVAL

Validation permits content review only

Sources: repository site package, GeoJSON, metrics and matrices. Conceptual recommendation; see sources.json / assumptions.json.

SINGLE SOURCE OF TRUTH

|                             |                                      |                              |                                     |                          |                                   |                                |
|-----------------------------|--------------------------------------|------------------------------|-------------------------------------|--------------------------|-----------------------------------|--------------------------------|
| research_scope_nominal_sqm  | overall_scope_nominal_sqm            | site_area_sqm                | key_area_count                      | key_area_total_sqm       | key_area_zhongzhiyuan_sqm         | key_area_ai_origin_sqm         |
| 43.600 km²                  | 11.400 km²                           | 11.413 km²                   | 3                                   | 3.693 km²                | 1.929 km²                         | 1.043 km²                      |
| Research Scope Nominal Area | Overall Scope Nominal Area           | Site Area Area               | Key Area Count                      | Key Area Total Area      | Key Area Zhongzhiyuan Area        | Key Area Ai Origin Area        |
| key_area_dazhongsi_sqm      | land_use_area_sum_sqm                | innovation_service_area_sqm  | green_space_area_sqm                | green_ratio              | public_space_area_sqm             | public_space_ratio             |
| 720,454.2 m²                | 11.413 km²                           | 5.236 km²                    | 3.605 km²                           | 31.58%                   | 110,889.3 m²                      | 0.97%                          |
| Key Area Dazhongsi Area     | Land Use Area Sum Area               | Innovation Service Area Area | Green Space Area Area               | Green Ratio              | Public Space Area Area            | Public Space Ratio             |
| building_count              | building_footprint_area_sqm          | building_density             | mobility_network_length_m           | road_segment_count       | phasing_coverage_ratio            | phasing_overlap_area_sqm       |
| 20                          | 933,253.9 m²                         | 8.18%                        | 35.07 km                            | 8                        | 100.00%                           | 0.0 m²                         |
| Building Count              | Building Footprint Area Area         | Building Density             | Lengthobility Network Length Length | Road Segment Count       | Phasing Coverage Ratio            | Phasing Overlap Area Area      |
| scenario_node_count         | industrial_validation_scenario_count | persona_count                | civic_landmark_count                | public_return_gate_count | building_public_overlap_area_sqm  | green_public_overlap_area_sqm  |
| 12                          | 3                                    | 8                            | 3                                   | 5                        | 54.8 m²                           | 87,018.4 m²                    |
| Scenario Node Count         | Industrial Validation Scenario Count | Persona Count                | Civic Landmark Count                | Public Return Gate Count | Building Public Overlap Area Area | Green Public Overlap Area Area |

PROVISIONAL ROUGH GEOMETRY | NOT AN OFFICIAL REDLINE, STATUTORY PLAN, OWNERSHIP, APPROVAL OR ENGINEERING BASIS | Rebuild all nine layers, every metric, five figures, HTML and PDFs when official polygons and controls arrive.



TWELVE RESPONSIBILITIES: EVIDENCE FOR EACH

|                                                                                       |                                                                                  |                                                                                   |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| <div>01    Research</div> <div>Evidence precedes the next-stage right</div>           | <div>02    Compute</div> <div>Evidence precedes the next-stage right</div>       | <div>03    Data</div> <div>Evidence precedes the next-stage right</div>           |
| <div>04    Open source</div> <div>Evidence precedes the next-stage right</div>        | <div>05    Models/tools</div> <div>Evidence precedes the next-stage right</div>  | <div>06    Incubation</div> <div>Evidence precedes the next-stage right</div>     |
| <div>07    Law/ethics</div> <div>Evidence precedes the next-stage right</div>         | <div>08    Industry test</div> <div>Evidence precedes the next-stage right</div> | <div>09    Urban scenario</div> <div>Evidence precedes the next-stage right</div> |
| <div>10    Enterprise/capital</div> <div>Evidence precedes the next-stage right</div> | <div>11    International</div> <div>Evidence precedes the next-stage right</div> | <div>12    Public return</div> <div>Evidence precedes the next-stage right</div>  |

TWELVE SCENARIO RECEIPTS

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>SCN-01 · Accessible Walking Co-Test</div> <div><div>USER / SPACE</div><div>Disabled people, older adults, carers, visitors and mobility operators · Existing hard-surface walking interfaces in the Jing-Zhang park and conceptual rail-connection nodes</div><div>RISK / EXIT</div><div>Incorrect routing or over-sampling of vulnerable users · Take offline and restore human guidance after a safety incident, persistent errors or unresolved complaints</div><div>Open accessibility issue map, before/after evidence and reusable detection rules</div></div> | <div>SCN-02 · Source-Checked Jing-Zhang Heritage Guide</div> <div><div>USER / SPACE</div><div>Residents, students, visitors and cultural volunteers · Existing cultural nodes in the Jing-Zhang park and the proposed Century Maintenance Index</div><div>RISK / EXIT</div><div>Hallucination, oversimplification and copyright overreach · Uncited claims are not published; material errors trigger rollback and on-site correction</div><div>Reusable bilingual source index, correction log and accessibility script</div></div>                                                                                                 | <div>SCN-03 · Park Heat and Shade Steward</div> <div><div>USER / SPACE</div><div>Residents, older adults, carers and park maintenance staff · Public interfaces in the Xiaoyue River wing and Jing-Zhang park (exact sites pending)</div><div>RISK / EXIT</div><div>False alerts, maintenance burden and mistaking advice for health diagnosis · Remove equipment and retain human inspection if drift, cost or public misunderstanding persists</div><div>Open microclimate metadata, maintenance rules and failed-deployment records</div></div>                                                                    |
| <div>SCN-04 · Blue-Green Maintenance Assistant</div> <div><div>USER / SPACE</div><div>Landscape, water and park maintenance staff and nearby residents · Non-sensitive, reversible sites along Qinghe, Xiaoyue River and green spaces</div><div>RISK / EXIT</div><div>Ecological disturbance, sensitive locations and abandoned equipment · Stop immediately and restore the site after any ecological impact or loss of reversibility</div><div>Anonymised maintenance model, sensor-removal protocol and environmental net-benefit review</div></div>                   | <div>SCN-05 · Multilingual Arrival and Talent Desk</div> <div><div>USER / SPACE</div><div>International visitors, researchers, developers and accompanying families · Public-service interfaces in Dazhongsi and talent-service interfaces in the AI Origin Community</div><div>RISK / EXIT</div><div>Outdated information, discriminatory recommendations or perceived official promises · Pause automated answers and retain only human service if critical pages expire or errors cannot be corrected promptly</div><div>Open bilingual service glossary, correction log and accessible content templates</div></div>             | <div>SCN-06 · Human-Backed Community Service Navigator</div> <div><div>USER / SPACE</div><div>Residents, older adults, carers and community-service staff · Community-service facilities and staffed hours at the Public Acceptance Table</div><div>RISK / EXIT</div><div>Sensitive-data leakage, mis-referral and digital exclusion · Disable automated classification and retain human service after a sensitive-data incident or excessive mis-referral</div><div>Open de-identified service taxonomy, accessible Q&amp;A templates and appeal process</div></div>                                                 |
| <div>SCN-07 · Open-Source Apprenticeship and Maintenance Match</div> <div><div>USER / SPACE</div><div>Students, career switchers, open-source maintainers and research teams · Open-source workshop in the AI Origin Community and bilingual repositories</div><div>RISK / EXIT</div><div>Unpaid labour, biased matching and maintainer burnout · Stop matching if labour terms are unclear, mentors are absent or complaints remain unresolved</div><div>Open curriculum, issue-level taxonomy, maintenance handbook and credit standard</div></div>                     | <div>SCN-08 · SME AI Adoption Clinic</div> <div><div>USER / SPACE</div><div>Local SMEs and cultural/everyday-service operators · Dazhongsi adoption-review interface and Zhongguancun professional-support network</div><div>RISK / EXIT</div><div>Vendor capture, trade-secret leakage and false ROI · Stop recommendations if vendor neutrality, data portability or cost evidence cannot be assured</div><div>Open de-identified cases, procurement questions, vendor-exit template and failure lessons</div></div>                                                                                                               | <div>SCN-09 · Agent Interoperability and Overreach Test</div> <div><div>USER / SPACE</div><div>Agent developers, enterprise security teams and evaluators · Conceptual controlled indoor validation environment in Zhongzhiyuan</div><div>RISK / EXIT</div><div>Sensitive vulnerability disclosure and mistaking test success for production safety · Immediately isolate, revoke permissions and follow disclosure protocol if production credentials, uncontrolled calls or severe vulnerabilities appear</div><div>Open test protocol, sanitised failures, permission template and version differences</div></div> |
| <div>SCN-10 · Edge-Model Energy and Degradation Benchmark</div> <div><div>USER / SPACE</div><div>Edge-AI teams, device companies and public-space operators · Conceptual laboratory in Zhongzhiyuan and indoor interoperability desk in Dazhongsi</div><div>RISK / EXIT</div><div>Instrument bias, marketing misuse and single-metric distortion · Withdraw and re-test after calibration failure, irreproducible results or misuse</div><div>Open benchmark scripts, calibration logs, negative results and energy-accounting method</div></div>                         | <div>SCN-11 · Closed Low-Speed Embodied-AI Test</div> <div><div>USER / SPACE</div><div>Robotics teams, facility operators, safety reviewers and accessibility representatives · Conceptual closable hard-surface site in Zhongzhiyuan; never first-tested on public roads</div><div>RISK / EXIT</div><div>Injury, noise/obstruction, video privacy and public misunderstanding · Any injury, severe near-miss or loss of control triggers shutdown, log preservation, site restoration and independent review</div><div>Open sanitised failure modes, safety checklist, takeover benchmark and site-restoration protocol</div></div> | <div>SCN-12 · Open Civic Receipt Archive</div> <div><div>USER / SPACE</div><div>Residents, developers, maintainers, reviewers and operators · Civic Receipt Hall, Century Maintenance Index and printable offline webpage</div><div>RISK / EXIT</div><div>Ranking, privacy leakage, box-ticking and mistaking disclosure for approval · Pause affected functions and retain paper access after personal-data leakage, failed corrections or automated punitive use</div><div>The open archive itself is an open standard, version history, failure library and civic audit interface</div></div>                      |

SEVEN PRIMARY-SOURCE CASES

|                          |                              |
|--------------------------|------------------------------|
| 01 Mila, Montreal        | 02 Vector Institute, Toronto |
| 03 AI Singapore          | 04 Testbed Helsinki          |
| 05 ETH AI Center, Zurich | 06 CMU NREC, Pittsburgh      |
| 07 Yangjae AI Hub, Seoul |                              |

EIGHT USER TYPES: KNOW, REFUSE, APPEAL, USE A HUMAN CHANNEL

|                                                        |                                                     |                                                        |                                                                |
|--------------------------------------------------------|-----------------------------------------------------|--------------------------------------------------------|----------------------------------------------------------------|
| P1 Foundational and cross-disciplinary researchers     | P2 Early-stage founders and open-source maintainers | P3 Enterprise AI, safety and product teams             | P4 Urban and public-service operators                          |
| P5 Residents, older adults, carers and disabled people | P6 Students, career switchers and young developers  | P7 Local SMEs, cultural and everyday-service operators | P8 Visiting international developers, researchers and families |



FOURTEEN EVIDENCE TASKS

|      |                                                                                                                                                                              |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| P-01 | <b>Official Data Intake and Full Recalculation · Phase 1</b><br>Rebuild all nine layers and metrics; publish a difference report / Version mismatch                          |
| P-02 | <b>Minimum Civic Return Receipt Standard · Phase 1</b><br>Receipt completeness and correction time / Extra approval layer or box-ticking                                     |
| P-03 | <b>AI Origin Open-Source Workshop · Phase 1</b><br>Six-month maintenance retention and complete contributor credit / Unpaid labour or missing mentors                        |
| P-04 | <b>Zhongzhiyuan Five-Level Validation Ladder · Phases 1-2</b><br>Reproduction success and incident closure / Treating closed-test success as public deployment permission    |
| P-05 | <b>Dazhongsì Enterprise Adoption Clinic · Phase 1</b><br>Non-AI option adoption and vendor-exit feasibility / Vendor capture                                                 |
| P-06 | <b>Xiaoyue River Resident Co-Test Gateway · Phase 1</b><br>Non-digital feedback share and issue closure / Disturbance or unanswered feedback                                 |
| P-07 | <b>Zhongguancun Specialist-Service Desk · Phase 1</b><br>Response time and referral completion / Unconfirmed institutions or funding                                         |
| P-08 | <b>Jing-Zhang Accessible Arrival Study · Phase 2</b><br>Discontinuity review and re-test pass rate / Mistaking conceptual links for engineering alignments                   |
| P-09 | <b>Low-Impact Blue-Green Maintenance Test · Phases 1-2</b><br>False-alert rate, complete removal and net environmental benefit / Ecological disturbance or equipment residue |
| P-10 | <b>Century Maintenance Index · Phase 2</b><br>Annual update completion and correction time / Overwriting existing heritage narratives                                        |
| P-11 | <b>Civic Receipt Hall · Phase 1</b><br>Failure-record disclosure and accessible-version coverage / Ranking or personal-data leakage                                          |
| P-12 | <b>Public Acceptance Table · Phase 1</b><br>Everyday use time and participation diversity / Event-only use                                                                   |
| P-13 | <b>International Reproduction and Bilingual Maintenance · Phase 2</b><br>Cross-city reproductions and closed version differences / Visits without continuing maintenance     |
| P-14 | <b>The City's Due Annual Review · Annual</b><br>Civic-deliverable fulfilment and complete exit records / Gaming the indicators                                               |

GOVERNANCE AND RESIDENT FEEDBACK

|    |                                                                                                                                                                    |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 01 | <b>One neutral gateway</b><br><br>Connect data, IP, safety, accessibility and enterprise services; disclose conflicts.                                             |
| 02 | <b>Four equal channels</b><br><br>In-person, telephone, paper and online channels can question, correct and appeal.                                                |
| 03 | <b>Human accountability</b><br><br>Critical decisions retain a named human owner and independent review.                                                           |
| 04 | <b>Exit and restoration</b><br><br>Injury, overreach, leakage, irreproducibility or failed feedback trigger shutdown, archive and restoration.                     |
| 05 | <b>Honour is not approval</b><br><br>Record maintenance, disclosure, co-testing, translation and failure repair; names are opt-in, with no commercial leaderboard. |

CIVIC LANDMARKS

|                                                                                                                                                                                                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Century Maintenance Index</b><br><br>Small, sit-able and replaceable archival elements record railway maintenance, open-source contributions, resident review and repaired failures by year; they remain seating and wayfinding when screens are off.            |
| <b>Civic Receipt Hall</b><br><br>Paper and offline pages show project receipts, data boundaries, human owners, civic deliverables and exits; no live crowd profiling or commercial leaderboard.                                                                     |
| <b>Public Acceptance Table</b><br><br>A shaded, accessible everyday table with staffed hours supports resident problem-framing, developer maintenance, student learning, multilingual collaboration and public acceptance checks; it remains useful between events. |

ASSUMPTIONS, SOURCES AND REBUILD DUTY

|                                                                                                                                                                                              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>A-BOUNDARY-001</b><br><br>All geometry, areas, ratios, figures, HTML and PDFs must be recalculated when official polygons arrive.                                                         |
| <b>A-CONTROLS-001</b><br><br>Land use, buildings, mobility, public space and phasing are conceptual references only and cannot support statutory or construction decisions.                  |
| <b>A-OPERATIONS-001</b><br><br>All governance bodies, partnerships, events and service desks are proposed organisation types, not established entities or commitments.                       |
| <b>A-BASELINE-001</b><br><br>The proposal defines formulas and gates before targets; it does not fabricate performance gains or investment returns.                                          |
| <b>A-IMPLEMENTATION-001</b><br><br>Any physical intervention requires official data, professional design, public participation, permissions and confirmed operations before implementation.  |
| <b>A-OVERLAP-001</b><br><br>Overlap areas are reported explicitly; green, public-space and building ratios must not be added together or read as mutually exclusive statutory land accounts. |

PRIMARY-SOURCE INDEX

|                                                                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OFFICIAL-ANNOUNCEMENT · <a href="https://ghzrzyw.beijing.gov.cn/zhengwuxinxitizgg/hd/202605/t20260509_4643047.html">https://ghzrzyw.beijing.gov.cn/zhengwuxinxitizgg/hd/202605/t20260509_4643047.html</a> |
| BEIJING-THREE-ZONES · <a href="https://kw.beijing.gov.cn/xwdt/kcyx/xwdtcyzt/202604/t20260403_4573808.html">https://kw.beijing.gov.cn/xwdt/kcyx/xwdtcyzt/202604/t20260403_4573808.html</a>                 |
| JINGZHANG-PARK · <a href="https://ylhj.beijing.gov.cn/zwgk/zvxx/202306/t20230626_3145467.shtml">https://ylhj.beijing.gov.cn/zwgk/zvxx/202306/t20230626_3145467.shtml</a>                                  |
| CASE-MILA · <a href="https://mila.quebec/en/industry/partnerships">https://mila.quebec/en/industry/partnerships</a>                                                                                       |
| CASE-VECTOR · <a href="https://vectorinstitute.ai/about/">https://vectorinstitute.ai/about/</a>                                                                                                           |
| CASE-AISINGAPORE · <a href="https://aisingapore.org/innovation/100e/">https://aisingapore.org/innovation/100e/</a>                                                                                        |
| CASE-HELSINKI · <a href="https://testbed.hel.fi/en/">https://testbed.hel.fi/en/</a>                                                                                                                       |
| CASE-ETH · <a href="https://ai.ethz.ch/about-us.html">https://ai.ethz.ch/about-us.html</a>                                                                                                                |
| CASE-CMU · <a href="https://www.nrec.ri.cmu.edu/about/">https://www.nrec.ri.cmu.edu/about/</a>                                                                                                            |
| CASE-SEOUL · <a href="https://english.seoul.go.kr/seoul-policy-archive/seoul-ai-hub/">https://english.seoul.go.kr/seoul-policy-archive/seoul-ai-hub/</a>                                                  |

PROVISIONAL ROUGH GEOMETRY | NOT AN OFFICIAL REDLINE, STATUTORY PLAN, OWNERSHIP, APPROVAL OR ENGINEERING BASIS | Rebuild all nine layers, every metric, five figures, HTML and PDFs when official polygons and controls arrive.