


Identity system: make the human decision visible

Original concept mark, colors, applications and evidence fields; not an organizer or government mark

CONCEPT MARK




JINGZHANG HUMAN CITY OS

From an AI showcase to a city for people

- Open bracket: callable interface
- Rail line: century continuity
- Human dot: final decision remains human
- Red: stop/appeal; blue: constrained machine; green: hard limits; orange: spillover

COLOR AND APPLICATION RULES

-  Human dignity / stop
-  Machine / interface
-  Energy + climate / limits
-  Spillover
-  Version record

Every spatial card shows:

- | | |
|----------------|------------------------------------|
| Spatial action | Affected people |
| Human fallback | Entry evidence |
| Stop condition | Version / role class / update time |

Brief → spatial response: one-page alignment atlas

3 positions · 5 functions · 3 areas + 2 wings · 4 differentiated value chains

PACKAGE v1.9

CONCEPT / PROVISIONAL

POSITIONING

P1

Jing-Zhang Centennial Heritage Belt

百年京张文化带

P2

Urban AI Everyday-Life Belt

都市 AI 生活体验带

P3

AI Integration and Innovation Belt

AI 融合创新带

FUNCTIONS

F1

Full-stack AI self-innovation system

research → prototype → review

F2

World-class AI innovation ecosystem

cases, talent, capital, compute, data

F3

AI+ scenario enablement paradigm

scenarios with human fallback

F4

Intelligent, vibrant AI city

public space, culture, mobility

F5

Global voice in AI governance

rights, standards, versioned learning

SPATIAL DELIVERY

A1

Zhongzhiyuan AI Self-innovation Accelerator

controlled tests · compute-energy audit · incident replay
PROV-KEY-001 · provisional constraint

A2

Beijing AI Origin Community

community retention · human channel · skill transition · screen-free recovery
PROV-KEY-002 · provisional constraint

A3

Dazhongsi AI Industry Cluster

city API · OPC · public data · international services
PROV-KEY-003 · provisional constraint

W1

Zhongguancun Technology-Service Wing

standards / data / compute interfaces; conceptual only
SC-D04 → conceptual interface

W2

Xiaoyuehe Scenario-Enablement Wing

human-machine sharing / sponge resilience / flood simulation; conceptual only
SC-C03 · conceptual interface

DIFFERENTIATION → EVIDENCE

A · Human dignity

People-first: AI Origin Community + ROAD-A-SKILL | Scenarios: SC-A01 / SC-A03 / SC-A05 | Metric: community_retention_support_area_ratio | gap: resident / shop / employment baselines missing

B · Machine usability

Machine-ready: Zhongzhiyuan + ROAD-B-SILICON | Scenarios: SC-B01 / SC-B02 / SC-B04 | Metric: silicon_right_of_way_length_m | gap: road / airspace / responsibility sections missing

C · Hard constraints

Guardrails: Xiaoyuehe wing + SC-C01—SC-C05 | Scenarios: energy, flood, sandbox, data authorization | Metric: operational_pue (unknown) | gap: energy / hydrology / insurance / authorization inputs missing

D · Spillovers

Spillovers: Dazhongsi + W1/W2 interfaces | Scenarios: SC-D01—SC-D04 | Metric: version_release_count | gap: actors / IP / cross-region cooperation unverified

All spatial moves are conceptual suggestions / reference schemes for professional teams. official_boundary=false; geometry_role=provisional_constraint. Evidence paths are package-local, not an official score, field result, or implementation approval.

Human City OS | six-step replayable city-API sequence

Catalogue → authorize → call → log → audit → exit · concept evidence only

PACKAGE v2.3

CONCEPT / NOT AUTHORIZED / NOT RUN



Replay contract / what a reviewer can verify



Boundary

This is a conceptual sequence only: official_boundary=false · geometry_role=provisional_constraint · operational_status=not_authorized_not_run · performance_results=null. It does not create an API, permit, engineering section, operating result, or official score.

FIG. 07

DATA READINESS: TURNING GAPS INTO CLOSABLE RELEASE GATES

Seven evidence paths connect assumptions, scenarios, metrics, and fallbacks; missing data remains unknown or conceptual.



Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

FIG. 09

HUMAN CITY ACCEPTANCE ATLAS: WHO ENTERS, WHO STOPS

Six users, 16 scenario cards, provisional spatial anchors, and three release gates resolve on one page; not an operating dashboard or delivery commitment.

16

FULL SCENARIO CARDS

6

PERSONA PATHWAYS

10

REPRESENTATIVE LINKS

3

RELEASE GATES

P-01

Residents, tenants, and older people

USER

SC-A01 / SC-A03

ANCHOR

SC-A01

HUMAN FLOOR

Staffed, paper, and telephone routes; understandable negotiation and ...

FALLBACK

Paper, telephone, and on-site consultation remain available.

STOP / ROLLBACK

Stop display or collection without consent or explainable eligibil...

P-03

Night AI workers and night-service staff

USER

SC-A04

ANCHOR

SC-A04

HUMAN FLOOR

No continuous location or emotion profiles; anonymous feedback remain...

FALLBACK

On-site help, assisted walking, and anonymous feedback come first.

STOP / ROLLBACK

Stop technical functions without human help, safety check, or wher...

P-05

Public-service staff and data stewards

USER

SC-B01 / SC-B04 / SC-C04

ANCHOR

SC-B01

HUMAN FLOOR

AI cannot autonomously determine permits, cutoffs, enforcement, or in...

FALLBACK

Human review, withdrawn consent, and non-digital service coexist.

STOP / ROLLBACK

Freeze on unauthorized access, opaque output, or no takeover.

P-02

Workers at displacement risk

USER

SC-A02

ANCHOR

SC-A02

HUMAN FLOOR

Voluntary participation, human counselling, and deletable records; no...

FALLBACK

Skip automated matching and obtain human career advice.

STOP / ROLLBACK

Pause with no job path or discriminatory automated diversion.

P-04

OPCs, small merchants, and small teams

USER

SC-D01 / SC-D03

ANCHOR

SC-D01

HUMAN FLOOR

No platform score replaces human negotiation; no named vendor.

FALLBACK

Human application, explanation, and dispute handling remain availa...

STOP / ROLLBACK

Pause if the offer becomes a closed club or locks in a vendor.

P-06

Disabled people, carers, and low-digital users

USER

SC-A03 / SC-B02 / SC-D03

ANCHOR

SC-B02

HUMAN FLOOR


Every digital entry needs an equivalent human alternative and user wa...

FALLBACK

Pedestrian priority, human escort, and one-button stop come first.

STOP / ROLLBACK

Return to paper protocol after contact, incident, complaint, or no...



THREE SHARED RELEASE GATES: MISSING EVIDENCE STAYS CONCEPTUAL

v0.1

Observe, baseline, and public consent

DO NOT ADVANCE

Withdraw and revise on misleading claims, no human channel, unconsented data, or unexplained gr...

v0.2

Reversible pilot and independent review

DO NOT ADVANCE

Stop and return to evidence or paper protocol on safety, unauthorized data, access barriers, op...

v1.0

Reviewed scaling and standards spillover

DO NOT ADVANCE


Withdraw the scaling suggestion when evidence is unverifiable, public interest fails, rights or...

Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

FIG. 08

HUMAN–MACHINE INTERFACES: STOP ACTIONS

Non-scaled concepts: human priority and review precede testing. Not an engineering section or permit.





Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

三处重点区

Three focus areas

每个放大框都回指同一临时 geometry，并把动作、人工边界与机器边界并列 · each zoom returns to the same provisional geometry; actions sit beside human and machine boundaries

03 / location + relation



Spatial action / Zhongzhiyuan

bounded test → stop → blue-green retreat


provisional anchor · no operating claim



Spatial action / AI Origin Community

staffed access → skill transition → quiet recovery

provisional anchor · no operating claim



Spatial action / Dazhongsi

public data desk → OPC → version replay

provisional anchor · no operating claim

official_boundary=false · geometry_role=provisional_constraint · all actions are conceptual suggestions for professional deepening

六层分区


Six-layer spatial operating system

相邻多边形共享边界；面积与占比只来自 GeoJSON / EPSG:4548 · shared edges; areas and shares come only from GeoJSON / EPSG:4548

PACKAGE v1.7

CONCEPT / PROVISIONAL

02 / six bands



six reversible units

H01 Community retention / service
2.09 km2 · 18.28%
D01 International / OPC
2.02 km2 · 17.68%
C01 Skills / public data
1.95 km2 · 17.06%
B01 Reversible meanwhile
1.72 km2 · 15.09%
B02 City API / embodied
1.77 km2 · 15.48%
C02 Screen-free resilience
1.87 km2 · 16.40%

100% coverage · zero overlap · shared coordinates

concept allocation, not FAR, height, construction or demolition

official_boundary=false · geometry_role=provisional_constraint · all actions are conceptual suggestions for professional deepening

指标与证据


Metrics + evidence

数字只来自几何回算；未知控制条件单列，不用代理值填空 · numbers come from geometry replay; unknown controls remain visible rather than filled by proxies

PACKAGE v1.7

CONCEPT / PROVISIONAL

05 / geometry → metric → gap



replayable values

Site area 11.41 km2 site_boundary.geojson · EPSG:4548	Land-use coverage 100.00% six polygons · shared edges
Green space 11.12% 1,269,257 m2	Public space 1.06% 121,447 m2
Skill corridor 5.919 km ROAD-A-SKILL	Scenario nodes 16 constraints.geojson

unknown / 待补数据

official boundary · FAR/height controls · resident retention · employment transition · manual-service equivalence · PUE · green electricity · recovered heat

Every unknown is a gate, not a hidden assumption.

official_boundary=false · geometry_role=provisional_constraint · all actions are conceptual suggestions for professional deepening

人机共行与蓝绿韧性


Human-machine co-presence + blue-green resilience

四条概念廊道与三处节点交叉；人行优先、人工接管、退避与回放并列 · four conceptual corridors meet three nodes; pedestrian priority, human takeover, retreat and replay are explicit

PACKAGE v1.7

CONCEPT / PROVISIONAL

04 / corridors + crossing nodes



four spatial rules

SKILL / skill transition

5.919 km

retraining → new work

SILICON / silicon right-of-way

4.586 km

human priority + controlled test

LOW-AIR / vertical layer

2.015 km

conceptual layer; later review

SPONGE / Xiaoyue River

area / line

floodway + sponge inspection

At every crossing: visible state, low-speed pause, staffed takeover, incident replay.

concept corridor; not an engineering alignment or approved route

official_boundary=false · geometry_role=provisional_constraint · all actions are conceptual suggestions for professional deepening

PARAMETRIC SPATIAL TRADE-OFFS | BASELINE, PEOPLE-FIRST, MACHINE-READY


ONE PROVISIONAL BOUNDARY · SIX CONCEPTUAL BANDS · REPLAYABLE AREA FORMULA

CONCEPT ONLY

v0.8


Six-band area parameters

share × provisional site_area_sqm



Review readout

Current baseline



Three candidates

- People-first: more community, learning, and reversible space
- Balanced: a middle comparison set for professional calibration
- Machine-ready: more API discussion while retaining human and resilience floors

Conceptual suggestions only; no FAR, building-height, engineering, investment, or policy conclusion.
formula: area = share × provisional site area

Public space + culture + annual operation atlas

3 concept landmarks · 4-season operating rhythm · 5 project families

PACKAGE v2.0

CONCEPT / NO OPERATOR

LANDMARKS

L1 People's Version Hall

issue · change · retract
SC-C05
/ PROV-KEY-002 · conceptual anchor

L2 Rail Interface Clock

rail time · version change · public
explanation
SC-D02 / PROV-KEY-003
· conceptual anchor

L3 Screen-free Recovery Beacon

shade · sound · night safety ·
no forced interaction
GREEN-A-QUIET-1
/ PROV-KEY-002 · conceptual anchor

ANNUAL RHYTHM

SPRING Public problem open week

public questions, data
boundary, human answers

SUMMER City API + embodied test month

four-limit reversible
concept checks

AUTUMN Work transition + OPC co-creation

workers, mentors, small
teams, replay

WINTER City version conference

audit, issue response,
rollback, next gate

PROJECT FAMILIES → SPACE / GATE

PF-A Human buffer + community retention

A2 / v0.1 · conceptual scope

PF-B City API + reversible space

A3 / v0.2 · conceptual scope

PF-C Human-machine, climate + compute-energy gate

A1 + W2 / v0.2 · conceptual scope

PF-D Public-data authorization + version governance

L1 / v0.1 - v1.0 · conceptual scope

PF-E Small-team ecology + spillovers


A3 + W1 / v1.0 · conceptual scope

CULTURE GRAMMAR

Rail = Jing-Zhang continuity; time = annual version release; interface = public explanation and human authority.

All landmarks and operating rhythms are conceptual suggestions / reference schemes for professional teams. official_boundary=false; geometry_role=provisional_constraint; no operator, permit, funding, capacity, or field outcome is claimed.

North-south continuity + east-west stitching · contribution display · community-to-release pathway



Regional interfaces: exchange questions before scaling

Four layers from belt to region; interfaces are not existing partnerships or resource commitments

v0.2 · concept



五个接口卡 / Five interface cards





FIG. 06

CITY RELEASE GATES: EVERY EXPANSION CAN BE VETOED

All 16 scenarios progress from observation through bounded pilots to expansion only with data boundaries, human fallback, review evidence, and exit conditions.



16

scenario cards

6

test/validation scenarios

3

release gates

0

authorized implementation commitments

Every gate is a conceptual review interface, not a permit, engineering feasibility finding, investment commitment, or settled policy.

Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

FIG. 10

REVIEW EVIDENCE MAP: 13 TASKBOOK + 7 WORKFLOW QUESTIONS

The two question sets retain separate sources and boundaries; this page shows offline reading paths only, not a score, official finding, or delivery commitment.


13/13 TASKBOOK DIMENSIONS

7/7 REPOSITORY WORKFLOW QUESTIONS

42/42 PACKAGE-LOCAL PATHS RESOLVE

NOT A SCORE NO ORGANIZER WEIGHT OR RESULT INFERRED

Read the 13 taskbook questions and their evidence entries first; then use the 7-question repository formal-scorecard workflow. Its percentages are recorded only in JSON as a repository template source, never as organizer scoring.



FIVE EVIDENCE SPINES: PATHS RESOLVE; THEY DO NOT PROVE OUTCOMES



Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

Seven-dimension review evidence map

七维评审证据地图

Reviewer order: question → evidence → boundary → next verification

7 dimensions · registered workflow questions

01 Brief alignment	20% template	Provisional boundaries, design partitions, and conceptual deliverables are not official redlines, statutory controls, or an implementation scheme.
evidence: proposal.md		
02 Originality	10% template	Contract-level replay proves reviewable structure, not real service performance, public acceptance, or deployed capability.
evidence: proposal.md		
03 AI + planning innovation	15% template	Local scripts cover offline structure and negative tests only; they do not call external systems or replace professional models, permits, or field tests.
evidence: assets/run-human-city-ordinary-journey....		
04 Implementation feasibility	20% template	Suggested roles are not confirmed operators; missing data, insurance, approvals, budget, real OD, and field baselines remain for authorized parties to establish.
evidence: assets/implementation-operation-matrix....		
05 Public interest + inclusion	10% template	The package provides design requirements and an offline contract; real coverage, group experience, consent, and outcomes require walk-throughs, sampling, and independent evaluation.
evidence: assets/personas-and-fairness.json		
06 Risk + compliance	10% template	Source registration and usage boundaries are not permits, rights clearance, data authorization, or safety review.
evidence: assumptions.json		
07 Expression completeness	15% template	Navigation completeness does not raise evidence level; HTML, drawings, and ledgers cannot replace formal data or field validation.
evidence: proposal.md		

PACKAGE v1.8

EVIDENCE / NO SCORE

read this map

1 · Start

Open the proposal section named by the dimension.

2 · Trace

Follow the shortest path to geometry, metrics, ledgers, or drawings.

3 · Bound

Do not turn a conceptual suggestion or unknown into a result.

4 · Verify next

Use the missing-input gate before any professional deepening.

No score is generated by this figure.


Workflow template weights only · not an organizer score · provisional geometry and unknowns remain gates

Human City OS | reviewer-facing spatial evidence atlas

One display-transformed geometry frame + three focus areas × five human-first action stages

PACKAGE v2.2
CONCEPT / PROVISIONAL

01 / shared geometry frame



02 / visible action rooms

	ARRIVE	EXPLAIN	BOUND	PAUSE	EXIT / REPLAY
Beijing AI Origin Contract PROV-KEY-002 official_boundary=false How can ordinary people act, learn, and exit without human equivalent + stop/replay	01 · STAFF Make staffed, paper, and phone HUMAN Staff / paper / phone STOP / RETURN	02 · CHOICE Place retention records and HUMAN Resident explanation / STOP / RETURN	03 · BOUND Hand off from intake to HUMAN Career advice / job referral STOP / RETURN	04 · PAUSE Use shade, sound, static HUMAN On-site help / accompaniment STOP / RETURN	05 · REPLAY Retain paper receipts, HUMAN Human reply / deletion STOP / RETURN
Zhongzhiyuan PROV-KEY-001 official_boundary=false How are machine tests bounded, taken over, and human equivalent + stop/replay	01 · STAFF Separate ordinary HUMAN Walking / static cues / staff STOP / RETURN	02 · CHOICE Expose minimum fields, logs, HUMAN Staff explain purpose STOP / RETURN	03 · BOUND Record entry, takeover, and HUMAN Stop / evacuate / replay STOP / RETURN	04 · PAUSE Make flood conveyance, HUMAN Wayfinding / manual STOP / RETURN	05 · REPLAY Use a redacted event record to HUMAN Independent review / public STOP / RETURN
Dazhongsi AI Industrial PROV-KEY-003 official_boundary=false How does innovation become legible, contestable, human equivalent + stop/replay	01 · STAFF Make problems, data boundaries, HUMAN Human intake / paper directory STOP / RETURN	02 · CHOICE Make fair applications and HUMAN Open application / human booking STOP / RETURN	03 · BOUND Register replayed HUMAN Human review / objection window STOP / RETURN	04 · PAUSE Support visitors and residents HUMAN Human translation / STOP / RETURN	05 · REPLAY Put the annual review, changes, HUMAN Accountable reply / public STOP / RETURN

GEOMETRY

7 GeoJSON layers · display transform

METRICS

11.41 km² provisional input · EPSG:4548

HUMAN PATH

paper / phone / staffed appeal retained

UNKNOWN

official boundary · rights · safety · energy · field baseline

Reading rule

The same reviewer-facing contract runs through every row: arrive → human explanation → bounded interface → screen-free pause → staffed exit / replay. No card is an operating result or an official redline.


official_boundary=false · geometry_role=provisional_constraint · conceptual suggestions for professional teams to deepen

Three key areas: actions before slogans

Put action, handoff and stop conditions into provisional spatial evidence; no official redlines.

01 Zhongzhiyuan AI Acceleration

Machine entry begins with a stop right




- 1 Human-first edge**
Pedestrians, access and human help enter first
- 2 Controlled test**
Low speed, time-boxed, reversible
- 3 Incident replay**
Positive and negative results stay visible
- 4 Sponge buffer**
Simulation and inspection only

Spatial refs: PROV-KEY-001 · SC-B02 · SC-C03 · ROAD-B-SILICON · GREEN-C-SPONGE

Role classes: 交通/能源/水务/安全/公众观察

02 Beijing AI Origin Community

Keep transition and service in daily life




- 1 Human entrance**
Counter, phone and paper stay available
- 2 Skills transition**
Ability, paid training, trial role, new role
- 3 Resident retention**
Spatial support is not a retention result
- 4 Version release**
Questions, pauses and missing data are public

Spatial refs: PROV-KEY-002 · SC-A02 · SC-A03 · ROAD-A-SKILL · PUBLIC-A-INCLUSION

Role classes: 社区/就业/无障碍/资料责任

03 Dazhongsi AI Industry Cluster

Make data, energy and service legible



- 1 Data authorization**
Catalogue, permission, log and exit
- 2 Compute-energy audit**
PUE, green power and heat demand first
- 3 Small-team service**
Shared lab, legal help and fair access
- 4 International commons**
Multilingual help and human explanation

Spatial refs: PROV-KEY-003 · SC-C01 · SC-C04 · SC-D03 · BLDG-C-01 · BLDG-D-01/02

Role classes: 数据/能源/OPC/多语服务

Three focus areas | spatial action rooms

PACKAGE v2.1

The same five-stage spatial sequence, with a different human question at each provisional anchor

CONCEPT / PROVISIONAL

provisional anchor / first question	Arrival / staffed edge	Public explanation / choice	Bounded machine interface	Blue-green pause / recovery	Exit / appeal / replay
Beijing AI Origin Community PROV-KEY-002 · official_boundary=false How can ordinary people act, learn, and exit without using a screen? GeoJSON anchors and scenario IDs are listed in the JS geometry_role=provisional_constraint	01 · Continuous walk / staffed edge Make staffed, paper, and phone entrances HUMAN EQUIVALENT Staff / paper / phone MACHINE LIMIT No forced scan or emotion inference STOP / RETURN Unclear access → gather evidence only	02 · Intergenerational learning / retention Place retention records and shop-return data HUMAN EQUIVALENT Resident explanation / appeal MACHINE LIMIT AI organizes questions; it does not decide STOP / RETURN No consented baseline → no retention claim	03 · Skills-transition relay Hand off from intake to reskilling to a partner HUMAN EQUIVALENT Career advice / job referral MACHINE LIMIT Attendance is not an employment outcome STOP / RETURN No job pathway → return to v0.1	04 · Screen-free recovery garden Use shade, sound, static cues, and a night garden HUMAN EQUIVALENT On-site help / accompaniment MACHINE LIMIT No capture, recommendation, or forced interaction STOP / RETURN Forced capture or blind spot → withdraw	05 · Ordinary service / replay Retain paper receipts, version deltas, and an objection HUMAN EQUIVALENT Human reply / deletion MACHINE LIMIT No non-retractable data chain STOP / RETURN No independent replay → do not release
Zhongzhiyuan AI Autonomous Innovation Accelerator PROV-KEY-001 · official_boundary=false How are machine tests bounded, taken over, and exited? GeoJSON anchors and scenario IDs are listed in the JS geometry_role=provisional_constraint	01 · Pedestrian-first observation edge Separate ordinary walking, help, and test HUMAN EQUIVALENT Walking / static cues / staff MACHINE LIMIT Declare time, scope, and exit first STOP / RETURN No safety or takeover → observation gate	02 · API authorization desk Expose minimum fields, logs, revocation HUMAN EQUIVALENT Staff explain purpose MACHINE LIMIT Least privilege, revocable, replayable STOP / RETURN Overreach or no log → freeze call	03 · Embodied-test pocket Record entry, takeover, and exit in a closed loop HUMAN EQUIVALENT Stop / evacuate / replay MACHINE LIMIT One demo cannot expand the area STOP / RETURN Missing incident, insurance, or replay	04 · Xiaoyue River sponge retreat Make flood conveyance, sponge, and screen HUMAN EQUIVALENT Wayfinding / manual inspection MACHINE LIMIT Simulation is not hydrology review STOP / RETURN No blue-line or calibration → no expansion	05 · Incident replay / rollback Use a redacted event record to repair, withdraw, or retract HUMAN EQUIVALENT Independent review / public objection MACHINE LIMIT No independent replay → stop STOP / RETURN No replay → no expansion
Dazhongsi AI Industry Cluster PROV-KEY-003 · official_boundary=false How does innovation become legible, contestable, reusable? GeoJSON anchors and scenario IDs are listed in the JS geometry_role=provisional_constraint	01 · City problem desk Make problems, data boundaries, and human intake HUMAN EQUIVALENT Human intake / paper directory MACHINE LIMIT Exchange only authorized minimums STOP / RETURN Unclear rights → publish the question or answer	02 · OPC fair-access face Make fair applications and conflict disclosure HUMAN EQUIVALENT Open application / human booking MACHINE LIMIT No named vendor or enterprise STOP / RETURN Opaque allocation → pause access	03 · Version / draft-standard replay Register replayed mobility, data, and age HUMAN EQUIVALENT Human review / objection window MACHINE LIMIT Never present as a national or industry standard STOP / RETURN No independent replay → no outward use	04 · Multilingual service room Support visitors and residents with multiple languages HUMAN EQUIVALENT Human translation / referral MACHINE LIMIT Brand is not service capacity STOP / RETURN Unverified capacity → retain ordinary room	05 · Release / withdrawal / replay Put the annual review, changes, withdrawals, and gaps HUMAN EQUIVALENT Accountable reply / public review MACHINE LIMIT No evidence, no version upgrade STOP / RETURN Unanswered objection → stay on prior version

Common spatial rule

Human-readable arrival → public explanation → bounded interface → screen-free pause → staffed exit and replay. Every move remains conceptual until official geometry, rights, safety, accessibility, energy, climate, and public baselines are supplied.

CONCEPT / PROVISIONAL · no official boundary, engineering section, capacity, permit, or operating result