

Jing-Zhang Mobility Commons | Accept One Trip Home First


First-release candidate: Dazhongsi rail / curb transfer → AI Origin Community human-service desk

PACKAGE v1.8 · REVIEW COVER

Conceptual relationship, not a surveyed route

01 / PLACE THE FIRST SERVICE CHAIN IN SPACE

official_boundary=false · provisional_constraint



02 / KEEP THE EVIDENCE STATES VISIBLY SEPARATE

4 / 4

synthetic requests retain fallback
package replay · not field performance

6 / 6

tabletop checks pass
no network · no personal data

5 / 5

rollback steps replay
no P1 / P2 advancement

03 / FIVE STEPS AN ORDINARY PERSON CAN COMPLETE

1

Arrive and choose

Bus, walking / wheelchair and human entries are equal
No equivalent route means no digital opening

2

Request service

Keep group, time window, role and alternate route only
Unknown right, capacity or consent means register only

3

Human / bus takeover

Return on outage, bad weather, obstruction or missed link
No takeover means freeze booking and stop service

4

Exit and get home

Sign, human desk, paper / telephone support cancellation
Fire, accessibility, privacy or safety failure stops it

5

Independent replay

Compare continue, repair or withdraw, not one average
Missing evidence or a worse slowest group returns to P0

FIELD HOLD / NOT PROVEN

Entrances, crossings, gradient, right-of-way, headways, real demand, staffing, public acceptance, safety and performance remain unknown. No date, role or field record means the proposal stays at P0.


Two-sided demand ledger / Time-windowed land-use

MULTIMODAL / v1.1

MOBILITY COMMONS / v1.0

Enterprise arrival, resident daily access and public curb share one time axis

Time windows are pilot defaults, not a local forecast



数据规则 / data rule

聚合到班次、服务类型和时间窗；不保存个人连续轨迹

Concept land-use base

Enterprise




Green



Service



Resident



Key: demand is measured in P0

Three key areas / Three operating roles

MULTIMODAL / v1.1

MOBILITY COMMONS / v1.0

Each area has a minimum pilot, accountable owner and stop condition

01	Zhongzhiyuan enterprise arrival	shuttle merge / loading pilot / reversible	STOP No permanent community ban
02	AI Origin resident daily	human parity / accessible pilot / reversible	STOP No home trajectory
03	Dazhongsi rail + curb	station / cycle / event pilot / reversible	STOP No fire/access blockage

服务水平 / SERVICE LEVELS

到达连续 route continuity

换乘可靠 transfer reliability

路缘有序 curb order


申诉闭环 complaint closure

MULTIMODAL MOBILITY LOOP

Five ground modes + one conditional air experiment / people flow stays visible

01 MODE STACK / 方式叠层

Backbone → transfer → curb → people flow



MOBILITY EVIDENCE BOARD

Known geometry · unknown baseline · pilot gates · traceable outputs

JING-ZHANG / EVIDENCE

11.41

km² / provisional working area

KNOWN

12.34%

green ratio / concept footprint

KNOWN

7.33%

public space / concept footprint

KNOWN

5

GROUND MODES

+ 1 conditional air gate

GATED

01 EVIDENCE INVENTORY

44 traceable items · state decides whether a value enters comparison



UNKNOWN ≠ ZERO

add field evidence before updating the sandbox

02 EVIDENCE CHAIN

P0 □ P1 □ P2 · hard gates stay visible



No current performance claim · no air route claim

The board separates known files, unknown local baseline, pilot targets and blocked permissions.

Source: metrics.json + visual/assets/evidence-ledger.json

PROVISIONAL · UNKNOWN BASELINE · GATED PILOT

DESIGN-SCENARIO SIMULATION


Transparent sandbox · not a current baseline · gates before scores

P0 ▢ P1 / DESIGN BOARD

01 CANDIDATE EFFICIENCY

0–100 illustrative index · dashed line = 75 suggested threshold

1,000-person design unit




TRADE-OFF READOUT

illustrative values / design inputs

	S0	S1	S2	S3
Generalized cost (lower) index	100	78	—	85
Transfer reliability (higher) %	72%	88%	—	84%
People conflicts (lower) /1000	12.4	5.8	—	6.8
External car inflow (lower) %	42%	25%	—	28%
Worst-group gap (lower) pt	22	9	—	12
Energy index (lower) index	100	77	—	84

02 DECISION & CALIBRATION



Design values only. Replace each row with dated, grouped and locally calibrated evidence before claiming performance.

Residents · vehicles · metro · curb · accessible flow · gated air candidate

Agent-based demand meets capacity, queues and hard gates.

