

Open Call for Urban Design - AI Agent Submission

Centennial Jing-Zhang AI Innovation Belt

A3 Drawings Booklet (English Version)

11.41 km² Overall Design Area 11,412,825.386 sqm (provisional boundary recalculation)	3 Key-Area Detailed Design Areas: Zhongzhiyuan / AI Origin / Dazhongsi	43.6 km² Coordinated Research Area: industry and future-city research layer	3 Concept phases 2026-2035 (discussion draft, no schedule commitment)
--	--	--	---


This booklet is a submission to the open call for urban design. All spatial conclusions derive from a **provisional coarse boundary** and do not constitute an official redline, a statutory planning document, or an implementation commitment. Authoritative data: metrics.json of the submission package; missing indicators are truthfully marked **unknown**. License: CC-BY-SA-4.0.

Submitting agent: Kimi K3 (Moonshot AI) | Package ID: jingzhang-ai-belt | Submission stage: formal

Data reference date: 2026-08-10 | Site package version: 0.1.0

Three-Layer Scope: CRA - ODA - KDA

43.6 km² research layer sets direction; 11.41 km² design layer carries structure; 3 key areas receive detailed design. All spatial anchors are provisional constraints, not official redlines.



Land-Use Structure and Functional Zoning

Seven functional bands, six land-use codes, one zero-sum closed system: the share ranking is the value ranking - the livelihood base precedes the industry narrative.



Key Areas: Zhongzhiyuan • AI Origin • Dazhongsi

Three key areas = three handles at different certainty gradients; official polygons are missing, so all detailed-design conclusions are directional only.




Fig. 4-1 Three key areas (derived from key_areas.geojson; PROV-KEY-001/002/003 are provisional coarse key areas, official_boundary=false)

Key-area areas may only cite the announced figures (~192.1 / 104.3 / 72.0 ha); provisional polygon recalculations (low confidence) are not precise area evidence. The pre-qualification design annexes have not been obtained (channel: registration via the bkpmzb announcement page); once official polygons are published, all derived content must be replaced and recomputed.

Zhongzhiyuan AI Independent Innovation Acceleration Area (N) • ~192.1 ha

Role: the origination core of the full-stack AI independent innovation system and the anchor for AI-governance voice. 237,500 sqm of buildings completed and filed, opening planned for H2 2026 (two accounts; official announcements prevail). The scheme addresses opening readiness and the North 5th Ring integration interface (PHASE-003); no built evidence exists for a cross-ring slow-mobility link, so it is expressed as a concept proposal.

Beijing AI Origin Community (C) • ~104.3 ha

Role: the near-campus incubation circle of a world-class AI innovation ecosystem. Wudaokou core, a "one-kilometre near-campus innovation circle"; Dongsheng Town's 4,000+ talent apartments and the "5+5" subsidy that attracted 115 enterprises (2024 operating figures) are proven start-up mechanisms; the 50-desk Origin School prototypes low-cost incubation space. The scheme places an affordable innovation-space project package (talent housing + low-cost desks; benchmarks: Station F Flatmates, 22@ price-capped apartments).

Dazhongsi AI Industry Cluster (S) • ~72.0 ha

Role: industrialisation and consumer-scenario anchor for AI-native business formats, while guarding against super-employer enclosure (ByteDance-affiliated self-held and under-construction floor space exceeds 740,000 sqm). It carries the Lanjinglijia urban renewal public interface and slow-mobility connections (municipal quota of 6,784 sqm verified 2026-08-03); the four-quadrant pedestrian connection at Dazhongsi is a task named in the announcement - current out-of-station transfer takes about 8 minutes, and in-station connection is not expected before end-2027.

Gradient discipline: the south has the firmest "quota + entity + precedent" combination (near-term start), the centre allows flexible operation (mid-term follow-up), and the north hinges on the single opening variable (long-term response) - deliberately avoiding the false promise of "synchronised progress everywhere".

Mobility and Blue-Green Systems

Transport conditions are organised in four tiers - delivered / under construction / pending / concept proposal - and must not be cross-cited. Blue-green indicators are provisional recalculations.




Fig. 5-1 Mobility and blue-green structure (derived from roads / green_space / public_space GeoJSON; concept roads contain centrelines only - no right-of-way widths, so road_area_sqm is registered as unknown)

Rail and road: four tiers

Tier	Content
Delivered	Metro Line 18 opened 2025-12-27 (~19.8 km / 11 stations; official forecast 228,300 weekday daily trips); Changping Line south extension and Line 16 in place
Under construction	Line 13 capacity upgrade (~CNY 34.4 billion; 13A + 13B = 63.6 km / 33 stations when complete), benefits not before 2027 and uncertain; Dazhongsi in-station transfer not yet enabled
Pending	Qinghua Donglu Xikou infill station started 2024-05, "opening time pending due to scheme change" (official wording); subsequent status of the Bajia east-west link: unknown
Concept proposal	East-west stitching slow-mobility links (ROAD-002 / ROAD-003) placed on greenway and local-road prototypes; they match no approved alignment

East-west stitching: four typologies

Greenway scale - Shuangqing Greenway, 663 m (nearly 20,000 daily users, 2019-12); road-connection scale - Qinghua East Road west extension to Heqing Road (2017-12); secondary-road scale - Bajia east-west link, ~850 m continuous underpass (status unknown); arterial-tunnel scale - Qinghe North Tunnel, 1.5 km (opened 2023-11-27, officially described as "stitching the urban fabric"). The slow-mobility question has shifted from "along-corridor continuity" to "endpoints, interfaces and system connection".

Blue-green and public space (provisional recalc.)

Indicator	Value	Basis
Green space area	1,290,877.036 sqm	EPSG:4548 recalc., confidence medium
Green ratio	0.113108 (11.31%)	Scheme recalc.; statutory control missing
Public space area	84,399.550 sqm	EPSG:4548 recalc., confidence medium
Public space ratio	0.007395 (0.74%)	Scheme recalc.
road_area_sqm	unknown	Centrelines only; no right-of-way width or boundary

The 9 km Jing-Zhang Railway Heritage Park green corridor is the corridor's narrative spine; its phase-1 ~13 ha is railway land licensed free of charge by China Railway Beijing Group (agreement of 2021-06-11) - any programme insertion must verify the licence scope with the railway authority. All alignments, pipe sizes and capacities in this chapter are concept proposals, not engineering conclusions or opening expectations.

AI Scenarios and Personas: Six Personas x Twelve Scenario Cards

All scenario cards are concept proposals - no regulatory licence, no connection to live government systems. Personas rest only on statutory statistics and commuting evidence.

P1-P6 Personas (statutory population base; evidence synthesis, not survey results)

Persona	Statutory population basis	Core needs
P1 AI researchers	~56.5% with university education (7th census); 12,300 AI scholars, 80%+ of the city total	Safe night commuting; academic exchange communities; school places; overwork and sleep health
P2 Founders / developers	35.7% migrant population (7th census); 25-35 year-olds over 70% in AI Origin Community (operator figures)	Low-cost desks and youth apartments; third places for cofounders/investors; insurance continuity and mental support
P3 University students	~1.10 million enrolled students citywide (2022)	Campus-internship cycling links; study-tour classrooms; affordable consumption and safe night travel
P4 Corridor residents - elderly & children	578,000 residents aged 60+ (7th census); 207,000 primary pupils (2024-25)	Safe school routes; community canteens / eldercare stations; intergenerational venues; barrier-free all-age facilities
P5 Visitors / culture-tourism	1.844 million May Day visits; 560,000 over a 3-day carnival (district bulletins)	Rail arrival + in-park roaming; traceable cultural guides; crowd capacity and service-station density
P6 Operators / governance staff	City Brain spatio-temporal map covering 170,000 buildings / 190 million sqm (2021-2023 reports)	Inspection routes and emergency access; AI-tool literacy; data security and privacy compliance duties

S01-S12 Scenario Cards (three tiers by evidence strength)

Tier	Cards	Operator assumptions (concept proposals)
Proven	S01 AI signal control & slow-mobility assessment (Sidaokou-Dazhongsi junction cluster; speed +21% / congestion -19%, official disclosure, no third-party evaluation) S02 AI complaint-dispatch and city-operation governance (836 smart dispatch categories, 87%+ accuracy)	Traffic management + City Brain team; district command centre + subdistrict grids
Policy-backed	S03 Rain-flood & eco-environment governance (flood response 30 -> 10 min) S04 Health-service navigation S05 AI+education campus services S06 AI heritage guides & cultural narrative S07 Enterprise-service Copilot S08 Public-safety & event-operation review	Water bureau + park operators; district health system; education commission + schools; park operator + curatorial team; park operating agency; park operator + subdistrict + police/emergency
Testing	S09 Low-speed autonomous driving & robot delivery test corridor (time- and segment-based) S10 Embodied-AI city-service validation section (Xiaoyue River Scenario Enablement Wing) S11 AI+healthcare compliant data channel (data stays in-domain)	Licensed operator + district regulators; robot companies + site operators; medical institutions + compliant data platform
Frontier	S12 AI+film and content production (Xiaoyue River wing; mechanism placement, no physical anchor)	Content enterprises + park operator

Four compliance red lines built in (effective 2025): Network Data Security Regulation (Decree 790); Public-Safety Video Systems Regulation (Decree 799); Facial Recognition Security Measures (Decree 19); AI-Generated Content Labelling Measures. Every card carries a "four-list" annex: data sources & authorisation / algorithm filing status / video & facial compliance / human review & exit mechanism. Wing scenarios (S10/S12) bind no physical anchor - official texts define no spatial boundary, so binding them to a polygon would fabricate spatial fact.

Core Metrics: Machine-Auditable, Missing Values Marked unknown

Authoritative data: metrics.json. Areas are EPSG:4548 recalculations on the provisional boundary - not statutory approvals.




Fig. 7-1 Metrics-evidence overview (every metric carries its formula, source files, confidence and assumptions; traceable to metrics.json)

Metric register (consistent with metrics.json)

Metric	Value	Status / confidence
site_area_sqm (Overall Design Area)	11,412,825.386 sqm	known / medium
key_area_count	3	known / high
green_ratio	0.113108	known / medium
public_space_ratio	0.007395	known / medium
building_density	0.017822	known / low (design-geometry density, not a statutory indicator)
building_footprint_area_sqm	203,401.112 sqm (11 buildings)	known / medium (concept buildings, not existing statistics)
total_floor_area_sqm (estimated)	2,040,210.034 sqm	known / low (footprint x estimated floors; design discussion value)
floor_area_ratio (FAR)	unknown	Statutory FAR and official boundary both missing; design estimates cannot replace an approved FAR
road_area_sqm	unknown	Concept centrelines only; no right-of-way width or boundary
phase_1_area_sqm	2,743,860.648 sqm	known / medium (concept phasing, not an implementation commitment)
phase_2_area_sqm	6,232,173.837 sqm	known / medium
phase_3_area_sqm	2,436,786.088 sqm	known / medium

Metric discipline: (1) every metric carries a formula (e.g. `green_space_area_sqm / site_area_sqm`), source GeoJSON and confidence; (2) two-decimal ratios serve machine auditability only and claim no survey precision; (3) unknown is a registered result, not an omission - once statutory controls and the official boundary arrive, everything is recomputed with the same formulas (A-CONTROLS-001 / A-AREA-RECALC-014).

Phase areas sum to 11,412,820.573 sqm, 4.813 sqm below site_area_sqm (rounding). total_floor_area_sqm derives from concept footprints x estimated floors; estimated_floors is a scheme assumption, not an approved building scale.

Compliance, Risk and Boundaries: Uncertainty as an Auditable Ledger

Risks rated 4 or above mandate human_review; all countermeasures are concept proposals for professional teams to deepen.

Risk	Level	Scope of impact	Countermeasure (concept proposal)	human_review
R1 Official redline missing: no official precise polygons for the three-layer scope or the three key areas	5	All spatial conclusions, area metrics, key-area detailed design	Provisional geometry for generation and self-check only; wholesale replacement and same-formula recalculation once official polygons arrive	Yes
R2 Provisional geometry precision risk: OSM-surveyed heritage-park segments (17.49 ha) intersect the provisional boundary by 0%, nearest distance 412.5 m; unresolved	5	Reliability of local boundary segments; overlay analysis along the heritage park	All corridor-edge judgements downgraded to directional statements; issue tracked until official-boundary adjudication	Yes
R3 Regulatory controls unconfirmed: FAR, height, coverage, green ratio, setbacks missing; floor_area_ratio stays unknown	4	Development intensity, height and massing, land-use control	All intensity arguments conditional; industry reference ranges explicitly marked "not this project's indicators"	Yes
R4 Heritage boundaries unverified: no official GIS boundary for Qinghuayuan Station protection scope and construction-control zone	4	Height, massing and construction near the heritage corridor and stations	Signature nodes avoid presumed protection scopes; physical interventions only "to be deepened per heritage-protection procedure"	Yes
R5 Statutory status of RDP: HD00-1601 and other block plans remain "public-consultation draft + adoption notice", no approval seen	4	Statutory backing of all intensity statements	Drafts never written as approvals; new floor space advised to respect "<= 50% of new above-ground area" with per-project justification	Yes
R6 Transport uncertainty: no official timetable for the 13A/13B split; Dazhongsi in-station connection not before end-2027; Qinghua Donglu Xikou opening pending	3	Transport and TOD arguments; phasing triggers	Four-tier sequencing without cross-citation; phasing not bound to undelivered rail variables	-

Key assumptions (assumptions.json, 14 entries; excerpt)

ID	Status	Key point
A-BOUNDARY-PROV-002	pending_official_replacement	All spatial layers derive from the provisional coarse boundary; official_boundary=false
A-REDLINE-003	data_gap	Official precise redline and key-area polygons not obtained
A-CONTROLS-001	pending_professional_confirmation	Statutory controls missing; floor_area_ratio etc. stay unknown
A-OWNERSHIP-004	pending_professional_confirmation	Land and building ownership along the corridor not officially verified
A-HERITAGE-005	pending_professional_confirmation	Official GIS boundaries of heritage protection scopes not obtained
A-TRANSPORT-007	pending_professional_confirmation	Timing of 13A/13B and Dazhongsi in-station transfer uncertain
A-IMPL-NONCOMMIT-010	-	Projects, policies, phasing and operations are all concept proposals; no investment / schedule / ownership / approval conclusions

Boundary statements

- All drawings and text in this booklet are **concept proposals / reference schemes** - not official planning documents, engineering conclusions, statutory commitments or government promises.
- The BOUNDARY_TRUST self-check "pass" means only that a provisional boundary exists and is well-formed - **it is not a precision endorsement**.
- Industry figures are rolling counts with timestamps and scope qualifiers; promotional figures such as "95,000 AI talents" are never used as statistical bases.
- AI scenarios have no regulatory licence and no connection to live government systems; compliance assessment and four-list checks are required before any implementation.
- City-partner mechanism revenue and expenditure are unknown; no financial estimate is valid before data completion.
- Official milestones (opening, outcome integration, etc.) are always "as planned, subject to official announcements".

Sources and License

All citations traceable to sources.json (26 entries) and assumptions.json (14 entries); access reference date 2026-08-10

Source structure (sources.json, 26 registered entries)

Category	Count	usable_for_formal_grading
Authoritative media	10	yes: 7 background_only: 17 provisional_only: 2
Official public information	9	
Provisional geometry sources	2	Licensed only for provisional generation, visualisation and intake self-check
Repository materials (site package / registry / processed reference / standards snapshot)	4	Cited under repository licence; not official planning documents
User-provided cleared materials	1	Used within registered boundaries

Case sources (Kendall Square, 22@, Station F, King's Cross, High Line, Seoulllo, West Bund, Hangzhou corridor; EXT-CASE-*) are background_only benchmarks; the text explicitly distinguishes research leads from repository anchors. Unregistered self-collected sources gain no central approval by omission.

Figures and data

Embedded figures (site-overview / land-use-structure / key-areas / mobility-bluegreen / metrics-evidence) derive from the package's geometry/*.geojson and metrics.json. Authoritative data are always the package JSON files; the drawings claim no precision.

License

CC BY-SA 4.0

This booklet is published under the **Creative Commons Attribution-ShareAlike 4.0 International** license. Redistribution requires attribution and retention of this license and the source notes; cited third-party materials remain subject to their own registered licenses and usage boundaries.

Responsibility statement

This booklet was generated by an AI agent (Kimi K3) for the Centennial Jing-Zhang AI Innovation Belt Open Call for Urban Design. All spatial conclusions rest on a provisional coarse boundary; all scenarios, projects, policies and operating arrangements are concept proposals. Before any statutory use, professionals must verify against the official redline, statutory controls and the pre-qualification document package.

Centennial Jing-Zhang AI Innovation Belt
Open Call for Urban Design

Package ID: jingzhang-ai-belt | Generated: 2026-08-10