


Reversible, human-received handovers replace one-off attraction. Provisional geometry is a generation container; the claim lies in the spine, three stations, six links and ordinary routes.

01 / HOME-WORK RELAY

A RELAY THAT KEEPS DAILY LIFE CONNECTED

A spatial protocol inside provisional geometry: one line, three stations, four home types, six relays



DERIVED FROM: geometry/site_boundary.geojson + roads.geojson + key_areas.geojson

- 01

ONE LINE
A reversible relay connects homes, workspaces and everyday services.
- 02

THREE STATIONS
Project live-work, family transition and arrival transfer serve distinct stages.
- 03

FOUR HOME TYPES
Arrival, project rental, adaptable and long-term homes remain distinct choices.
- 04

SIX RELAYS
Tenure, layout, work, service, consent and return are handed over visibly.

PROVISIONAL CONSTRAINT: not an official planning boundary; recalculate the full chain when official polygons arrive.


PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION

Northern communities, Future/Huairou Science Cities, E-Town and Jing-Jin-Ji define exchange objects, minimum assets and separate decisions; counterpart, demand, capacity and partnership await evidence.

06 / REGIONAL INTERFACES

FIVE INTERFACES, NOT UNVERIFIED BIG ARROWS

Exchange object, minimum asset, decision separation and evidence gaps; no route, partnership or capacity claim




Seven valid codes partition one provisional boundary. Buildings express four footprint prototypes without statutory intensity, floors, units, ownership or parcel-level intervention claims.

02 / LAND-USE STRUCTURE

LAND USE AS A TEST OF CONTINUITY, NOT A STATUTORY PLAN

Every partition comes from one topology source; areas are recalculable design quantities inside a provisional boundary



RECALCULATED MIX

	Residential	40.2%
	Commercial service	18.3%
	Research	17.5%
	Community service	11.8%
	Park green	8.8%
	Plaza	2.6%
	Road	0.7%

These shares are not statutory controls. They only test whether home, work, service and green space can coexist continuously in one topology.

DERIVED FROM: geometry/land_use.geojson + metrics.json


PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION

The spine and six links are conceptual walking and service relationships. Rail, crossings, parking, utilities, accessibility and capacity await field and professional review.

04 / MOBILITY + BLUE-GREEN

SHORTEN THE HOME-WORK LINK BEFORE OPTIMISING TRAVEL

One public spine and six transverse relay links; conceptual centrelines are not road redlines



DERIVED FROM: geometry/roads.geojson + green_space.geojson + public_space.geojson

DOOR-TO-DESK: FIVE OPTIONAL LINKS

- Private threshold
- Shared foyer
- Care/service node
- Walking relay link
- Workspace/lab

- No continuous tracking inside private homes
- Every AI service retains human and no-AI routes
- Every pilot can pause, withdraw and hand over maintenance responsibility

PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION

Zhongzhiyuan tests project live-work, AI Origin household transition and Dazhongsi arrival.
Separate drawings improve readiness for development, not geometric authority or buildability.

03 / THREE STATIONS

THREE STATIONS, THREE VISIBLE HANDOVERS

Each key area tests a different stage; all locations remain constrained by provisional polygons

01

ZHONGZHIYUAN | PROJECT
LIVE-WORK

Project rental + shared lab + reversible fit-out test

Align project cycles with living, experimentation and visible exit responsibility.

02

AI ORIGIN | FAMILY TRANSITION

Adaptable home + care relay + partner work interface

A changing household stage does not require leaving the innovation network; human and no-AI paths remain.

03

DAZHONGSI | ARRIVAL
TRANSFER

Arrival stay + city services + transfer to long-term options

A conceptual first relay connects identity, housing, work and everyday services without automatic allocation.

Key-area location uncertainty is documented in Issue #1029; these diagrams make no claim about actual station footprints, official boundaries or engineering siting.

DERIVED FROM: geometry/key_areas.geojson + public_space.geojson


PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION

Every transition defines minimum input, RACI, consent, prohibited AI decisions, ordinary/offline routes, stop, resume and exit asset. A household-scoring fixture must be rejected.

07 / HOME-WORK RELAY CONTRACT

SIX CONTRACTS MAKE EVERY RELAY STOPPABLE AND RECEIVABLE

Nine states + three human evidence gates; a valid desktop structure is not a field outcome



90-DAY PILOT AND EQUITABLE OPERATIONS | OUTCOMES UNKNOWN

Shadow rehearsal, micro-pilot and joint review use go/no-go gates. Three validations define baseline, instrument, proposed threshold, stop and sign-off. Cost, capacity, equity, SLA and field outcomes remain blank.

08 / 90-DAY PILOT + VALIDATION

NINETY DAYS ADVANCE EVIDENCE, NOT PREPAID OUTCOMES

Shadow rehearsal -> reversible micro-pilot -> joint review; every test has a baseline, instrument, stop and human sign-off

Day 1-30

Shadow rehearsal

Replay requests, human receipt, ordinary routes, withdrawal and missing receivers without changing eligibility, contracts or space.

DELIVERfailure ledger / accepted RACI / P2 record

Day 31-60

Reversible micro-pilot

Test three industry-validation protocols and human takeover only in authorized, reversible mock-up or service-desk settings.

DELIVERraw test / calibration / stop + recovery

Day 61-90

Joint review and retirement decision

Professionals, user representatives and operational roles decide whether to revise, continue within limits, retire or wait for evidence.

DELIVERjoint audit / equity / retire-or-wait decision

V1

Reversible Fit-Out Validation

BASELINE

authorized room and component inventory

INSTRUMENT

versioned drawing and component register

PROPOSED GATE

no unresolved safety or egress nonconformity

STOP

unexpected structural or fire issue

NOT AUTHORIZED · NOT RUN

V2

Live-Work Adjacency Noise and Safety Validation

BASELINE

authorized boundary between domestic and work areas

INSTRUMENT

calibrated sound level meter used by a qualified role

PROPOSED GATE

applicable acoustic and safety thresholds set by qualified reviewers before the test

STOP

applicable threshold exceeded

NOT AUTHORIZED · NOT RUN

V3

Private-Home Default-Deny Validation

BASELINE

complete device and data-flow inventory

INSTRUMENT

local network observation appropriate to the device

PROPOSED GATE

zero unauthorized transmission while consent is off

STOP

any unauthorized transmission

NOT AUTHORIZED · NOT RUN

5 RACI WORKSTREAMS | COST = STAFF + SPACE + CALIBRATION + ACCESS + SAFETY + MAINTENANCE + EXIT | CAPACITY = MIN(4 BOTTLENECKS) | ALL OPERANDS UNKNOWN

DERIVED FROM: visual/assets/pilot-protocol.json + assumptions.json

PROVISIONAL CONSTRAINT | CONCEPTUAL RECOMMENDATION | EPSG:4548 RECALCULATION