




Jing-Zhang AI Origin Community

A Human-Machine Symbiotic Urban Innovation Cell

ORIGIN · Formal v2 bilingual concept package



43.6 km²

research

11.41 km²

design


368.4 ha

key areas

ORIGIN One-Spine / Three-Node Spatial Prototype

FIG-01R · expanded concept plan / evidence locator


Expanded design plan (not for siting)



INTERFACE PROTOTYPE · NOT FOR SITING · NOT AN OFFICIAL REDLINE · SCALE AND DIMENSIONS TO BE CALIBRATED

Legend and evidence locator

- accessible service loop
- blue-green slow loop
- rail heritage trace
- controlled test node



Locator uses provisional geometry only

The expanded plan communicates relationships, not true distances, boundaries or engineering alignments. Recompute and relocate after official polygons arrive.

REVIEW NOTES


- One spine connects A1/A2/A3 while two wings link technology services and civic experience.
- Every node is conceptual on provisional geometry and must be relocated after official polygons arrive.
- Public benefit, reversibility and auditability jointly determine design value.

EVIDENCE ANCHOR

geometry/site_boundary + key_areas + roads + proposal scenario table

Beyond Land-Use Bands: Three Urban Interfaces and a Shared Armature

FIG-02R · same-source layers / spatial interface reading



REVIEW NOTES

- Four concept land-use zones share one topology without gaps or overlaps.
- Green, public-space, slow-mobility and renewal interfaces use coordinated source layers.
- Intensity, road controls and retain-renovate-demolish decisions remain pending official conditions.

EVIDENCE ANCHOR

geometry/land_use + buildings + green_space + public_space

Three Key Areas: From Program Lists to Spatial Prototypes

FIG-03R · distinct plans / shared delivery gates

A1

An evaluation court sits inside the R&D district, separating controlled tests from public routes.

Entry: rights ledger + safety protocol

Shared exit: pause and restore baseline when safety, inclusion or operations fails.

C01

C02

C03

C04

C05

C06

A2

A community court faces the rail-heritage green, linked by an accessible co-design and memory loop.

Entry: co-design + non-digital fallback

Shared exit: pause and restore baseline when safety, inclusion or operations fails.

C01

C02

C03

C04

C05

C06

A3

The station micro-center layers service, transfer and showcase while retaining clear egress and a staffed desk.

Entry: capacity check + operator duty

Shared exit: pause and restore baseline when safety, inclusion or operations fails.

C01

C02

C03

C04

C05

C06

ALL THREE ARE INTERFACE PROTOTYPES · NOT FOR SITING · NOT ENGINEERING PLANS · DIMENSIONS, CAPACITY AND FIRE CONDITIONS TO BE CALIBRATED

REVIEW NOTES

A1 focuses on safety and full-stack tools; A2 on near-campus translation and symbiotic life; A3 on AI-native services and station-city interfaces.

All three share rights, privacy, accessibility, operations and exit gates.


EVIDENCE ANCHOR

geometry/key_areas + compliance_matrix.json


A2 Interface Prototype, Two Sections and Reversible Kit Axon

FIG-10 · non-siting concept / interfaces for professional development


A2 concept plan: community - heritage - station




C01-C06 reversible-kit exploded axon



Section A-A: heritage spine - community lab



Section B-B: station micro-center - accessible route



INTERFACE PROTOTYPE · NOT FOR SITING · NOT AN OFFICIAL REDLINE OR ENGINEERING SECTION · ALL DIMENSIONS, SLOPES, LOADS AND FIRE CONDITIONS TO BE CALIBRATED

REVIEW NOTES

A1 isolated benchmark workshop, A2 co-design court and A3 station micro-center use reversible components.

Each prototype shows staffed or non-digital fallback, its entry gate and its exit trigger.

The diagrams imply no architectural approval, engineering dimension or official boundary.

EVIDENCE ANCHOR

key-area roles + C01-C06 + inclusion / operations / exit gates

ORIGIN Brand and Public Wayfinding System

FIG-06 · rail ∞ infinity / open contribution

Core symbol



ORIGIN / ∞ ∞

rail memory × infinite collaboration × public contribution

Clear space: 1× symbol height

Original concept mark; not registered and no third-party logo used.

System rules



Rail Basalt



Signal Orange



Data Cyan



Civic Green

Three sub-brands

ORIGIN Lab	R&D source
------------	------------

ORIGIN Court	living symbiosis
--------------	------------------

ORIGIN Rail	heritage activation
-------------	---------------------

Wayfinding principle

Equal CN/EN hierarchy · high contrast · icon+text redundancy · color never sole code

REVIEW NOTES

● ORIGIN Lab / Court / Rail organize research, life and heritage through one brand grammar.

● Eight global cases contribute mechanisms only and each has a traceable primary/program source.

● Investment, funding and policy references remain proposals, never commitments.

EVIDENCE ANCHOR

sources.json + report/copyright_statement.md

Scenario, Space, Operator and Evaluation-Gate Matrix

FIG-07 · 12 services + 4 controlled tests


ID	Scenario	Space	Suggested operator	Baseline	Pilot gate	Exit trigger
S1	Community co-design copilot	Community	Community org	manual handling time	rights+privacy+accessibility+human review	pause on any failed gate
S2	Slow-path guide	Heritage park	Park operator	wayfinding feedback	rights+privacy+accessibility+human review	pause on any failed gate
S3	Accessible companion	Community	Public service	assistance success	rights+privacy+accessibility+human review	pause on any failed gate
S4	Building energy advice	Public building	Facility operator	current energy curve	rights+privacy+accessibility+human review	pause on any failed gate
S5	Green-space care	Blue-green	Green operator	maintenance cycle	rights+privacy+accessibility+human review	pause on any failed gate
S6	Culture-memory guide	Heritage park	Culture operator	content review log	rights+privacy+accessibility+human review	pause on any failed gate
S7	Developer sandbox	Near-campus	Joint lab	no shared benchmark	rights+privacy+accessibility+human review	pause on any failed gate
S8	Mobility micro-loop	Station	Mobility operator	transfer walking time	rights+privacy+accessibility+human review	pause on any failed gate
S9	Public-space inspection	Public realm	City operator	manual inspection tickets	rights+privacy+accessibility+human review	pause on any failed gate
S10	Startup service copilot	Near-campus	Innovation service	manual consulting time	rights+privacy+accessibility+human review	pause on any failed gate
S11	Multilingual city service	Station	Public service	language access	rights+privacy+accessibility+human review	pause on any failed gate
S12	Community memory archive	Community	Community org	consented archive count	rights+privacy+accessibility+human review	pause on any failed gate
T1	Urban model benchmark	Near-campus	Joint lab	current manual workflow	offline protocol+stop threshold	pause on any failed gate
T2	Slow-path simulation	Station	Mobility operator	current manual workflow	offline protocol+stop threshold	pause on any failed gate
T3	Energy peak test	Public building	Facility operator	current manual workflow	offline protocol+stop threshold	pause on any failed gate
T4	Multi-agent drill	Community	Professional operator	current manual workflow	offline protocol+stop threshold	pause on any failed gate

CONCEPT ONLY · NOT AN OFFICIAL REDLINE · provisional geometry for generation, display and recomputation only

Slow Mobility, Blue-Green and Public-Service Network

FIG-04 · continuous public-realm concept

Spatial network



Service standards and components

- Continuous walking and accessible path
- Human/phone channel always retained
- Sensors and terminals removable by scenario
- Every AI recommendation has owner and appeal

Eight reversible components

- | | |
|---------------------------|-------------------|
| Seating | Bilingual signs |
| Accessible rails | Scenario terminal |
| Open-source honor display | Shade |
| Cycle parking | Community notice |

CONCEPT ONLY · NOT AN OFFICIAL REDLINE · provisional geometry for generation, display and recomputation only

REVIEW NOTES


- Continuity, alternatives, reversibility and auditability govern the public realm.
- Eight modular components support low-intervention installation and independent retirement.

EVIDENCE ANCHOR

geometry/roads + green_space + public_space

Public Interest, Inclusion and Data-Governance Service Standards

FIG-09 · AI augments rather than replaces civic service



CONCEPT ONLY · NOT AN OFFICIAL REDLINE · provisional geometry for generation, display and recomputation only

REVIEW NOTES

Ten user groups receive service through digital, human, phone and on-site channels.


The minimum-data lifecycle covers purpose, collection, processing, review, retention, deletion and appeal.

EVIDENCE ANCHOR

proposal inclusion rules + human-review gates

90-Day Candidate Prototype: Workstreams, Resource Bands and Evidence Gates

FIG-08R · 12-week rehearsal / not an approved schedule



ILLUSTRATIVE 12-WEEK / 90-DAY REHEARSAL ONLY · NOT AN APPROVED PLAN, GOVERNMENT, PROCUREMENT OR FUNDING COMMITMENT · RESOURCE BANDS TO BE CALIBRATED AFTER G0

REVIEW NOTES

- Evidence gates, rather than a simple north-south split, determine phase advancement.
- A pilot advances only after rights, privacy, accessibility, safety and operations gates pass.


EVIDENCE ANCHOR

90-day candidate plan + RACI + resource bands + geometry/phasing


Evidence Loop: Spatial Recomputation + Eight-Task Fixed-Input Rehearsal

FIG-05R · recomputable metrics / not field performance

Fixed-input synthetic rehearsal (seed 20260811)




Per-task outcomes



Failures remain visible: T1-B triggers the synthetic-canary safety gate and T3-B exceeds the rehearsal energy budget; both retain complete audit and exit records. Results demonstrate recomputable test-vector aggregates and gate logic only and do not predict field performance.

Provisional-geometry recomputation



One auditable evidence chain



Spatial metrics and rehearsal metrics use distinct sources and are shown side by side; no synthetic result is promoted to official, field or user evidence.

FIXED-INPUT SYNTHETIC REHEARSAL · NOT A FIELD PILOT, USER STUDY OR OFFICIAL PERFORMANCE · SEE PER-TASK LEDGER IN simulation.json

REVIEW NOTES

● Every known metric is recomputed from GeoJSON in EPSG:4548.

● Official boundaries, controls, ownership, heritage and engineering conditions remain explicit data gaps.

EVIDENCE ANCHOR

simulation.json + metrics.json + self_check.json + manifest SHA-256