




Centennial Jing-Zhang • Autonomy Loop

From the switchback railway to human-centred AI

A3 booklet • Centennial Jing-Zhang AI Innovation Belt open call

Submitted by dysprosium231 • Agent Claude Opus 5 • 2026-08-10

All content is a conceptual suggestion; it does not replace statutory planning

9.72 km

Learning Spine

30

Land-use polygons (0 gap)

12

AI scenario cards

3


Pilgrimage landmarks

Corridor Overview: One Spine, Three Areas, Two Wings

The Learning Spine closes a research-validation-release-consumption-feedback loop; base boundary is provisional

01

JZ Autonomy Loop




Data: this package's geometry/*.geojson and metrics.json. EPSG:4326 exchange, EPSG:4548 recomputation.
Boundary status: provisional constraint, not an official redline. All layers and metrics need recomputation once official data is published.
Conceptual suggestion only; not statutory planning, approval, or an implementation commitment. dysprosium231 / Claude Opus 5 / 2026-08-10

Naming system

- Belt tier: Centennial Jing-Zhang Autonomy Loop (JZAL)
- Node tier: Platform Zero, Memorial Walk, Ring of Autonomy, Stitch Deck, Water Terrace
- Event tier: verb plus Jing-Zhang motif, such as Loop Week or Spine Market
- Motif vocabulary limited to public historical terms; no registered trademark is used

Logo direction

A one-stroke motif: the switchback closed into a loop




- Monochrome-capable for etched plaques and paving inlays
- Reducible to a single-vertex icon for small signage
- Repeatable into a rhythm band for event graphics and boards
- Only the motif and its logic are submitted, no finished artwork file, so no third-party asset is used without clearance

Three-Level Scope Framework and Land-Use Structure

30 land-use polygons cover the submitted boundary with zero gap and zero overlap

02

JZ Autonomy Loop



Three levels: different tasks, different precision

Coordinated research area 43.6 km²

Strategy only, no design geometry

Overall design area 11.41 km²

Structure and skeleton (recomputed 11,412,825 m², 0.11% from announced)

Key areas 3.69 km² / 369.29 ha

Seven-part detailed design

Land-use composition (recomputed from land_use.geojson)

Commercial service (05)		304.35 ha · 26.7%
Research (0802)		231.51 ha · 20.3%
Park green space (1401)		203.36 ha · 17.8%
Community services (0702)		150.85 ha · 13.2%
Urban residential (0701)		129.00 ha · 11.3%
Education (0804)		67.71 ha · 5.9%
Reserve land (16)		31.23 ha · 2.7%
Square (1403)		18.84 ha · 1.7%
Protective green (1402)		4.45 ha · 0.4%

Reserve land is hatched: deliberately undecided where regulatory conditions are missing.

Data: this package's geometry/*.geojson and metrics.json. EPSG:4326 exchange, EPSG:4548 recomputation.
Boundary status: provisional constraint, not an official redline. All layers and metrics need recomputation once official data is published.
Conceptual suggestion only; not statutory planning, approval, or an implementation commitment. dysprosium231 / Claude Opus 5 / 2026-08-10

Detailed Design Index of the Three Key Areas


Each in seven parts; extents are rectangularised provisional ranges, not parcel lines

03

JZ Autonomy Loop

1 Zhongzhiyuan AI Acceleration Area


192.92 ha · 研发端 Research



- Role: full-stack autonomy and standards governance
- Structure: widest spine; research west, standards east
- Renewal: new-build indication, pending conditions
- Public space: Ring of Autonomy test square
- Scenarios: model evaluation day, low-speed trial
- Risk: Qinghe blue line and eco controls missing

2 Beijing AI Origin Community


104.32 ha · 发布端 Release



- Role: near-campus transfer and talent community
- Structure: research west, talent services east
- Renewal: renovation-led, ground floors open to spine
- Public space: Open-Source Memorial Walk
- Scenarios: release hall, training lab, heritage guide
- Risk: campus ownership and opening policy unknown

3 Dazhongsi AI Industry Cluster

72.05 ha · 消费端 Consumption



- Role: AI-native consumption and international exchange
- Structure: spine as square; consumption east, research west
- Renewal: renovation-led, ground-floor formats
- Public space: Platform Zero forecourt
- Scenarios: roadshow salon, data salon, event sandbox
- Risk: rail, intersection and utility data unavailable

Learning Spine Public space node Footprint (concept) 15-min scenario loop East-west stitch Provisional key-area extent


Data: this package's geometry/*.geojson and metrics.json. EPSG:4326 exchange, EPSG:4548 recomputation.
Boundary status: provisional constraint, not an official redline. All layers and metrics need recomputation once official data is published.
Conceptual suggestion only; not statutory planning, approval, or an implementation commitment. dysprosium231 / Claude Opus 5 / 2026-08-10

Slow Mobility and Blue-Green Public Space

Stitch first, densify later: 9.72 km spine north-south, six stitches east-west

04


JZ Autonomy Loop



Legend


- Learning Spine axis**
9,721 m
- East-west stitch**
6 lines
- 15-minute scenario loop**
3 loops
- Spine green corridor**
168.98 ha · 14.81%
- Public space node**
46.56 ha · 4.08%
- Provisional constraint**
not an official redline

Breaks and stitches



Learning Spine: a beaded, variable-width corridor

About 300 m across key areas for testing and assembly; about 140 m along connectors.



Data: this package's geometry/*.geojson and metrics.json. EPSG:4326 exchange, EPSG:4548 recomputation.
Boundary status: provisional constraint, not an official redline. All layers and metrics need recomputation once official data is published.
Conceptual suggestion only; not statutory planning, approval, or an implementation commitment. dysprosium231 / Claude Opus 5 / 2026-08-10

★ marks the four industry test-and-validation scenarios; each card states data source, privacy boundary and human review.

No.	Scenario card	Spatial host	Data source and privacy boundary	Human review
SC-01	Open-source release hall	Origin Community spine side	Voluntarily submitted public project data	Content reviewed before release
SC-02 ★	Model evaluation open day	Ring of Autonomy	Evaluation data licensed by entrants	Results confirmed by named experts
SC-03	Edge-compute post	Public service nodes on spine	No retention of user task content	Human action on abnormal load
SC-04	Walkability and accessibility navigation	Whole spine	Aggregated flows and asset status only	Findings verified on site
SC-05 ★	Low-speed delivery and inspection trial	Zhongzhiyuan loop	Onboard sensing confined to trial segment	On-site supervision each trial
SC-06	International roadshow salon	Platform Zero	Public presentation material only	Content cleared before release
SC-07	Data-factor salon	Dazhongsi east block	Compliance, authorisation, auditability	Every transaction traceable
SC-08	AI+ public service desk	Community service land	No personal profiling	Human service channel mandatory
SC-09	AI+ education open laboratory	Xiaoyuehe education frontage	Institution-authorised teaching data	Teachers approve content
SC-10 ★	Governance agent review desk	Whole belt	Public material and this package only	Agent advises; humans sign off
SC-11	Heritage narrative AI guide	Spine and kilometre posts	Cleared public historical material	Historical statements reviewed
SC-12 ★	Event-day mobility sandbox	Three scenario loops	Aggregated event flows, deleted after	Plans approved by humans

Six user personas

Persona	Core need	Spatial response	Governance boundary
Open-source developer	Release, collaboration, testing, reputation	Release hall, honour display walk	No individual trajectory collection
Startup founder	Low-cost space, compute access, test ground	Bookable test pods, edge-compute posts	Compute and data need authorisation
Corporate international lead	Display, business, hosting visitors	Platform Zero, roadshow salon	Company marks need clearance
Nearby resident, incl. older people	Commuting, leisure, services, low disturbance	Spine circuit, embedded services	Human service channel retained
University student or teacher	Transfer, cross-campus work, walking	Campus-park stitch, open laboratory	Campus data needs authorisation
City operations staff	Inspection, event safety, feedback	Governance review desk, signage	Agent advises, does not decide

Nine renewal projects

No.	Project	Type	Dependencies	Phase
JZ-01	Learning Spine continuity	Public space	Ownership and existing breaks	Near
JZ-02	Dazhongsi four-quadrant link	Rail integration	Rail, intersection, utilities	Mid
JZ-03	Platform Zero square	Public space	Forecourt land coordination	Near
JZ-04	Memorial Walk and honour display	Public space / operation	Credit rules and extension	Near
JZ-05	Ring of Autonomy test square	Public space / industry	Test safety and booking	Near
JZ-06	Six east-west stitches	Mobility	Road redlines, intersections	Mid
JZ-07	Edge-compute post network	New infrastructure	Capacity and operator	Mid
JZ-08	Qinghe and Xiaoyuehe frontage	Blue-green	Blue line, eco controls	Mid
JZ-09	North and south gateway renewal	Urban renewal	Regulatory and traffic conditions	Long

Existing-conditions diagnosis here is a verifiable list of gaps, not a survey drawing: a 'current conditions' drawing assembled from unreliable material is more dangerous than an openly declared

Missing data	Conclusions affected	Current handling	Recompute when obtained
Official redline / key-area polygons	All areas, ratios, cut lines, node siting	Repository provisional constraint, labelled throughout	Every layer and every spatial metric
Regulatory controls (FAR/height/density/green/setback)	Development intensity, building scale, height control	Metrics stay pending; no guessed value	Intensity metrics and building statements
Existing-building survey / ownership / structure	Parcel-level retain-renovate-demolish	District-level strategy classes only	Footprints and renewal strategy
Road redlines / rail alignment / utilities	Feasibility of stitches and station integration	Spatial intent only, no engineering conclusion	Road-area ratio and transport chapter
Heritage zones / control belts / blue lines	Jing-Zhang, Qinghe and Xiaoyuehe frontages	Directional suggestion pending control lines	Public space and blue-green chapter
Campus ownership and opening policy	Campus-park stitch and station integration	Marked as requiring joint decision	Origin Community detailed design

Core Metric Recomputation and Evidence Chain

Spatial metrics recomputed in EPSG:4548; every control metric stays pending official data

05

JZ Autonomy Loop

Submitted area 11.41 km² vs announced 11.4, +0.11%	Green ratio 14.81 % 169 ha	Public space ratio 4.08 % 47 ha	Footprint density 5.50 % concept only, not a control	Land-use polygons 30 gap 0 / overlap 0	Key-area total 369 ha announced 368.4 ha
--	---	--	---	---	---

Three metric classes; missing data stays pending

Class 1: recomputable from this package

- Submitted area, nine land-use areas
- Green and public space areas and ratios
- Mobility length, phasing area, node counts

Class 2: requires official controls (all pending)


- Floor area ratio, total floor area
- Height control, green-ratio control
- Setback, road-area ratio

Class 3: needs operational data (method, not value)

- AI innovation index, talent density
- Scenario usage, event participation
- Walking accessibility

All six class-2 metrics stay unknown with the required source named; no guessed value is passed off as an approved control.

Evidence chain: from layer to claim



Traceable in reverse: every evidence label in the narrative resolves to a layer feature or metric id, and metrics agree with the repository's independent review.

Precision statement

The base is a registered provisional rough boundary, not an official redline. Once official data arrives, partition cut lines, footprints, node positions and phasing all need recomputation.

Data: this package's geometry/*.geojson and metrics.json. EPSG:4326 exchange, EPSG:4548 recomputation.
Boundary status: provisional constraint, not an official redline. All layers and metrics need recomputation once official data is published.
Conceptual suggestion only; not statutory planning, approval, or an implementation commitment. dysprosium231 / Claude Opus 5 / 2026-08-10

I Data and precision risk

- Boundary and key areas are a provisional constraint, not an official redline; full recomputation is required once official data is published.
- Seven assumptions each record impact, recomputation trigger and affected files.
- All six class-2 control metrics stay unknown; no guessed value is passed off as an approved control.

I Privacy and governance boundary

- Every scenario card follows data minimisation, public sourcing, explainability and human review; no personal profiling.
- Service points touching medical, social-security, financial and living-payment matters retain on-site guidance and human handling.
- Scenarios providing generated content to the public must operate complaint channels with timely handling.

I Copyright and material compliance

- Every figure is drawn programmatically from this package's own GeoJSON and metrics; no third-party image, map tile, trademark, likeness or licensed asset is used.
- Figure text is rasterised with runtime system fonts; no font file is embedded or redistributed.
- The six international cases cite institution names and public mechanism descriptions only.

I Official-claim boundary

- No official approval, approved regulatory control, land ownership, construction scale or implementation commitment is claimed.
- All spatial content is a conceptual suggestion, reference scheme, or material for professional teams to deepen.
- Selection and final judgment rest with human and professional teams.