


Jing-Zhang Proofline


An AI Innovation Urban Commons for Public Verification



Concept proposal / provisional geometry / full regeneration after official data

Jing-Zhang Proofline | One Line, Three Public Proof Stations

Technical validation, open-source translation, and civic experience are linked as one auditable spatial and operating protocol, not a new statutory boundary.



Provisional rough boundary | all spatial moves are conceptual | regenerate after official polygons arrive

Land-use Structure | A Recomputable Conceptual Program Section


Six topology-sharing bands cover the provisional boundary. Codes structure the proposal; they do not replace statutory land use, ownership, or regulatory controls.



Provisional rough boundary | all spatial moves are conceptual | regenerate after official polygons arrive

Key Areas | Three Distinct Stations, One Shared Proof Ticket

The three provisional key areas support directional design only. Every prototype exposes its claim, test, owner, failure path, and expiry.



01 Zhongzhiyuan / Technical Proof

Test interfaces, compatibility, safety, energy, and accountability across the full stack. Start with reversible trials before any scaling decision.

Model compatibility / embodied safety / data authorization / energy benchmark

02 AI Origin / Open Translation

Translate research into reusable components, understandable explanations, and demonstrations that developers and communities can question together.

Open components / controlled medical evaluation / issue triage / multilingual foyer


03 Dazhongsi / Civic Experience

Test whether technology improves commutes, senior services, maintenance, and cultural learning while retaining staffed and non-digital routes.

Disruption recovery / senior service / maintenance review / culture route

Mobility x Blue-Green Commons | An Everyday Line That Can Fail, Recover, and Be Appealed

The spine, cycling route, and four cross-connections are conceptual. No false-precision road alignment is introduced; the design defines first-step walking, staffed alternatives, and safety review.



01 First-step access

Prioritize continuous walking, wheelchair, and cycling links from transit interfaces; exact entrances await official data.

02 Staffed alternative

Every digital service retains a staffed desk, printed explanation, and route that does not require a smart device.

03 Visible failure

Disruption, error, capacity shortfall, and accessibility failure enter a public issue log instead of disappearing inside a score.

04 Minimum data

Routing and public-space services default to edge processing or anonymization; personal traces are never an entry condition.

Metrics and Evidence | Design-Derived Quantities Kept Separate from Unknown Controls

Areas are recomputed in EPSG:4548. Known means reproducible from this package, not official, approved, or engineering-ready.

11.41 km²

provisional overall area

19.3%

concept green ratio

3.7%

concept public-space ratio

9.6 km

concept walking spine

12 / 4

scenarios / industry tests

6 / 4

personas / landmarks

Evidence chain



Explicitly unknown: FAR / building height / road redlines / utility capacity / parcel demolition area. Official data triggers whole-package regeneration, not a single-number patch.

Provisional rough boundary | all spatial moves are conceptual | regenerate after official polygons arrive