


JINGZHANG CROSS-STREETS

Eight real cross-city streets for a 43.6 km² innovation district



THREE SCALES, THREE LEVELS OF PRECISION

43.6 → 11.4 → 368.4

Not the same map at smaller scales: network relationships transfer into blocks, ground floors, and sections.

43.6 km² Network of resources, industry, rail, rivers, campuses, and two wings	11.4 km² Concept land use, eight streets, blue-green mobility, first-row blocks	368.4 ha Three block prototypes, front/back of house, stations, first projects
---	--	--


THREE POSITIONS × FIVE FUNCTIONS × THREE AREAS + TWO WINGS

Centennial Jingzhang Cultural Belt		Urban AI Life Experience Belt		AI Convergent Innovation Belt	
SPACE: Jingzhang Park, Beijing North Station, Qinghuayuan Station, bridges, tracks, and vertical relationships RESPONSE: Organise real heritage as platform-workbench-shared-table chapters without repeating railway motifs.		SPACE: Stations, neighbourhoods, campus gates, public ground floors, and river interfaces on eight cross-streets RESPONSE: All twelve scenarios need real rooms, human alternatives, opening hours, and stop triggers; daily services are not displaced by display.		SPACE: Campus research-Origin transfer-Zhongzhiyuan R&D-Dazhongsi content/devices-Xiaoyue civic scenarios RESPONSE: Join research, production, service, and civic use through walkable short chains, public-front/secure-rear sections, and controlled tests.	
Full-stack autonomous AI innovation system		Zhongzhiyuan + CS-01/02		Shared-equipment booking, public review, a low-rise shared hall, and an independent secure R&D rear	
				opening hours, booking access, and public/service separation	
World-class AI innovation ecosystem		AI Origin + Zhongguancun service wing + CS-04/05		50+50 desks, Hundred-Table Review, eight founder clinics, and daily talent services	
				first response, desk turnover, affordable rent, and team continuity	
New AI+ scenario-enablement model		Xiaoyue scenario wing + controlled forecourts in three key areas		Four industrial tests and eight daily-service scenarios open only with space, staff, insurance, and stop triggers...	
				card-level acceptance, human takeover, exit, and complaint closure	
Intelligent and lively AI city		Eight cross-streets + Dazhongsi four corners + neighbourhood/campus gates...		Transfer, school trips, night school, repair, childcare, water, toilets, and night staff form an everyday public ground...	
				8/8 continuity, rest points within 150 m, and basic services on 8/8 streets	
Global voice in AI governance		Zhongzhiyuan standards workshops + cross-street scenario rules		Turn privacy impact, human alternatives, test suspension, repairable design, and accessible content into public rules and examples...	
				no universal city-action tracking; review only specific voluntary scenarios	

43.6 KM² OVERALL STRUCTURE

43.6 KM² IS A CITY NETWORK,
NOT ONE LANDSCAPE STRIP

Longitudinal Jingzhang public framework × eight real cross-streets ×
Qinghe-Xiaoyue × western service wing; grey dashed line is provisional.



JINGZHANG CROSS-STREETS

Eight real cross-city streets for a
43.6 km² innovation district

Innovation already exists on both sides
of the railway. The design task is to
cross between campuses, neighbourhoods,
stations, productive ground floors, and
two rivers.

43.6 km ²	COORDINATED RESEARCH
resources, mobility, industry, blue-green network	
11.4 km ²	OVERALL DESIGN
land use, cross-streets, blocks, public ground	
368.4 ha	THREE KEY AREAS
front/back of house, station, sections, first projects	

THREE POSITIONS IN ONE SPATIAL SYSTEM

- 01 Centennial Jingzhang Cultural Belt
- 02 Urban AI Life Experience Belt
- 03 AI Convergent Innovation Belt

FIVE FUNCTIONS: FULL STACK / ECOSYSTEM / AI+ SCENARIOS /
LIVELY CITY / GOVERNANCE RULES

EIGHT REAL CROSS-STREETS

CS-01 Qinghe Waterfront Cross-Street

Join the waterfront walk, research courts, Xuezh yuan transit access, and dark habitat into one walkable research edge without inventing a new water feature.

CS-02 Lindabeilu Research Cross-Street

Turn the first row of inward-facing buildings into an accessible ground floor for public reviews, shared-equipment booking, talent services, and food.

CS-03 Qinghua East Garden Cross-Street

Connect directly to the approved Xueyuan Road public-space project, its five cycle-parking areas, and six gardens to complete a station-park-street sequence.

CS-04 Chengfu Road Transfer Cross-Street

Keep the paper-to-prototype-to-company journey on the real street through small workrooms, a hundred-table review hall, night study, and daily talent services within a one-kilometre walk.

CS-05 Zhichun Road Service Cross-Street

Put legal, compute, finance, recruitment, and frequent community services at walkable ground level while auditing the unresolved Line 13 crossings toward Dazhongsi.

CS-06 North Third Ring Four-Corner Cross-Street

Deliver surface continuity, vertical access, cycle parking in all four corners, and accessible ground floors before considering bridges, underground links, or new volume.

CS-07 Xueyuan South Community Cross-Street

Prioritise independent school trips, older people’ s rest, toilets and drinking water, under-bridge sport, and repair so the street serves more than innovation workers.


CS-08 Xizhimen Arrival Cross-Street

Create an arrival ground through legible transfers, luggage-friendly walking, a historical opening chapter, and all-day services rather than decorative railway motifs.

11.4 KM² LAND USE AND SECTIONS

11.4 KM² CONCEPT LAND USE NO BLANK CANVAS

Complete topology expresses functional mix; not a survey, statutory zoning, or property right.



FIVE CITY MATERIALS

- R&D / INCUBATION**
0802
- UNIVERSITY / RESEARCH**
0804
- HOUSING / COMMUNITY**
0701/0702
- COMMERCE / SERVICE / CULTURE**
05/0803
- PARK / ECOLOGY**
1401/1402
- CROSS-STREET / PUBLIC NODE**
1207/1403

FOUR GROUND-FLOOR ACTIONS

- 01 retain
- 02 adapt ground floor
- 03 partnership lease
- 04 conditional infill

WATERFRONT RESEARCH: COMPLETE GRADIENT FROM RIVER TO SECURE R&D

STUDY RANGE: habitat 12-20 m | clear walk ≥3 m | storm 6-12 m | forecourt 8-15 m



NEAR-CAMPUS TRANSFER: A FIVE-MINUTE CAMPUS-TO-COMPANY CHAIN

STUDY MINIMA: clear walk ≥3 m | one-way cycle ≥2.5 m | workroom 6-9 m | entries ≥2/100 m



FOUR-QUADRANT STATION: SURFACE FIRST; TEST BRIDGE OR UNDERGROUND LATER


STUDY MINIMA: arrival ≥12×20 m/corner | crossing ≤2 signal stages | 150-300 cycles/corner to verify



LONGITUDINAL PARK × TRANSVERSE DAILY LIFE

THE LONGITUDINAL PARK EXISTS; DESIGN THE CROSSINGS AND COMPLETE SECTIONS

Eight streets follow real waterways or roads; each must reach ground floors, stations, campuses, or neighbourhoods beyond the park edge.




ZHONGZHIYUAN: WATERFRONT RESEARCH BLOCKS


Zhongzhiyuan AI Autonomous Innovation Acceleration Area

Waterfront Research Blocks • Qinghe Prototype Court

OSM dated 2026-08-10 is context only. The key area is provisional. Internal layout, storeys, and dimensions are concept studies pending ownership, structure, fire, and statutory review.



NON-STATUTORY GROUND-FLOOR STUDY



MASSING ENVELOPE

retain main R&D buildings; conditional infill 1-3 storeys; shared hall footprint about 1,250 m²; step behind public forecourt and habitat buffer; no tower

CONCEPT SECTION

Habitat buffer 12-20 m, accessible clear width at least 3 m, storm terrace 6-12 m, and public forecourt 8-15 m; all are study ranges pending survey.

LANDMARK COMPONENTS

Qinghe terrace + covered review hall + shared-equipment booking foyer + independent secure rear

DAILY

shared-equipment booking, lunchtime review, commuting, waterfront walking, and food

EVENT


Daily use keeps commuting, booking, and waterfront rest. Open days add removable displays only in the forecourt; the secure boundary does not move.

AI ORIGIN: NEAR-CAMPUS TRANSFER BLOCKS


Beijing AI Origin Community

Near-Campus Transfer Blocks • Hundred-Table Review Hall

OSM dated 2026-08-10 is context only. The key area is provisional. Internal layout, storeys, and dimensions are concept studies pending ownership, structure, fire, and statutory review.



NON-STATUTORY GROUND-FLOOR STUDY



MASSING ENVELOPE

retain first and adapt ground floors; conditional infill 1-4 storeys; reversible longhouse footprint about 986 m²; small rooms on street, confidential rooms behind

CONCEPT SECTION

Walking clear width at least 3 m, one-way cycle band at least 2.5 m, ground-floor depth 6-9 m, review module about 9×18 m, and at least two public doors per 100 m; all are study targets.

LANDMARK COMPONENTS

Divisible hundred-table hall + small workrooms on both sides + night-study gallery + independent storage and plant rear


DAILY	EVENT
open desks, legal and compute clinics, night study, childcare, and affordable food	Daily use is desks, clinics, and study. Review days open sliding partitions into one hall, then restore small rooms without occupying the public route.

DAZHONGSI: FOUR-QUADRANT STATION BLOCKS


Dazhongsi AI Industry Cluster

Four-Quadrant Station Blocks • Dazhongsi Four-Corner Commons

OSM dated 2026-08-10 is context only. The key area is provisional. Internal layout, storeys, and dimensions are concept studies pending ownership, structure, fire, and statutory review.



NON-STATUTORY GROUND-FLOOR STUDY



MASSING ENVELOPE

prioritise existing buildings and four surface corners; conditional infill 2-6 storeys; east shared room footprint about 717 m²; no tower substitute for station continuity

CONCEPT SECTION

Each corner studies an arrival ground at least 12×20 m, surface crossing within two signal stages, 150-300 cycle spaces subject to demand, and an accessible vertical route on both rail sides.

LANDMARK COMPONENTS

Four covered arrival platforms + distributed ground-floor services + one accessible wayfinding system + independent repair/production rear

DAILY

transfer, cycle parking, repair and returns, youth night school, and community services

EVENT

Daily use keeps transfer, repair, and night school. A release or screening occupies one managed corner only; the other three remain open for movement and civic service.

THREE-AREA SPATIAL COMPARISON

THREE KEY AREAS: THREE BLOCK TYPES, NOT THREE ISOLATED OBJECTS

Working windows use OSM building context; colour marks ground-floor adaptation, red is conditional infill, and lines are public paths.

Waterfront Research Blocks

01 Zhongzhiyuan AI Autonomous Innovation Acceleration Area

Qinghe Prototype Court

GROUND-FLOOR PLAN

One public line links Xuezhiyuan Station, the estate's open ground floors, and the Qinghe walk; secure R&D is served independently from an estate service road.

CONCEPT SECTION

Habitat buffer 12-20 m, accessible clear width at least 3 m, storm terrace 6-12 m, and public forecourt 8-15 m; all are study ranges pending survey.

CONTRIBUTION SHELF

6-12 rotating bays: standards, open tools, and access improvements; no R&D data or ads.

Near-Campus Transfer Blocks

02 Beijing AI Origin Community

Hundred-Table Review Hall

GROUND-FLOOR PLAN

A five-minute chain connects campus gate, small workrooms, Hundred-Table Hall, Origin Building, and Starlight Avenue ground floors, with a night route to housing and food.

CONCEPT SECTION

Walking clear width at least 3 m, one-way cycle band at least 2.5 m, ground-floor depth 6-9 m, review module about 9×18 m, and at least two public doors per 100 m; all are study targets.

CONTRIBUTION SHELF

Open tools, peer review, and community solutions; optional individual or team credit.

Four-Quadrant Station Blocks

03 Dazhongsi AI Industry Cluster

Dazhongsi Four-Corner Commons

GROUND-FLOOR PLAN

Surface crossings and accessible vertical routes first create one arrival ground across four station corners; content making, repair/returns, night school, and civic service occupy the four ground floors.

CONCEPT SECTION

Each corner studies an arrival ground at least 12×20 m, surface crossing within two signal stages, 150-300 cycle spaces subject to demand, and an accessible vertical route on both rail sides.

CONTRIBUTION SHELF

Repair, access, rights, and material reuse; judge public service, never sales.

CONTRIBUTION DISPLAY AND INTERNATIONAL CULTURAL NARRATIVE

Qinghe Prototype Court

DISPLAY: Public standards, open tools, accessibility improvements
RULE: 6-12 replaceable bays; quarterly rotation

Hundred-Table Review Hall

DISPLAY: Open tools, peer review, mentoring, community problem-solving
RULE: Pinned up on review days, displayed for at most six months

Dazhongsi Four-Corner Commons

DISPLAY: Repairable design, accessible content, rights compliance, material reuse
RULE: Reviewed by public-service outcomes, never sales ranking

PLATFORM—WORKBENCH—SHARED TABLE

AI culture is not technological decoration. It is a set of open, reviewable, stoppable, and shareable collaboration rules. Contribution shelves record only voluntary, rights-cleared, human-checked public work, with anonymity, correction, and withdrawal and no personal leaderboard.

INTERNATIONAL CIVIC ITINERARY

International narrative: From a historic corridor of Chinese railway engineering to an open cross-street network for solving problems together.
Arrive (Xizhimen) → Make Together (Chengfu) → Review in Public (Qinghe)

SEVEN REAL USER GROUPS

P-01 University researcher / student

Find public review, shared desks, affordable food, and a safe return route within 15 minutes

P-02 Solo founder and small team

Use workrooms by the hour and receive weekly legal, compute, hiring, and prototype support

P-03 Hardware engineer and test operator

Keep logistics away from public flows while demonstrating and taking over manually in a controlled forecourt

P-04 Neighbour and caregiver

Keep school trips, care, rest, drinking water, toilets, and daily shopping from being displaced by innovation events

P-05 Wheelchair user and older person with limited mobility

Receive one continuous chain of crossings, station access, ramps, lifts, and rest points with human alternatives to digital service

P-06 International visitor and partner

Arrive from Xizhimen or Xuezhiyuan, understand the district, book a visit, and enter public events without insider knowledge

P-07 Park and district operator

Have real back-of-house space for storage, repair, night duty, waste sorting, event set-up, and complaints

ZHONGZHIYUAN SCENARIOS

SCN-01 Controlled Prototype Review Street

SPACE: Qinghe Prototype Court forecourt and closable test lane
OPERATOR: estate operator, test company, and human safety marshal
FREQUENCY: monthly; one test lane; no more than 40 observers
METRIC: every test records its boundary, takeover time, and clear-down
STOP: stop if the trial leaves its enclosure, manual stop fails, or the marshal leaves

SCN-02 Low-Speed Campus Logistics Window

SPACE: service lane, controlled crossings, and indoor hand-off lockers
OPERATOR: property manager, logistics provider, and transport professionals
FREQUENCY: two off-peak weekday hours; no more than four low-speed devices
METRIC: zero obstruction of accessible paths and takeover within the declared time
STOP: stop on accessible/fire-route obstruction or two safety takeovers in one session

SCN-03 Qinghe Habitat Observatory

SPACE: dark river edge, stormwater terraces, and public observation points
OPERATOR: joint river, park, university, and volunteer team
FREQUENCY: continuous environment log; quarterly species check; no more than 12 people per point
METRIC: lighting boundary, habitat continuity, and human verification coverage
STOP: stop if light crosses the dark boundary, sensors capture personal data, or storm alert triggers

SCN-04 Street-Level Shared Equipment Booking

SPACE: public booking desk, secure rear area, and waiting café
OPERATOR: estate platform and equipment owners
FREQUENCY: at least 60 weekday hours/week; 6-12 waiting seats
METRIC: open hours, equipment utilisation, and access by small teams
STOP: stop on booking/research-data mixing, blocked public passage, or secure-rear failure

AI ORIGIN SCENARIOS

SCN-05 Hundred-Table Peer Review

SPACE: divisible longhouse, street-side spill-out, and quiet booths
OPERATOR: rotating university, incubator, and developer hosts
FREQUENCY: two sessions/week; 40-100 demountable tables; 120-300 seats after fire approval
METRIC: weekly open hours, cross-institution seats, and later tenancy conversion
STOP: stop on blocked egress, loss of public/confidential separation, or noise breach

SCN-06 Distributed 50+50 Open Desks

SPACE: two small ground floors five minutes apart rather than one new mega-incubator
OPERATOR: local authority, park operator, and social operator
FREQUENCY: 100 desks total; at least 60 hours/week; two ground floors within a five-minute walk
METRIC: desk turnover, night safety, affordability, and team survival
STOP: stop if rent leaves the agreed affordable band, night staffing fails, or access breaks

SCN-07 Eight-Need Founder Clinic

SPACE: a sequence of small Chengfu Road rooms for policy, finance, compute, talent, partners, expertise, space, and scenarios
OPERATOR: professional service providers on daily rotation
FREQUENCY: eight rotating service rooms; first response target within one working day
METRIC: first-response time and conversion to long-term service
STOP: stop if public display identifies clients, no human professional is present, or conflicts are undisclosed

SCN-08 Night Study and Care Chain

SPACE: lighting, seating, and help points between station, campus gate, food, and talent housing
OPERATOR: subdistrict, universities, property managers, and merchants
FREQUENCY: daily 18:00-23:00; rest points no more than 150 m apart
METRIC: continuous lit frontage, a 150 m rest-point target, and human response
STOP: stop on loss of continuous light/help, nuisance glare, or an un-routed accessibility break

DAZHONGSI SCENARIOS

SCN-09 Four-Quadrant Device Trial

SPACE: four small indoor trial rooms and continuous surface crossing
OPERATOR: device companies, consumer representatives, and station operator
FREQUENCY: quarterly trial week; four indoor rooms; no more than eight people per room
METRIC: ease of exit, accessible use, and completed human after-sales service
STOP: stop without opt-in, on-site deletion, commuter exclusion, or human after-sales

SCN-10 Film-to-AI Production Ground Floor

SPACE: adjacent dubbing, captioning, audio description, small screening, and rights advice
OPERATOR: universities, content studios, accessibility advisers, and rights professionals
FREQUENCY: two small screenings/month; no more than 80 seats; five daily production rooms
METRIC: accessible-content share, rights completeness, and public screenings
STOP: stop if rights are incomplete, captions/audio description are absent, or sound/light breaches limits

SCN-11 Device Repair and Circular Counter

SPACE: one ground floor for repair, returns, parts, material recovery, and resale
OPERATOR: brand-neutral repair provider and producer-responsibility body
FREQUENCY: eight daily repair benches; at least one accessible bench
METRIC: repair rate, reuse rate, and affordable-service share
STOP: stop if personal data cannot be erased, battery risk cannot be isolated, or disposition is unrecorded

GLOBAL CASES: TRANSFER MECHANISMS, NOT IMAGES

Singapore Rail Corridor • 24 km corridor; first 4 km central section

Use section families along Jingzhang, let cross-streets provide access, and control night lighting in ecological segments.
☒ Tropical ecology and coordinated public land differ from Beijing.

Singapore one-north • about 200 ha

Shared labs and young-worker housing must touch public space and transit; the programme calendar starts with the spatial plan.
☒ JTC's unified land and investment authority is not transferable.

Kashiwa-no-ha / UDCK • 13 km² vision; 272.9 ha core

Each key area needs a permanent operating room, not an event-only stage.
☒ New-town development, one dominant developer, and a new station differ from Jingzhang.

Barcelona 22@ • 198.26 ha / 115 blocks

Audit every Jingzhang block for production, housing, services, and public space together.
☒ Its early employment-and-property bias and later repair of daily life are a warning.

King's Cross • 67 acres; more than 40% public space

Complete one station-street-public-space-neighbourhood chain before releasing adjacent projects.
☒ Consolidated ownership and London land values are not transferable.

Paris Rive Gauche • 130 ha; 26 ha rail deck

At Dazhongsi, prioritise surface and existing-link continuity; bridges and underground links remain options requiring proof.
☒ Rail decking is costly, slow, and can still produce weak everyday commerce.

Yangpu Waterfront • 15.5 km waterfront / 12.93 km²

Grade the railway heritage as an operating system, not one uniformly themed culture street.
☒ Waterfront value, river conditions, and public investment differ.

Brooklyn Navy Yard • about 300 acres

Add brand-neutral repair and small-batch making at Dazhongsi, and retain affordable prototype back-of-house space at Zhongzhiyuan.
☒ Production safety boundaries can still create an enclave.


AI INNOVATION ECOSYSTEM MAP: EIGHT ENABLERS IN REAL SPACE

Land SPACE: Existing estates, first street-facing rows, and conditional opportunity sites MECHANISM: Retain first, use short leases and ground-floor adaptation; replace the chain when official parcels and rights arrive SAFEGUARD: No acquisition, disposal, or land-price promise	Space SPACE: Public forecourt-accessible ground floor-secure rear MECHANISM: Three dimensioned section families, four building actions, and daily/event states SAFEGUARD: Concept only before structure, fire, heritage, and utility checks
Industry SPACE: Campus-Origin-Zhongzhiyuan-Dazhongsi-Xiaoyue MECHANISM: A walkable chain of research, review, prototyping, content/devices, repair/reuse, and civic scenarios SAFEGUARD: No invented companies, output, or investment promise	Funding SPACE: Basic public service, ground-floor leases, tests, and operating fund MECHANISM: Public funds secure access/care; owners secure ground floor/rear; testers fund insurance/clear-down; income pays accessibility→repair→free service→public programme SAFEGUARD: Responsibility proposal, not a fiscal commitment
Talent SPACE: 50+50 desks, Hundred-Table Review, housing links, and visiting desks MECHANISM: Move from open events into clinics, desks, equipment, prototypes, leases, or long partnerships SAFEGUARD: Guardrails are affordability, night safety, and incumbent retention	Compute SPACE: Compute clinics on CS-04/05 + controlled R&D rear MECHANISM: Public desks explain booking, price, and human support; training/R&D data stay with responsible secure operators SAFEGUARD: Capacity, heat reuse, and energy benefit await professional study
Data SPACE: Booking desks, service desks, controlled test rooms, and annual public summaries MECHANISM: Separate booking/consulting from R&D data; no persistent public identification; publish only opening hours, maintenance response, and human-reviewed aggregates SAFEGUARD: Purpose limitation, data minimisation, deletion, human appeal, and scenario-level stop	Scenarios SPACE: Real rooms and public routes for twelve scenario cards MECHANISM: Put responsible body, frequency/capacity, acceptance, human takeover, insurance, and stop trigger into each opening agreement SAFEGUARD: A test is not approved operation; anomalies stop it

FIFTEEN PROJECTS AND THREE AUTHORITIES

PUBLIC REALM	PARTNERSHIP	STATUTORY
PJT-01 As-built and ownership composite PJT-02 Eight-street accessibility audit PJT-03 Line 13 crossing verification PJT-04 Qinghua East project interface PJT-05 Cross-street basic-service kit PJT-08 Dazhongsi four-corner walking and cycling PJT-11 Qinghe and Xiaoyue interface prototypes	PJT-06 Qinghe Prototype Court phase 1 PJT-07 Hundred-Table Hall and 50+50 desks PJT-09 Film-to-AI production ground floor PJT-10 Device repair and material loop counter PJT-12 Ground-floor partnership lease PJT-15 Cross-street operating fund and five-year review	PJT-13 Dazhongsi station engineering options PJT-14 Conditional Zhongzhiyuan waterfront blocks

DEVELOPER COMMUNITY, SCENARIO OPENING, AND INTERNATIONAL CONVERSION



EIGHT GATES FOR SCENARIO OPENING

Open call → rights/privacy/safety screening → room/operator match → bounded sandbox → human go/no-go → limited public use → post-evaluation → stop/repeat/convert

INTERNATIONAL CONVERSION AND CONTRIBUTION

Bilingual outreach → visit booking → peer review → bounded test → professional service/equipment → desk or short lease → long lease/research partnership. Real operators confirm every step; no investment, funding, policy, or approval promise.

METRICS, EVIDENCE, AND STOP CONDITIONS

ONE LEDGER FOR DESIGN, DATA LIMITS, AND DELIVERY AUTHORITY

Known is not statutory; a target is not a baseline; unknown does not mean design stops.

OFFICIAL TASK	PACKAGE DERIVED	DESIGN TARGET	REMAIN UNKNOWN
• 43.6 km² research • 11.4 km² overall design • 368.4 ha key areas • 9 km public framework	• 8 real cross-streets • 535 OSM buildings • 15 delivery projects • 12 scenario cards	• Eight-street continuity 8/8 • Accessible transverse passage 100% target • Public entrance density >= 2 / 100 m target • Public ground-floor opening >= 60 h/week target	• official redline / parcel / rights • FAR / height / density • structure / fire / utilities • flows / capex / programme

15 PROJECTS × THREE DELIVERY AUTHORITIES

PUBLIC REALM / 0—18 M	PJT-01 As-built + ownership map	PJT-02 Street accessibility	PJT-03 Line 13 crossing check	PJT-04 Qinghua East interface	PJT-05 Basic-service kit	PJT-08 Dazhongsi four- corner	PJT-11 Two-river interface
PARTNERSHIP / 1—3 Y	PJT-06 Qinghe Court phase 1	PJT-07 Hundred-Table + 50+50	PJT-09 Film-to-AI ground floor	PJT-10 Device repair loop	PJT-12 Ground-floor lease	PJT-15 Operating fund + five-year review	
STATUTORY / 3—10 Y	PJT-13 Dazhongsi engineering options			PJT-14 Zhongzhiyuan waterfront blocks			

STOP CONDITIONS

No official geometry and engineering data: do not lock FAR, height, demolition, bridge/tunnel, or capex. No lease and maintenance duty: do not claim open ground floor. No human alternative: do not operate AI scenarios.

DATA GAPS ARE NOT A DESIGN EXCUSE

A-BOUNDARY-001 • pending_official_geometry

Treat all zoning and area calculations as design research and rerun the entire package when official polygons arrive.

A-DZS-ANCHOR-001 • known_conflict

Show both the provisional rectangle and station working window; present neither as an official boundary.

A-PHASE2-001 • pending_as_built_verification

Design interfaces first and remove already delivered items after as-built and field verification.

A-OSM-001 • fit_for_context_only

Use it for working windows and route context only; ownership, redlines, storeys, height, and structure remain unknown.

A-LAND-USE-001 • conceptual_partition

Codes preserve professional semantics only and must be replaced by approved land-use evidence.

A-BUILDING-001 • pending_survey

Limit action to retain, ground-floor adaptation, partnership lease, and conditional infill; make no demolition decision.

A-HEIGHT-FAR-001 • unknown

Do not invent statutory figures; use three non-statutory envelopes to test ground relationships.

A-HERITAGE-001 • pending_official_gis

Avoid textually identified sensitive areas and require reversible, low-impact design plus professional review.

A-TRANSPORT-001 • concept_only

Prioritise surface and existing-link improvements at Dazhongsi; retain bridge and underground works as options requiring proof.

A-MUNICIPAL-001 • unknown

Reserve replaceable plant and coordination bands without promising capacity or energy savings.

A-OPERATION-001 • proposal_not_commitment

Keep them as concept proposals; publication, leasing, contracts, and live scenarios each need separate authority.

A-PRIVACY-001 • human_review_required

Require data minimisation, human alternatives, stop triggers, and voluntary participation; no persistent public-space identity tracking.

A-STATUS-DATE-001 • time_bounded

Recheck before submission because new notices, starts, and completions can change priorities.