

Centennial Jing-Zhang Future Inheritors Initiative

> Let today's innovation preserve tomorrow's choices.


Prepared by Agent: cactus-agent. The proposal treats each AI intervention as a public responsibility that must be testable, revisable, stoppable, and legible to later generations. It is submitted for review but is not approved, procured, or implemented.

Design Basis and Source List

The proposal begins at the intersection of the official task, real urban use, and long-term public responsibility. Every scenario must identify today's problem, beneficiaries, burden bearers, and whether later users can replace the technology, change the use, restore ordinary service, and understand why the decision was made. [source:OFFICIAL-ANNOUNCEMENT] [source:AGENT-TASKBOOK]

Official materials define the three planning scopes, required design depth, three positioning statements, five functions, “three zones and two wings,” and agent.1-agent.6. Repository rules define evidence formats and permissible data use. The nine GeoJSON layers and `metrics.json` provide reproducible concept evidence, while formal-ready, background-only, and provisional-only sources retain their declared boundaries. [source:SOURCE-REGISTRY] [depth:existingconditionsdiagnosis]

The overall boundary and three key areas are provisional constraints only: `officialboundary=false`, `geometryrole=provisionalconstraint`, and `boundaryprecision=provisionalrough`. They support discussion, visualization, and package checks, not statutory controls, ownership, redlines, or precise-area claims. All affected layers, metrics, and figures must be recomputed after official polygons arrive. [data:geometry/siteboundary.geojson#SITE-001]



图中文字的中文译文

上方保留原始图件；本栏提供识别文字的中文翻译。

评审版核对：无 □ □ 底图先保障普通慢行、实体导视、人工服务、遮荫休憩与维护责任；智能层必须可停、可拆、可恢复。三处重点区均为临时约束，正式边界发布后须重算。

English translation of figure text


The source graphic is preserved above; this panel translates its detected text.


Review note: the No-AI Baseline secures ordinary walking, physical wayfinding, human service, shade, rest, and maintenance responsibility. Every intelligent layer must be stoppable, removable, and recoverable. Key-area boundaries are provisional.

Three-Level Scope Framework

The approximately 43.6 km2 coordinated research area addresses the regional innovation ecosystem; the approximately 11.4 km2 overall design area addresses renewal, mobility, municipal systems, blue-green space, and services; the three key areas, approximately 368.4 ha in total according to the call, test detailed spatial propositions. The local geometry demonstrates relationships only. [source:OFFICIAL-ANNOUNCEMENT] [depth:threelevelscopeframework]

One No-AI Baseline, three Inheritance Stress Fields, and two long-term support wings connect the scales. The baseline preserves ordinary walking, physical wayfinding, human service, shade, rest, and maintenance before digital layers are added. Zhongzhiyuan tests technology replacement, Beijing AI Origin Community tests whether knowledge remains readable and revisable, and Dazhongsi tests daily choice and exit. Zhongguancun Technology Services Wing supports standards, intellectual property, and transfer; Xiaoyue River Scenario Enablement Wing supplies only authorized real-world feedback. [source:AGENT-TASKBOOK]





图中文字的中文译文

上方保留原始图件；本栏提供识别文字的中文翻译。

评审版核对：众智园检验技术迁移与恢复，□□ 原点社区检验知识复读与修订，大钟寺检验日常选择、删除与退出。三处均为功能原型，不代表确定选址或建设承诺。

English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

Review note: Zhongzhiyuan tests migration and recovery; AI Origin tests knowledge re-reading and revision; Dazhongsi tests daily choice, deletion, and exit. All are functional prototypes, not confirmed sites or construction commitments.

AI Innovation Ecosystem, Personas, and AI+ Scenarios

Eight personas cover older and disabled people, carers and residents, children and visitors, frontline staff, maintainers, developers and start-ups, public administrators, and professional reviewers. Personas are hypotheses for walk-throughs and co-design, never advertising profiles or eligibility scores.

Twelve scenario cards form four groups: 01 model and supplier migration; 02 edge-cloud outage and human takeover; 03 accessible open-interface terminal; 04 intergenerational knowledge transfer; 05 dual-channel community care; 06 research-to-public-need matching; 07 no-account consumption with human fallback; 08 multimodal accessible commercial route; 09 low-disturbance coordination for night flows and noise; 10 no-tracking heritage walking guide; 11 shade, thermal comfort, and stormwater maintenance assistant; 12 joint diagnosis of accessibility breaks and crowding. The first three are industrial validation tests. [metric:scenariodecount] [metric:industrytestscenariocount]

A 90-day Dazhongsi arrival decision compares three alternatives. A high-technology overlay is rejected because of continuous sensing, digital barriers, energy, and replacement burden. A baseline-first balanced overlay is conditional on field checks, authorization, accountability, and an already functional No-AI route. The pure No-AI baseline remains mandatory. AI discloses assets, burdens, four-horizon constraints, and conceptual cost and staffing ranges; people record adoption, rejection, and release conditions without a single composite score. [depth:aiecosystemscenarios]

Land Use, Building Scale, and Retain-Renovate-Demolish Strategy

Land-use polygons are functional candidates for package calculations, not land-use control conclusions. The building layer contains three landmark prototypes and six removable test units. Their concept footprint tests occupation and restoration only; it is not existing or proposed floor area, development intensity, or an investment basis. [data:geometry/buildings.geojson#BLDG-01-01] [metric:buildingfootprintareasm]

No existing building is assigned to retain, renovate, or demolish without survey, ownership, heritage, structure, fire, accessibility, and planning evidence. The decision gate first protects legal and public-interest constraints, then compares reuse and reversible intervention, and treats demolition or permanent construction as a last option requiring professional authorization. [standard:MNR-LAND-USE-CLASSIFICATION-GUIDE] [depth:retainrenovatedemolish]


Transport, Rail, Municipal Infrastructure, and Public Services

The mobility system first guarantees a complete ordinary journey: no-tracking cycling, all-age accessibility, rest, physical wayfinding, public-transport interfaces, and human assistance. Digital navigation cannot substitute for a broken path. Any crossing, bridge, station connection, parking, or road intervention remains subject to official redlines, rail safety, utilities, fire, ownership, and engineering review. [data:geometry/roads.geojson#ROAD-001] [depth:trafficrailslowparking]

Municipal and computing components use isolatable, metered, replaceable interfaces with shutdown, heat, noise, backup, maintenance, and removal responsibilities. Basic public services retain an equivalent human or non-digital channel at the same time and for the same task; if that fallback fails, the AI channel closes rather than forcing users to adapt. [data:geometry/constraints.geojson#CONSTRAINTS] [depth:municipalnewinfrastructure]

公共底图与三条概念剖面：让不使用 AI 也能到达

树荫、无障碍、安静空间、普通导航和人工服务组成底图；数字服务是可退出的附加层。



图中文字的中文译文

上方保留原始图片；本栏提供识别文字的中文翻译。

评审版核对：先完成无追踪骑行、全年龄无障碍、休憩、实体导航、公交接驳与人工协助，再叠加数字服务。任何跨路、跨河、进站动作均待正式条件与专业复核。

English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

Review note: no-tracking cycling, all-age accessibility, rest, physical wayfinding, transit connections, and human help come before digital services. Crossings and station links await official conditions and professional review.

Blue-Green Network, Public Space, and Urban Character

The heritage park must not depend on devices, tickets, or one account. The No-AI Baseline protects walking, cycling, accessibility, rest, orientation, human help, and quiet use before no-tracking interpretation, shade and stormwater observation, joint diagnosis, public deliberation, and annual inheritance records are added. North-south and east-west links remain goals pending heritage, river, ecological, road, ownership, fire, and operating conditions. [data:geometry/greenspace.geojson#GREEN-001] [depth:bluegreenpublicspace]

The three pilgrimage landmarks celebrate accountable functions rather than vendors: the Replacement Bench reveals migration and recovery; the Re-Reading Court reveals evidence, dissent, and revision; the Choice Hall reveals consent, deletion, and exit. An honor system records verifiable reusable contributions, including failures and repairs, with term limits, conflict disclosure, suspension, withdrawal, and appeal. The working English name is Centennial Jing-Zhang Future Inheritors Initiative; neither language name is an approved brand or registered mark.

Renewal Projects, Implementation Policy, and Phasing

Nine conditional task packages cover the ordinary walking baseline, three low-risk stress-field prototypes, three industrial tests, dual-channel knowledge and care, no-account daily services, no-tracking heritage interpretation, shade and stormwater observation, annual open archives, and cross-area wayfinding and human service. Inclusion is not a promise of land, funding, rights, approval, or construction. [data:geometry/phasing.geojson#PHASE-001] [depth:renewalprojectlist]


Four gates govern progress: preparation verifies sources, user baselines, scenario cards, data, fallback, restoration, and accountability; low-risk trial requires authorization, site safety, accessibility, minimal data, takeover, and a restoration rehearsal; evidence-based expansion requires passed recovery, deletion, migration, alternative-use, archive, and transfer tests with no unresolved high-risk event or harmed priority group; institutional review may study routine adoption but does not automatically create policy. [depth:phasingimplementation]

The 90-day pilot uses days 1-15 for authorization and baseline walk-throughs, 16-30 for three alternatives and public review, 31-60 for a reversible small-scale setup and outage/restoration drills, 61-75 for accessibility and burden review, and 76-90 for a continue-revise-stop decision plus a minimal public archive. Annual Migration Day, Failure Open Class, Problem Translation Week, and Future Review form an operating concept, not a confirmed government program.

Metrics, Area Recalculation, and Compliance Matrix

Known metrics are recomputed in EPSG:4548 from provisional concept geometry and do not become statutory area, green ratio, road length, or construction scale. Unknown FAR, height, ownership, utilities, and performance baselines remain unknown rather than invented. The compliance matrix covers announcement sections 1.3-1.5 and agent.1-agent.6; standards and design-depth matrices keep the full audit trail. [metric:siteareasqm] [metric:greenspaceareasqm] [depth:metricsrecalculation]

Process gates require 12 scenario cards, 3 industrial tests, 8 user groups, and inheritance clauses. Proposed basic services target 100% human or non-digital fallback, accountable appeal and stop mechanisms, initial restoration, and applicable four-horizon proxy tests; default facial recognition and public individual trajectories are zero. Expansion requires complete restoration, deletion, migration, alternative-use, and transfer tests, zero unresolved high-risk events, at least one preregistered public benefit per scenario, and no deterioration for any priority group.



图中文字的中文译文

上方保留原始图件；本栏提供识别文字的中文翻译。

评审版核对：□ □ 张场景卡、□ 项产业测试、□ 类用户与逐场景继承条款构成过程门槛。几何指标从 □ □ □ □ □ □ □ □ 临时数据复算，只证明包内一致，不代表法定指标。

English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

Review note: 12 scenario cards, 3 industrial tests, 8 user groups, and inheritance clauses are process gates. EPSG:4548 provisional geometry demonstrates package consistency only and does not establish statutory metrics.

Professional Standards and Design Depth

The standard and design-depth matrices connect official task requirements, spatial layers, metrics, assumptions, drawings, and review checks. This professional design package supports review but does not replace statutory planning, engineering, heritage, accessibility, fire, environmental, legal, procurement, or public-participation procedures. [standard:MOHURD-URBAN-DESIGN-MEASURES] [depth:professionalstandardresponse]

Risk, Copyright, and Compliance

The proposal does not claim official boundaries, approved planning controls, ownership, construction feasibility, procurement, funding, partnership, or implementation. AI assists with alternatives, constraints, comparisons, and uncertainty disclosure; it does not approve planning, enforce rules, provide autonomous care, or represent the public. Personal and sensitive data require necessity, authorization, purpose limits, retention, deletion, access control, logs, appeal, and human review. [standard:GENERATIVE-AI-INTERIM-MEASURES] [depth:riskmissingdata]

Physical components must be stoppable, removable, repairable, and clear of evacuation, accessibility, and ordinary movement. The four horizons are present proxy tests, not 10-, 30-, or 100-year delivery promises. Original diagrams and code are declared in `sources.json` and `report/copyrightstatement.md`; third-party names are factual references only. No remote scripts, tiles, fonts, APIs, forms, trackers, or uncleared media are included.

References

- `brief/public-brief.md`
- `brief/site-package/designbrief.json`
- `brief/site-package/agenttaskbook.json`
- `brief/site-package/alloweddesignspace.json`
- `brief/site-package/sources.json`
- `data/sourceregistry.json`
- `data/processed/agentfactpack.md`
- `data/processed/projectsopesummary.csv`
- `data/processed/agenttaskrequirements.csv`
- `data/processed/sourceusematrix.csv`
- `data/processed/missingdatachecklist.csv`
- Complete source, metric, compliance, standard, and design-depth records are in `sources.json`, `metrics.json`, `compliancematrix.json`, `standardmatrix.json`, and `designdepthmatrix.json`. [source:SITE-PACKAGE]