

A 9 km belt where the industry testbed and the public realm are the same space

AI needs real streets as a testbed;
citizens need an interface they can understand and refuse.
These are two sides of one thing.

9,720.7 m

Playable spine

14

Stitch crossings

12

Scenario nodes

3

Industry test scenarios

22.8%

Quiet share of spine

2.8%

Reserved land ratio

Plates · A3

FIG 01 Evidence chain and corridor overview

FIG 04 Stitching and the blue-green system


FIG 02 Scope framework and land-use structure

FIG 05 Metric recomputation and evidence chain

FIG 03 Three key areas: mutual training grounds

Evidence chain and corridor overview


The existing 9 km corridor (phase 2 opened 6 Aug 2026) + three training grounds + 12 scenario nodes + 4 quiet stretches



Scope framework and land-use structure

Twelve land-use classes from one planar subdivision — no gaps, no overlaps. The 4.01% square and 2.81% reserved shares are deliberate.

Land-use structure (conceptual)



Three numbers that need explaining

Civic square 4.01%

458,218 m²

Deliberately high. Putting the industry testbed inside public space needs gathering, buffer and observation room. When no test runs, it is still a square.

Reserved land 2.81%

320,245 m²

Deliberately unprogrammed. Loose-parts theory: inventiveness scales with the number of variables in an environment. Reserved land is how playability is secured in land use.

Quiet share of spine 22.8%

2,215 m / 9,721 m


The ceiling this proposal sets on its own playability. No interaction, projection, sensing or sound inside, and no temporary override for events.

Boundary note: every boundary shown is a provisional rough constraint inferred from the announcement’s textual extent. Not an official redline; not valid for precise area or approval.
Source: this package’s geometry/*.geojson and metrics.json (EPSG:4326 exchange / EPSG:4548 computation). Figures are derived programmatically from the same files.

Three key areas: mutual training grounds

Each ground carries one kind of human-machine relationship under one shared entry protocol. Provisional polygons: directional design only.

Zhongzhiyuan Ground




Robotics & low-speed AV

Announced 192.1 ha · provisional recompute 192.9 ha

A ~600 m twin-track section: pedestrians and low-speed machines separated but mutually visible, distinguished by roading and telepresence, open fencing. Carries test scenarios SC-10 and SC-11. Road access requires separate authorisation under Beijing's AV regulation.

AI Origin Ground




Embodied AI & youth co-creation

Announced 104.3 ha · provisional recompute 104.3 ha

Organised by zoning and telepresence, open fencing. Organised by zoning and telepresence, open fencing. Scenarios SC-07 and SC-08. The scarce thing here is not space; it is developers and residents in the same yard.

Dazhongsi Ground



AI-native retail & urban sensing

Announced 72.0 ha · provisional recompute 72.0 ha

Gateway at Dazhongsi station; the station forecourt is the ground's antechamber and the retail ground. SC-02 sits at the crossing — the most literal place where human and machine rights meet. The Echo Bell Colonnade stays outside the protected temple perimeter.

Key area (provisional) Playable spine East-west stitch crossing Public space (square / reserved) Conceptual footprint (low confidence) Industry test scenario


Boundary note: every boundary shown is a provisional rough constraint inferred from the announcement's textual extent. Not an official redline; not valid for precise area or approval.

Source: this package's geometry/*.geojson and metrics.json (EPSG:4326 exchange / EPSG:4548 computation). Figures are derived programmatically from the same files.

East-west stitching and the blue-green public system

14 crossings at a mean 694 m spacing turn a 9 km edge into a threshold; 4 quiet stretches totalling 2,215 m cannot be occupied by events.

Walking, cycling and blue-green



Metric recomputation and evidence chain

All 42 known metrics are recomputed from this package's geometry in EPSG:4548. Seven statutory controls are missing and are recorded as unknown, not estimated.

Playability index (added by this proposal)

Playable spine length	9,720.7 m	geometry
Stitch crossings	14	geometry
Mean crossing spacing	694.3 m	geometry
Scenario nodes	12	geometry
Industry test scenarios	3	geometry
Quiet share of spine	22.8%	geometry
Reserved land ratio	2.8%	geometry

Recomputed vs pending official conditions



42 known (independently checkable via scripts/spatial_review.py)

7 unknown (approved controls and survey data absent)

The seven deliberately left blank:

- 容积率 / floor area ratio
- 总建筑面积 / total floor area
- 建筑高度 / building height
- 法定建筑密度 / statutory density
- 法定绿地率 / statutory green ratio
- 退线 / setback
- 拆改留比例 / retain-renovate-demolish split

The taskbook forbids presenting these as statutory conclusions. This package does not estimate them.

Honest calibration: do not bet on novelty, bet on physical space

Pokémon GO +955 steps/day → zero in 6 weeks BMJ 2016, n=1182	Beat the Street no significant overall PA effect Health & Place 2016, n=80	Vienna metro stairs 18% → 21% (+3–4 pts) Frontiers 2026, n=30,862	Asphalt art crossings –50% vulnerable-user crashes Bloomberg 2022, 17 sites	London 20 mph zones –50.2% child KSI BMJ 2009, 119,029 segments
---	---	--	--	--

Conclusion: spend on physical legibility and institutional instruments; keep novelty devices removable.

Boundary note: every boundary shown is a provisional rough constraint inferred from the announcement’s textual extent. Not an official redline; not valid for precise area or approval.

Source: this package's geometry/*.geojson and metrics.json (EPSG:4326 exchange / EPSG:4548 computation). Figures are derived programmatically from the same files.