


JING-ZHANG REPAIR LINE

KEEP THE RIGHT TO REPAIR
URBAN AI ON SITE



JING-ZHANG REPAIR LINE

ONE LINE · THREE DEPOTS · TWO WINGS · TWELVE WORKSTATIONS



FOUR REPAIR LOOPS

Detect & report > Isolate & take over > Repair & revalidate > Reuse or retire

TWO FEEDBACK WINGS

Technology services bring testing, legal and procurement support; scenarios return failure and use evidence to R&D.

FIVE OBJECTS OF REPAIR

Replaceable devices · Reversible models · Correctable data · Human takeover · Circular materials

PROVISIONAL BOUNDARY · CONCEPTUAL RECOMMENDATION · REBUILD WITH OFFICIAL POLYGONS

THREE SCOPE LEVELS AND THE REPAIR LOOP

43.6 km²


Industry and governance

11.4 km²

Conceptual space and interfaces

368.4 ha

Depot roles and gates



The land-use partition fully covers the provisional area only to test functional relationships; it changes no ownership or statutory use.

THREE REPAIR DEPOTS: SHARED PROCESS, DIFFERENT RISKS

ZHONGZHIYUAN

Safe-stop track · Rollback room · Red-team retest · Observation gallery

MODELS & ROBOTICS

RECEIVE > DIAGNOSE > ISOLATE > REPAIR > REVALIDATE
> RETURN/RETIRE

AI ORIGIN

Disassembly · Data correction · Model cards · Repair school

DOCUMENTATION & SKILLS

RECEIVE > DIAGNOSE > ISOLATE > REPAIR > REVALIDATE
> RETURN/RETIRE

DAZHONGSI


Staffed counter · Module exchange · Material ledger · Multilingual access

DEVICE CIRCULARITY & PUBLIC SERVICE

RECEIVE > DIAGNOSE > ISOLATE > REPAIR > REVALIDATE
> RETURN/RETIRE

LOW-TECH FIRST · DIGITAL AS A REPLACEABLE LAYER

WALKING, BLUE-GREEN SPACE, AND TWELVE REPAIR WORKSTATIONS



- 01 Public-AI fault desk
- 02 Offline takeover
- 03 Accessible co-repair
- 04 Multilingual correction
- 05 Module exchange
- 06 Mobility maintenance
- 07 Model rollback drill
- 08 Data correction & appeal
- 09 Robot safe-stop test
- 10 Edge-device hot-swap
- 11 Version regression
- 12 Material passport

09-11 = industrial testing and validation; each has a safety officer, Human Review, and stop conditions.

PROVISIONAL BOUNDARY · CONCEPTUAL RECOMMENDATION · REBUILD WITH OFFICIAL POLYGONS

ONE SOURCE OF TRUTH

METRICS, PENDING CONTROLS, AND EVIDENCE

11.41 km²

Provisional overall boundary

12.34%

Conceptual green ratio

7.33%

Conceptual public-space ratio

12 / 3

Scenarios / industrial tests

NO PROXY VALUES

PENDING OFFICIAL DATA: FAR · TOTAL FLOOR AREA · HEIGHT · COVERAGE · SETBACKS · ROAD REDLINES · UTILITY CAPACITY

GeoJSON

EPSG:4548

metrics.json

ZH / EN figures

HTML + PDF

4-gate self-check

When official polygons replace provisional ones, regenerate the entire chain; never edit numbers only in graphics.

PROVISIONAL BOUNDARY · CONCEPTUAL RECOMMENDATION · REBUILD WITH OFFICIAL POLYGONS