






Twin Rail Century

Twin Rails · Five Nodes · Three Areas · Two Wings

1909

1909



2026

2026

5 Twin-Rail Transfer Nodes · 5 个双轨换乘节点

3 Detailed-Design Areas · 3 处重点区

10 AI Scenario Cards · 10 张 AI 场景卡


8 User Personas (5 non-AI) · 8 类用户画像 (5 类非 AI)

90-Day Auto-Retreat · 90 天自动退出

dabaicai001 / twin-rail-century · v1.0-concept-confirmed · 2026-08-10

All node positions and service boundaries are Conceptual Suggestions; final delivery requires planning-authority verification.

System Overview



10 AI Scenario Cards

#01

Multilingual AI guidance

Node: 节点: Beijing North

Threshold • 暂停阈值:
translation error > 5%

Privacy: no face · no identity · no persist

#02

City-entry information kiosk

Node: 节点: Beijing North

Threshold • 暂停阈值:
misleading complaint > 3/week

Privacy: no face · no identity · no persist

#03

Developer Promenade

Node: 节点: Qinghuayuan

Threshold • 暂停阈值:
walkway break > 14 days

Privacy: no face · no identity · no persist

#04

Agent Contribution Wall

Node: 节点: Qinghuayuan

Threshold • 暂停阈值:
malicious-submission > 2%

Privacy: no face · no identity · no persist

#05

Low-speed robot delivery

Node: 节点: Wudaokou

Threshold • 暂停阈值:
delivery delay > 30 min

Privacy: no face · no identity · no persist

#06

AI slow-traffic diagnostics

Node: 节点: Wudaokou

Threshold • 暂停阈值:
false-alarm > 10%

Privacy: no face · no identity · no persist

#07

AI mediation

Node: 节点: Beijing North

Threshold • 暂停阈值:
satisfaction < 70%

Privacy: no face · no identity · no persist

#08

AI legal-consultation kiosk

Node: 节点: Beijing North

Threshold • 暂停阈值:
incorrect citation > 1%

Privacy: no face · no identity · no persist

#09

HSR-AI mobility hub

Node: 节点: Qinghe (HSR 2019)

Threshold • 暂停阈值:
boarding confusion > 5/day

Privacy: no face · no identity · no persist

#10

Cross-city travel-AI steward

Node: 节点: Qinghe (HSR 2019)

Threshold • 暂停阈值:
advice failure rate > 3%

Privacy: no face · no identity · no persist

Phased Implementation



Each node must satisfy 3 hard conditions · 每节点必须满足三项硬条件

1. Learn-free usability · 不学也能用
2. Offline human/paper fallback · 离线不破
3. 90-day auto-retreat · 90 天自动退出