

How a city learns to live with AI

43.6 km²

Coordinated Research Area

Official approximate figure; no submitted polygon

11.4 km²

Overall Design Area

Official approximate figure

11.413 km²

SITE-001 calculation


Provisional rough boundary; EPSG:4548

THE JINGZHANG PROTOCOL | SPATIAL + OPERATING LIFECYCLE

01

One civic green spine, three lifecycle anchors, seven minimum public interfaces

Provisional overall design extent




Longitudinal map preserves GeoJSON proportions; red dash is a provisional rough extent only.

1 km

LEARN / UPDATE

Operations, appeals, failures and revisions enter a public version log



SEVEN MINIMUM PUBLIC INTERFACES

- 1 Identity / provenance
- 2 Data purpose / retention
- 3 Capability / limits
- 4 Human authority / fallback
- 5 Appeal / redress
- 6 Interoperability / portability
- 7 Version / pause / retirement

SEVEN MINIMUM PUBLIC INTERFACES



PROVISIONAL DESIGN BOUNDARY · DESIGN METRICS · NOT STATUTORY / V0.3

Generated locally from geometry/*.geojson + metrics.json; no external basemap or web imagery.

1909

Independent engineering capability into geography

The railway is more than a track metaphor: it localized a global technical system as domestic engineering capability.

2026

Accountable intelligence into society

Before AI enters real services it must disclose identity, data purpose, limits, human fallback, appeal and exit.

DIFFERENCE

Civic compact + federated interoperability layer

Not one traffic light, one platform or a regulatory licence; passing a test never equals government approval.

A civic-design proposal - not law, an official platform, an approval or an existing deployment.

Three segments x four bands, two longitudinal links x four crosslinks, three dependency packages

PROPOSED LAND-USE STRUCTURE | COMPLETE CONCEPTUAL PARTITION

12 shared-edge design cells; area recomputed in EPSG:4548 within the provisional extent

02

LAND-USE STRUCTURE

- 05 Commerce + industry services
- 0702 Community + talent support
- 0802 R&D + standards / safety
- 0803 Cultural display
- 0804 Education + research
- 1401 Park green space
- 1403 Square + open space

BUILD - 4 CELLS

TEST - 4 CELLS

LIVE - 4 CELLS

DESIGN LAND-USE COMPOSITION

05 Commerce + industry services	4.25 km ² · 37.2%
0702 Community + talent support	1.13 km ² · 9.9%
0802 R&D + standards / safety	1.01 km ² · 8.8%
0803 Cultural display	0.87 km ² · 7.6%
0804 Education + research	0.89 km ² · 7.8%
1401 Park green space	2.56 km ² · 22.5%
1403 Square + open space	0.71 km ² · 6.3%

TOPOLOGY QUALITY

Boundary coverage	Overlap area	Gap area
100%	0 m ²	0 m ²

All cells are design proposals, not statutory land use, parcel boundaries, or development controls.

PROVISIONAL DESIGN BOUNDARY · DESIGN METRICS · NOT STATUTORY / V0.3

Generated locally from geometry/land_use.geojson + geometry/site_boundary.geojson + metrics.json; no external basemap or web imagery.

MOBILITY—GREEN SPINE—CIVIC INTERFACE | ONE AXIS + FOUR CROSS-LINK TYPES

Mobility, green space, public realm and AI scenarios share one provisional coordinate frame

04

NETWORK OVERLAY

- Proposed green
- Public space
- Protocol spine
- Service interface
- Cross-link
- Scenario node

Road centrelines

24.15 km

Green-space ratio

22.5%

Public-space ratio


3.79%

AI scenario nodes

12

Blue denotes a civic-service interface, not a watercourse; the formal GeoJSON currently has no waterbody layer. All routes are conceptual.

NETWORK LOGIC



PROVISIONAL DESIGN BOUNDARY · DESIGN METRICS · NOT STATUTORY / V0.3

Generated locally from geometry/roads.geojson + green_space.geojson + public_space.geojson + metrics.json; no external basemap or web imagery.

THREE EVIDENCE-GATED PACKAGES

P1

Public green spine and seven-interface starter

4.793 km²

First establish human fallback, incident and appeal routes

P2

Western knowledge and professional validation

2.498 km²

Enter after ownership, building, safety and transport checks

P3

Eastern everyday service and urban diffusion

4.122 km²

Scale after review, appeal, interoperability and exit are proven

P1 / P2 / P3 express first-intervention and dependency order, not fixed years, investment or construction commitments.

METRICS + EVIDENCE CHAIN | ANNOUNCED SCALE, DESIGN RECOMPUTATION, DATA GAPS

Every number retains source files, formula, confidence and scope of use

05

ANNOUNCED SCALE | HIGH

Research coordination area

43.60 km²

Overall design area

11.40 km²

Key-area total

3.68 km²

Three key areas

192.1 / 104.3 / 72.0 ha

Official data required | UNKNOWN

- Total floor area
- Floor-area ratio
- Building density
- Building height
- Road area / ratio

Provisional geometry | DESIGN METRIC

Submitted extent

11.41 km²

Land-use coverage

100%

Green-space ratio

22.5%

Public-space ratio

3.79%

Road centrelines

24.15 km

Scenarios / validation

12 / 3

Protocol interfaces

7

Public landmarks

3

EVIDENCE FLOW

GeoJSON layers

EPSG:4548 area / length

Recomputable formula

metrics.json

Bilingual figures

Announced areas are scale references; provisional design metrics are not statutory area, development control, approval or investment commitments.

PROVISIONAL DESIGN BOUNDARY · DESIGN METRICS · NOT STATUTORY / V0.3



Generated locally from metrics.json + referenced GeoJSON source_files; no external basemap or web imagery.

PENDING OFFICIAL EVIDENCE

Total floor area, FAR, statutory building coverage, height, setbacks, road area/ratio; verified road, rail, water, ownership, buildings, heritage, utilities and fire evidence.

THREE KEY AREAS: FROM TESTING TO EVERYDAY USE

Three landmarks, twelve scenarios, one reviewable public contract for every scenario



12/12 have spatial and package hosts | 12/12 have human review and non-AI fallback | 3 validations | 7 public interfaces | 3 AI landmarks

