



Jing-Zhang AI Talent Living Lab Belt

Three 15-minute innovation living circles linked by a public axis, two wings, and a six-stage auditable service loop.



Auditable Service Loop




- Voluntary participation and non-digital alternatives
- Human review and accountable operators
- Public, authorized, or aggregated data only
- All spatial moves are conceptual suggestions

Provisional rough geometry: for concept generation, visualization, and intake checks only; not an official redline or precise area basis.

Existing Conditions and Data Gaps

Separate known spatial tasks, provisional geometry, and missing professional conditions; data gaps are not disguised as design conclusions.



Known

- Three scope levels and three key-area tasks
- Approximate announced areas and provisional geometry
- Rail heritage, industry, talent life, and public-space objectives

Missing

- Official redlines and parcel boundaries
- Existing buildings, ownership, heritage, and fire data
- Road redlines, rail interfaces, utility capacity, and controls

Design consequence

- Use conceptual relationships and reversible pilots only
- Recalculate area-sensitive outputs when official polygons arrive
- Pass building, transport, and utility decisions to professional deepening

01 Innovation islands

R&D, daily life, and adoption lack public interfaces

02 Service black box

Recommendation, accountability, and remedy are invisible

03 Fragmented daily life

Mobility, blue-green space, and services lack continuity


04 Uncontrolled scaling

Usage replaces public value and safety judgment

Provisional rough geometry: for concept generation, visualization, and intake checks only; not an official redline or precise area basis.

Three 15-Minute Innovation Living Circles

Each circle combines work, daily services, public space, learning, social life, and opt-out AI service access.



1

Zhongzhiyuan

Prototype + quality validation

R&D workshop / safety sandbox / trace courtyard

WORK

LIFE

PUBLIC

LEARN

FEEDBACK

2

AI Origin Community

Talent living + public feedback

Near-campus collaboration / voluntary trials / open-source honor

WORK

LIFE

PUBLIC

LEARN

FEEDBACK

3

Dazhongsi

Enterprise service + scaled adoption

Enterprise interface / urban hall / adoption review

WORK

LIFE

PUBLIC

LEARN

FEEDBACK

Provisional rough geometry: for concept generation, visualization, and intake checks only; not an official redline or precise area basis.

Building Scale, Form, and Renewal Logic

Survey first, classify second, decide third: the package shows spatial prototypes and reversible renewal order, not parcel-level building conclusions.

Retain

Keep existing space with verified safety and public value

Renovate

Adaptive reuse, open ground floor, and accessibility

Add

Movable and reversible service or display elements

Demolish

Not proposed without survey, ownership, and professional review

Zhongzhiyuan


R&D workshop + trace courtyard

Origin Community

Collaboration hub + feedback interface

Dazhongsi

Enterprise service + urban hall



Height and massing

Unknown; deepen with controls, daylight, fire, landscape, and rail conditions

Intensity and floor area

Unknown; do not infer FAR or total floor area from concept footprints

Character


Continuous public ground floor, legible entries, reversible elements, and rail-industrial memory

Decision gate

Decide only after safety, ownership, heritage, accountability, and public value are verified

Transport, Rail, Utilities, and Public-Service Support


Keep engineering alignments pending while making each urban system's service role and review gate explicit.



- 1 Rail and access**
Conceptual Dazhongsi station link; interchange, underground space, and safety require specialist study
- 2 Walking, cycling, parking**
Continuous public axis and accessibility first; parking demand and road redlines remain unknown
- 3 Utilities and new infrastructure**
Verify power, communications, compute, drainage, waste, and emergency capacity before layout
- 4 Public services**
Shared interfaces for staffed service, community support, health and aid, feedback, and event management
- 5 Operating rules**
Digital service can be declined, incidents allow human takeover, events can be zoned, and remedy stays available

Zhongzhiyuan AI Acceleration Area

Service prototype and quality validation circle



Spatial sequence

Intake → controlled test → quality record → public explanation → review

Building and interface

Survey existing space first / reversible retrofit / public ground floor / separated quiet R&D and open interface

Public rule

Testing is not approved deployment; unresolved major incidents stop the service.

Preconditions

Official geometry, site survey, ownership, fire, transport, utilities, accessibility, and accountable operation


This is a spatial-organization reference within provisional rough geometry; it does not identify parcels, buildings, road redlines, or engineering alignments.

Provisional rough geometry: for concept generation, visualization, and intake checks only; not an official redline or precise area basis.

ChrysFu / OpenAI Codex

Beijing AI Origin Community

Near-campus talent living and public feedback circle



Spatial sequence

Daily need → voluntary trial → human alternative → public feedback → iteration

Building and interface

Quiet study / collaboration / community service / recreation shared by time and acoustic mode

Public rule

No private profiling; equivalent service remains available without a device or AI.

Preconditions


Official geometry, site survey, ownership, fire, transport, utilities, accessibility, and accountable operation

This is a spatial-organization reference within provisional rough geometry; it does not identify parcels, buildings, road redlines, or engineering alignments.

Provisional rough geometry: for concept generation, visualization, and intake checks only; not an official redline or precise area basis.

Dazhongsi AI Industry Cluster

Enterprise service and scaled adoption circle



Spatial sequence

Access → enterprise interface → urban trial → operating review → four-option decision

Building and interface

Station integration pending professional work / open ground floor / replaceable services / continuous public path

Public rule

No attraction, investment, or government commitment; failed accountability blocks scaling.

Preconditions

Official geometry, site survey, ownership, fire, transport, utilities, accessibility, and accountable operation


This is a spatial-organization reference within provisional rough geometry; it does not identify parcels, buildings, road redlines, or engineering alignments.

Provisional rough geometry: for concept generation, visualization, and intake checks only; not an official redline or precise area basis.

ChrysFu / OpenAI Codex

Public Axis, Two Wings, and Low-Intrusion Daily Routes

Mobility, blue-green space, and service nodes form a walkable, opt-out, feedback-ready network; concept lines are not road or rail engineering alignments.



Four Everyday Routes

- 1 R&D validation**
Workshop → quality trace courtyard → public display
- 2 Talent living**
Near-campus collaboration → daily services → feedback → green respite
- 3 Enterprise service**
Transit access → enterprise interface → urban hall → adoption review
- 4 Culture and public life**
Rail heritage → explainable guide → open-source honor → global event


PUBLIC RULES

- Walking and accessibility first
- Digital services can be declined
- Human review on event days
- Public feedback informs the next iteration

Provisional rough geometry: for concept generation, visualization, and intake checks only; not an official redline or precise area basis.

Twelve AI+ Scenarios and Eight User Groups


Scenarios are not a product list; each combines space, accountability, human-equivalent service, and public feedback.



Provisional rough geometry: for concept generation, visualization, and intake checks only; not an official redline or precise area basis.

Centennial Jing-Zhang Narrative and Long-Term Operation

Turn heritage interpretation, open-source contribution, public experience, and annual review into durable operation rather than a one-off festival.





Q1	Open tasks and public issues	Publish rules, needs, and data gaps
Q2	Prototype week and safety review	Limited tests, human takeover, and incident logs
Q3	Talent life and community season	Daily service, accessibility, and public feedback
Q4	Global AI public retrospective	Publish reasons to adopt, pause, roll back, or exit

Annual loop	Task release → pilot → public review → next-year revision
Community mechanism	Developer open days, resident review, accessibility co-tests, and bilingual tours
Contribution and honor	Show voluntary public contributions and verifiable evidence, not commercial ranking
Long-term gate	Accountability, maintenance, equivalent service, and remedy are all mandatory

Provisional rough geometry: for concept generation, visualization, and intake checks only; not an official redline or precise area basis.

Renewal Project List and Phasing

Twelve public project packages move through reversible pilots, area coordination, and long-term operation without budgets, procurement parameters, or committed timing.



PlanX Concept-Network Diagnosis and Improvement Priorities

QGIS Processing results on an agent_generated_design network; design QA only, not existing conditions, official accessibility, or engineering performance

□□□□□ / Network service areas

As radius grows, merged Euclidean area expands faster than this sparse network. The falling pedshed flags missing cross-links, crossings, and entrances; it does not prove real-world walkability.

0.11

pedshed diagnostic




300 m

reached 4.7 km

0.08

pedshed diagnostic



500 m

reached 7.4 km

0.04

pedshed diagnostic



1000 m

reached 10.6 km

□□□□ / Executed calls

11 / 10

nodes / segments

12

service nodes

400 / 800 / n

syntax radii

23.4

mean walk diagnostic

10 / 10

design segments below 50

1 / 3


prototype demand points per green class

Remain unknown: real 15-minute access, population coverage, slope, elevation, FSI, OSR, solar, heat, and engineering capacity.

Exploded Axonometrics of Three Building Prototypes


Relative program layers, public plinths, and reversible technical layers; no height, floor-count, structure, or quantity claims

Zhongzhiyuan: validation workshop




Public interface: public explanation, appointment, and human review

Origin: talent collaboration hub



Public interface: non-AI equivalent service, voluntary trial, and public feedback


Dazhongsi: enterprise urban hall



Public interface: enterprise service directory, public route, and scaling review



Typical Public-Realm Section of the Jing-Zhang Innovation Axis

Relative spatial modules and operating interfaces; not a road redline, construction section, or approved dimension



Metrics, Evidence, and Pending Boundaries

Known values describe submitted geometry and explicit counts only; statutory intensity, road area, total floor area, and engineering conditions remain unknown.



Remain unknown: FAR, building heights, total floor area, road redlines and areas, ownership, utility capacity, investment, and government implementation commitments.


Submitted geometry area is approximately 11.41 km2, a recalculation of provisional rough geometry only.

Provisional rough geometry: for concept generation, visualization, and intake checks only; not an official redline or precise area basis.


ChrysFu / OpenAI Codex

Five Acceptance Gates and a Twelve-Month Minimum Pilot

Every scenario needs accountability, a non-AI equivalent, remedy, and a stop condition; usage alone cannot justify scaling.



12-MONTH PILOT PATH



Default is no scaling: missing accountability, failed non-AI equivalence, unresolved major incidents, or unavailable remedy require holding, rollback, or exit.

Strategy comparison

Derived evidence layer; not a statutory or engineering claim

Comparison and Selection of Three Spatial Strategies

Strategy C is recommended from verified geometry, available evidence, and reversibility

A Node Intensification

Strengthen prototypes and public interfaces within each key area

- Directly supported by current geometry
- Low near-term delivery friction
- Weak cross-area connection and resilience

Evidence

●●●●●

Coordination

●●●●●

Reversibility

●●●●●

Data readiness

●●●●●

Alternative / low risk

B Transit-Access Driven

Reorganize functions around verified walking isochrones and stations

- Strongest transport logic
- PlanX flags an underspecified concept network
- Still needs trusted streets, entrances, crossings, and demand

Evidence

●●●●●

Coordination

●●●●●

Reversibility

●●●●●

Data readiness

●●●●●

Hold / data required

C Acceptance Rail + Resilience

Link three loops with one axis, public gates, and reversible blue-green interfaces

- Uses verified axis-area relations
- Balances industry, talent, mobility, and resilience
- Keeps statutory and engineering values unknown

Evidence

●●●●●

Coordination

●●●●●

Reversibility

●●●●●

Data readiness

●●●●●

Recommended

Scores support this evidence audit and are not official review scores.

Design diagnosis

Derived evidence layer; not a statutory or engineering claim

Problem–Evidence–Spatial Response–Metric Matrix

Seven topics separate reproducible metrics from missing inputs

Topic	Problem and evidence	Recommended spatial response	Metric / status
Innovation industry	Three roles are defined; building and enterprise baselines are missing	Validation workshop–talent hub–enterprise service hall	3 prototypes; intensity unknown
Talent life	12 scenarios and 8 personas are traceable	Human alternatives, feedback, remedy, and exit nodes	12 nodes; human coverage 100%
Mobility	PlanX concept-network diagnostics ran; existing streets and entrances are missing	Add cross-links, crossings, entrances, and pending interchange interfaces	10 design segments; real access unknown
Blue-green realm	Green and public-space areas recompute; hydrology and elevation missing	Co-locate shade, stormwater, stay, and accessible routes	Green 14.52%; public space 3.65%
Renewal phasing	Three phase polygons are complete; ownership and timing missing	Audit first, reversible prototype, connect, then review	3 spatial phases + 5 pilot stages
AI scenarios	3 industry validations and 5 acceptance gates	Bind accountability, remedy, and non-AI equivalence	3 validation scenarios; 5 gates
Resilience	Isochrones, elevation, drainage, and energy cannot be verified	Front-load stop rules, stormwater interfaces, and human takeover	Qualitative response; performance unknown

All boundaries remain provisional; actual access, stormwater, capacity, intensity, and timing cannot be inferred.

京张城市功能分析信息模型

URBAN FUNCTIONAL ANALYSIS INFORMATION MODEL · EPSG:4548

全带功能结构 / FULL-BELT FUNCTIONAL STRUCTURE

建筑功能色 · 程序化立面 · 主轴道路 · 蓝绿开放空间



大钟寺片段

企业服务与规模转化



AI 原点社区片段

人才生活与公共反馈



众智园片段

服务原型与质量验证

注：三个圆形详图为模型片段索引，不表达官方边界；树阵为图解符号，不代表单株树位。

01 / FUNCTION

区位 + 形态 + 显式标签

功能图例

FUNCTION LEGEND

商业 / COMMERCIAL	158
办公 / OFFICE	125
居住 / RESIDENTIAL	714
公共设施 / PUBLIC	41
学校 / SCHOOL	191
酒店 / HOTEL	6
工业 / INDUSTRIAL	7
中性肌理 / CONTEXT	419

空间系统

公园绿地	125
河流水系	32
公共广场	3

立面深化

465,211 窗格面片

7,992 店面面片 · 1,535 屋顶设备

程序化城市设计表达，不是实测立面或施工图设计

证据等级

明确建筑标签	721 · 43%
关联 POI / 形态	146 · 9%
形态或区位推断	814 · 48%

混合功能竖向分层

首层 / 裙房：商业
上部：办公
酒店仅在明确名称或标签下识别

1,681 栋建筑

2,443 条道路 · 125 个绿地候选 · 32 个水系要素

来源：B88ike / OpenStreetMap 公开数据 (2026-08-10)

及项目派生方案图层。功能推断不替代法定用地。

严格几何锁定：五张图与 GLB 使用同一模型。

COMMUNITY-DISPLAY-ONLY

Spatial Touchpoints and Acceptance Evidence | 12-Node Audit Annex

Problem → evidence to collect → spatial response → public value / verification

SCN-01

Service Prototype Intake

Gates: G1 / G4

Problem	Technical solutions may enter pilots before a real everyday need is established.
Evidence	Voluntary need records, minimum-field list, non-AI alternative flow, and operator/compliance review records.
Spatial response	Place a staffed needs-intake and non-AI service point at Zhongzhiyuan's public interface.

SCN-02

Quality Trace Validation Workshop

Gates: G3 / G4

Problem	Service outputs may lack stability records and an accountable trace chain.
Evidence	Test records, quality issues, accountability chain, incident closure, and professional review records.
Spatial response	Use an open workshop and quality-trace courtyard for testing, review, and public explanation.

SCN-03

Safety and Interoperability Sandbox

Gates: G2 / G3

Problem	Cross-system services may spill into public settings before safety, interfaces, or exits are verified.
Evidence	Public specifications, synthetic tests, authorized-data notes, safety review, and takeover records.
Spatial response	Provide a stoppable synthetic-test and interoperability space separated from public activity.

SCN-04

Talent Daily Needs Station

Gates: G1 / G2

Problem	Talent services may be based on imagined profiles rather than explainable everyday gaps.
Evidence	Voluntary choices, aggregated needs, minimum fields, staffed intake, and non-AI route records.
Spatial response	Place a voluntary, low-barrier, staffed needs station along near-campus daily routes.

SCN-05

Voluntary Trial and Exit Desk

Gates: G2 / G4

Problem	People who decline AI, withdraw consent, or lack a device may be excluded from service.
Evidence	Consent and withdrawal records, staffed/paper flow, service hours, waiting time, and correction records.
Spatial response	Co-locate disclosed rules, withdrawal, staffed processing, and paper alternatives at one visible desk.

SCN-06

Public Feedback Forum

Gates: G1 / G2 / G4

Problem	Service disputes and access barriers may fail to influence the next decision cycle.
Evidence	Feedback tickets, response time, remediation, closure records, and next-cycle decisions.
Spatial response	Provide a feedback forum with optional anonymity, human review, and public retrospectives.

SCN-07

Open-Source Contribution Ribbon

Gates: G1 / G2 / G4

Problem	Long-term public contribution can be displaced by short-term commercial visibility.
Evidence	Voluntary publication consent, factual verification, copyright review, correction, and removal records.
Spatial response	Record contributions through a public ribbon with voluntary attribution, human curation, and correction.

SCN-08

Enterprise Service Interface

Gates: G1 / G4

Problem	Enterprises may struggle to find public, compliant professional services with clear accountability.
Evidence	Public policy and service directories, applicability boundaries, accountable roles, referrals, and correction records.
Spatial response	Place a public-directory interface with professional review in the Dazhongsi urban hall.

SCN-09

Flexible Service Urban Hall

Gates: G2 / G4

Problem	Fixed service mixes may not fit different times and users and can become mandatory consumption.
Evidence	Public directory, time rules, staffed service, price-equity samples, and complaint-resolution records.
Spatial response	Use reversible layouts, on-site choice, staffed service, and non-commercial dwell space in the urban hall.

SCN-10

Scaled Adoption Review Desk

Gates: G3 / G4 / G5

Problem	A successful one-off demonstration may be mistaken for evidence to scale across a district.
Evidence	G1-G4 records, major-incident closure, remedy availability, rollback plan, and scale decision.
Spatial response	Use a multidisciplinary review desk to examine pilot, public-feedback, risk, and exit evidence together.

SCN-11

Explainable Jing-Zhang Heritage Guide

Gates: G1 / G2 / G4

Problem	Cultural guidance may blur historical fact, generated content, and commercial promotion.
Evidence	Public historical sources, curatorial provenance, factual/copyright review, synthetic labels, and corrections.
Spatial response	Place bilingual, explainable, correctable, human-reviewed guide points along the public axis.

SCN-12

Accessible Mobility and Health Navigation

Gates: G1 / G2 / G3 / G4

Problem	Navigation without field verification may miss crossings, slopes, barriers, and human assistance.
Evidence	Field accessibility audit, entrance/crossing/slope checks, service information, human review, and issue closure.
Spatial response	Provide continuous accessible cues, rest points, staffed help, and a non-digital route along the public axis.