


Overall Design Structure


One continuous public base · five transverse accesses · three corridor prototypes



Overall spatial relationships of Open-Source Ground

Continuous base and five accesses


The Jing-Zhang Railway Heritage Park, parallel streets, open spaces, station forecourts, institutional forecourts and public ground floors form a continuous public base. Five transverse accesses integrate stations, crossings, cycling, accessibility, ground floors and blue-green space.



Open-Source Ground planning structure

Three prototypes and three key areas


The north becomes environmental-learning ground, the centre knowledge-compilation ground and the south public-service-orchestration ground. Zhongzhiyuan hosts environmental and embodied learning, AI Origin hosts knowledge compilation and public AI, and Dashongli hosts high-flow public-service orchestration.



Corridor-wide overall plan

专题01 | 功能与规划分区

九个概念主导功能分区 | 北段环境学习、中段知识编译、南段公共服务




Functions and planning zones

Land-use system	Overall layout	Design control
Railway heritage and park	A continuous north—south public base along the Jing—Zhang line	Retain railway engineering clues, public slow movement, open view corridors and cultural nodes
Blue-green ecology	Xiaoyue River, the railway green belt, campus and parkland, street rainwater space	Ecological buffer, flood elevation, shading, habitat and maintenance routes
Public service and open ground floors	Concentrated in the five transverse accesses, station forecourts and community entrances	Independent entrances, stable hours, basic service, accessibility and human staffing
Innovation and R&D	Maintain professional space for universities, research and enterprises	Connect to the city through public forecourts, courtyards, models and controlled facility interfaces
Mixed life and service	Mature communities in the south, central stations and institution edges	Combine employment, health, dining, learning, care and evening activity
Mobility and municipal	Stations, roads, cycling, logistics and equipment interfaces	Clear separation of primary/backup routes, time-slot logistics, fire and maintenance
Controlled areas awaiting verification	Boundaries, station exits, crossings, river and ownership conditions pending	Retain multiple options and reversible projects; precise control after materials arrive

专题04 | 公共首层与建筑更新策略

三类更新评估区与公共首层接口节点 | 连续机会对象保留于工程核验层



Public ground floors and renewal


Building category	Judgement basis	Design action	Next-step material
Retain in use	Stable use, suitable structure, clear cultural or community value	Improve entrance, accessibility, wayfinding and external public space	Ownership, current use, fire safety and heritage value
Adaptive renovation	Convertible space, location connects to the public ground	Insert courtyards, health, tools, display, community and enterprise services	Structure, equipment, fire, security and operator
Public ground-floor conversion	At the intersection of access bands and public space	Independent entrance, shared forecourt, evening hours and logistics separation	Ground-floor area, thresholds, opening protocol and public-benefit quota
Awaiting professional evaluation	Building quality, efficiency or engineering conditions not yet surveyed	Retain multiple retain/renovate/remove paths	Survey, appraisal, ownership, control plan and economic assessment

Land-use strategy

Public ground first, mixed support, retained fabric and controlled insertion. Public ground floors and forecourts act as operational interfaces across land-use categories.

专题02 | 交通与开放接入

连续公共地表、平行备选线、五条横向街道、潜在站点接入与慢行网络



连续主脊 / 平行备选线 / 横向接入1—5 / 大钟寺四向潜在步行接入

边界精度：provisional_rough | 底图：Mapbox Basic Overcast | 现状：© OpenStreetMap contributors, BBBIke 2026-08-12




Access and mobility

Journey chains			
Journey chain	Primary-path requirement	Backup and conflict control	Verification conditions
Station—public ground floor	Shortest legible route linking station service, accessible crossing and public entrance	Peak flow diversion, visible evening route, human wayfinding	Station exits, opening hours, flows, gradients, crossing waits
Community—heritage park	Multi-entrance walking and cycling access	Parallel street backup, staggered school and residential entrances	Community entrances, ownership, parking, night safety
Campus—riverbank	Campus public lobby links safe riverbank slow movement and stopping points	Maintenance route separated from public path; high-level route in floods	River, flood, ecological buffer, campus opening
Delivery—equipment interface	Low-speed time-slot access at building rear or forecourt edge	Paused during peak and events; separated from accessible main chain	Loading capacity, fire, noise, insurance and responsibility

专题05 | 技术设施与后勤

独立技术服务走廊及现状交通、市政空间参照



技术服务走廊：市政容量、检修界面和权属条件由专项核验

边界精度：provisional_rough | 底图：Mapbox Basic Overcast | 现状：© OpenStreetMap contributors, BBBIke 2026-08-12




Technical logistics

Walking and accessibility first
Walking and accessibility lead; cycling, transit, logistics, sensing and energy interfaces remain maintainable. Primary and backup routes are separated, with time-slot management at peak and events. Technical facilities form a public-infrastructure layer plus switchable modules. Dazhongsi uses a four-direction potential-access framework.

专题03 | 蓝绿与公共空间

河岸、公园绿地、环境学习带、蓝绿缝合与八个公共节点



蓝绿网络 / 环境学习 / 公共节点 / 雨洪与河道条件待专项核验

边界精度: provisional_rough | 底图: Mapbox Basic Overcast | 现状: © OpenStreetMap contributors, BBBike 2026-08-12

Blue-green public space

Heritage-park vitality belt

The railway heritage park links rivers, parks, tree lines, rain gardens, institutional forecourts and community entrances into a continuous blue-green public base. Public space adopts a thickened structure of heritage park, transverse streets, institutional forecourts and public ground floors.

Blue-green objects

Blue-green object	Spatial outcome	Knowledge and public use	Engineering and maintenance conditions
Xiaoyue River and banks	Ecological buffer stays continuous; slow movement at safe elevation	Environmental monitoring explanation, seasonal courses, community health	River extent, flood elevation, habitat, water safety
Railway heritage park	Continuous tree-lined path links transverse streets	Railway engineering history, urban expansion, daily sport and rest	Heritage alignment, management boundary, vegetation and facilities
Streets and shared forecourts	Rain gardens, shading, seating and safe crossings organise staying	Thermal-comfort explanation, community activity, institutional spillover	Underground utilities, sight distance, drainage, fire and accessibility
Roofs and courtyard edges	Store, drain, cool and supplement habitat	Institutional courses, maintenance training and long-term monitoring	Structure, drainage, fire, security and upkeep funding

众智园 | 环境学习型开放地表

知识开放课堂、智慧学习界面、绿色进入与共享知识网络



规划设计来源：主责团队 / 公共空间 / 输入路径 / 知识网络 / 技术平台数据 / 现状建筑及步行网络

数据提供：provisional map / 数据：Mapbox Data Contributor / 设计：© OpenStreetMap contributors / 2023/04/2023/05/12

0100

0

100

200 m

Zhongzhiyuan GIS plan



Zhongzhiyuan plan




Station-park-river section



River learning scene

AI原点 | 知识编译型开放地表

知识编译广场、知识编译界面、步行进入与公共知识网络



规划设计来源：主责团队 / 公共空间 / 输入路径 / 知识网络 / 技术平台数据 / 现状建筑及步行网络

数据提供：provisional map / 数据：Mapbox Data Contributor / 设计：© OpenStreetMap contributors / 2023/04/2023/05/12

0100

0

100

200 m

AI Origin GIS plan



AI Origin plan




Public ground-floor section



Evening knowledge scene

大钟寺框架 | 公共服务编排型开放地表

当前规划方案在北京市：国家会议中心、国家会议中心、国家会议中心



规划设计来源：主责团队 / 公共空间 / 输入路径 / 知识网络 / 技术平台数据 / 现状建筑及步行网络

数据提供：provisional map / 数据：Mapbox Data Contributor / 设计：© OpenStreetMap contributors / 2023/04/2023/05/12


0100

0

100

200 m

Dazhong Temple GIS plan



Dazhong Temple two-dimensional plan



Street-community section



Public-service scene

13

Six Tangible Urban Public Rights

Every open interface explains resources, access, time, contribution, revision and exit

1

SEE

Open content and responsibility are legible

2

REACH

Continuous accessibility and transverse links

3

USE

Tiered access and stable essential service

4

CONTRIBUTE

Problems, knowledge and experience enter the system

5

MODIFY

Review, appeal, correction and version records

6

EXIT

Deletion, shutdown, closure and spatial recovery

Ground Protocol Units implement these rights; fixed facilities, human channels, accountable operators and recovery methods form the minimum guarantee.

Six public rights

User	Daily need	Spatial and service response	Public safeguard
University researchers and teachers	Cross-institution collaboration, result explanation, real problems	Open courses, model forums, reserved workshops	Result licensing, professional responsibility, human review
Students, developers and start-ups	Low-cost collaboration, testing, publishing and reputation	Evening public ground floors, shared test beds, tools and launch space	Public-benefit hours, training, exit and failure records
Company staff and enterprise-service workers	Commuting, display, recruitment, legal and supply-chain services	Station forecourts, public meeting rooms, employment and enterprise services	Stable space and hours for basic public service
Residents and carers	Access, health, education, maintenance and community activities	Fifteen-minute open units, human service, community forecourts	Offline channels and ordinary no-registration use
Children, older and disabled people	Accessibility, safety, rest, companionship and low cognitive load	Continuous accessibility, rest and hygiene, simple wayfinding, accompanied routes	Human and fixed facilities continue when technology stops
Visitors, commuters and international talent	Transfer, short stays, understanding the site and services	Multilingual wayfinding, railway culture, luggage help, public events	Personal data collected on a minimal basis

Phase	Project package	Direct outcome	Dependency
Near term: minimum viable ground	Three priority units, basic wayfinding and accessibility, first ground floors, river courses, human service and open ledgers	A reachable, usable, feedback-ready prototype	Entrances, hours, fire, security, river and operator
Growth: multi-unit collaboration	Five accesses, fifteen-minute open units, full key-area packages, shared equipment and public models	A cross-institution service and scenario network	Multi-party protocols, maintenance funding, data and professional review
Long term: continuous renewal	Corridor-wide versioning, heritage knowledge route, indicator post-review, expansion and exit	A continuously learning public ground	Long-term operator, public oversight, annual audit and statutory linkage

07

Four Grounds Share the Same Spatial Unit

Physical, digital, generative and knowledge layers enter plans, parcels, ground floors and operations together



Physical ground

Walking, cycling, public ground floors, landscape and logistics

Digital ground

Open status, capacity, environment, sources and error

Generative ground

Bounded adjustment of shade, irrigation, lighting and service

Knowledge ground

Courses, research, community experience, maintenance and failure logs

The four-layer system rests on fixed public facilities and human service; public routes and essential service continue when technology is disabled.

Four-layer ground

Scenario	Main location	Spatial configuration	Operation and safety
Low-speed embodied-system testing	Zhongzhijuan campus-park buffer	Separate low-speed route, observation points, physical shutdown zone	On-site safety officer, time-slot operation, incident records
Adaptive blue-green maintenance	Xiaoyue River and parks	Environmental sensing, irrigation, shading and maintenance interfaces	Human maintenance first; fixed mode in sensitive periods
Public urban-model deliberation	AI Origin public ground floor	Explainable-model tables, source wall, discussion seating and human service	Published data sources, assumptions, versions and responsible persons
Public AI and human service	AI Origin knowledge street	Digital enquiry, human counter, private consultation and waiting	Human channel stays; corrections and appeals for results
Open-result compilation courses	AI Origin shared forecourt	Courses, result explanation, community topics and mobile facilities	Content reviewed by a responsible person; explicit licensing
Shared-robot test-metre handover	Institution edges and logistics loops	Low-speed route, handover point, storage/charging and maintenance	Separated from accessible main route; human completes handover

12

Phased Governance Keeps the Ground Learning

From minimum viable ground to multi-unit collaboration and corridor-wide version governance

1

NEAR TERM

Minimum viable ground

Accessibility, wayfinding, public ground floors, human service and open ledgers

2

GROWTH

Multi-unit collaboration

Five accesses, 15-minute units, key-area packages and public models

3

LONG TERM


Continuous renewal

Heritage knowledge route, annual review, project expansion and exit


Each Ground Protocol Unit combines spatial-access, data-model and operations-maintenance agreements, with responsibility, hours, faults, appeals and exits made public.

Phasing and governance


Scenario	Main location	Spatial configuration	Operation and safety
Four-direction transfer assistance	Potential accesses around Dashongli	Fixed wayfinding, human service, rest and assistive equipment	Aggregated flows and active help requests
Employment and lifelong-learning lounge	Dashongli community ground floor	Enterprise services, learning sessions, human advisers and community courses	Human review and explanation retained
Health and culture daily station	Dashongli community forecourt	Health referral, cultural activity, rest and care support	Professional institution responsible; private information zoned
Jing-Zhang heritage knowledge route	Heritage park and portals along the corridor	History nodes, oral archives, courses and multilingual wayfinding	Facts, authors and copyright published with content
Accessible dynamic wayfinding	Five transverse access bands	Fixed wayfinding, facility status, human help and feedback points	Fixed system and human service continue together
Open urban-problem list	Each fifteen-minute open unit	Problem registration, project status, research matching, community discussion	Representative review, urgent referral, public closure and appeals



Indicators and auditable benefit



Three key areas Index



Site evidence chain overview

Indicator groups			
Indicator group	Current baseline or direction	Design meaning	Review method
Scope and levels	About 43.6 km² research, 11.4 km² overall design, three key areas	Control the three working scales and deliverable depth	Recalculate in EPSG:4548 when official extents arrive
Transit and life circles	Median station distance <606 m; 10-min walk >48.2%, 15-min >78.6%, 5-min cycle >85.6%	Set priority of transverse accesses and rail entrances	Field walking, entrances, waits, gradients and hours
Blue-green and buildings	Grid green >13.2%, water >0.7%, building cover >17.8%	Support section differences, shading, links and selection	Recalculate with official land use, survey and river materials
Key-area differences	Zhongzhixuan stronger blue-green; AI Origin concentrated services; Dazhongqi high-flow service	Determine environmental-learning, knowledge-compilation, service-orchestration prototypes	Recalculate when official key-area extents arrive
Public-ground supply	Public entrances, accessible chains, ground floors, outdoor space, equipment, human service	Test the minimum usable state of each open unit	Survey and accept unit by unit
Operational performance	Opening hours, public-benefit quota, use, faults, complaints, repair, exit	Judge public benefit and maintenance capacity	Annual public reporting per unit after operation

