


Industrial infrastructure that returns urban AI equipment to accountable service

Public service stays on the main line; failed assets enter a side line

ONE CONTINUOUS CIVIC MAIN LINE · THREE DISTINCT WORKS · ONE CLOSEABLE EQUIPMENT SIDE LINE

01 / CIVIC MAIN LINE + EQUIPMENT SIDE LINE
CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



ONE PUBLIC-SERVICE ROBOT

Staff take over the service while the asset gathers intake, rights, part, calibration, regression, and human-release evidence.



HOLD / RETEST
missing evidence; retain failure

QUALIFIED HANDOVER
out of scope; controlled transfer


HUMAN RELEASE
accountable + independent sign-off

SYNTHETIC REPLAY 12/12 | AI-AUTHORITY GUARDS 4/4 | FIELD 0
COMMUNITY-DISPLAY-ONLY · 2026-08-14

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

What is formed, what remains missing, and what is tabletop-only

SEPARATE DESIGN QUANTITIES, STATUTORY CONTROLS, READINESS, AND FIELD PERFORMANCE
CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY DISPLAY ONLY · 2026-08-14

EVIDENCE | 27 sources · 23 mapped tasks · 15 complete design-depth items · 9 GeoJSON files

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

02 OVERALL DESIGN | one spine, three works, nine zones, two circuits


Industrial infrastructure that returns urban AI equipment to accountable service

Nine zones form a spatial service process, not a set of generic industry labels

02 / LAND USE + PROCESS

Land uses are clipped by the provisional boundary; nine polygons cover it with 0.001 sqm gap and zero overlap

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.


COMMUNITY-DISPLAY-ONLY · 2026-08-14

Public service stays on the main line; failed assets enter a side line

01 / CIVIC MAIN LINE + EQUIPMENT SIDE LINE

ONE CONTINUOUS CIVIC MAIN LINE · THREE DISTINCT WORKS · ONE CLOSEABLE EQUIPMENT SIDE LINE

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

- Nine zones cover the current provisional boundary.
- Public service, controlled process, and risk outbound movement remain layered.
- All statutory controls await official inputs.

EVIDENCE | 27 sources · 23 mapped tasks · 15 complete design-depth items · 9 GeoJSON files

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

03 THREE-AREA HANDOFF | entry evidence, receipts, pause, and recovery




Industrial infrastructure that returns urban AI equipment to accountable service

Three spatial types, three works, one professional relay with no skipped stop

03 / KEY-AREA HANDOFF

STAFFED INTAKE + ACCESS RETEST · PARTS COMMONS + CALIBRATION · ISOLATION + SYSTEM REGRESSION

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



DAZHONGSI | terminal after-sales and circular procurement
0.720 km² · PROVISIONAL
PUBLIC SERVICE WORKS
staffed intake · accessibility retest · receipt

AI ORIGIN | instruments, protocols, and skills
1.043 km² · PROVISIONAL
PRECISION SHARED WORKS
parts commons · protocol review · calibration

ZHONGZHIYUAN | system diagnostics and recertification
1.929 km² · PROVISIONAL
CONTROLLED TEST WORKS
isolation · whole-system regression · recertification

Public intake, accessibility retest, accountable release, and procurement feedback

ENTRY: official station/area anchoring / lawful site use

OUTPUT: intake/warranty record / service-continuity record

PAUSE: No staffed fallback, inaccessible public route, unresolved complaint, erasure failure, or incomplete gate trail.

Interchangeable-part evidence, instrument calibration, protocols, and skills

ENTRY: official area/survey / lawful use

OUTPUT: part evidence / calibration/reference record

PAUSE: Reference invalid, environment uncontrolled, data/IP rights unresolved, or compatibility dimension missing.

Whole-system fault reproduction, fleet interfaces, and safety regression retest

ENTRY: official area/survey / lawful site rights

OUTPUT: whole-system baseline / regression evidence

PAUSE: Unsafe isolation, failed emergency stop, uncontrolled route, or missing responsible operator.

HANDOFF OBJECTS | work order → rights record → part/calibration evidence → regression + failure record → limited-release summary

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14

Nine zones form a spatial service process, not a set of generic industry labels

02 / LAND USE + PROCESS

Land uses are clipped by the provisional boundary; nine polygons cover it with 0.001 sqm gap and zero overlap

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



- 01 Repair park and equipment-passport corridor
14001 1.889 km²
- 02 Terminal diagnostics and circular procurement services
00 1.338 km²
- 03 Public-equipment quick repair and delivery services
0002 1.028 km²
- 04 Material-passport and repair culture exhibition
0003 1.058 km²
- 05 Sensor and intelligent-terminal refurbishment R&D
0002 1.210 km²
- 06 Repair skills and certification training
0004 1.140 km²
- 07 Shared diagnostics for scientific instruments
0002 1.033 km²
- 08 Robot-system diagnostics and pilot testing
0002 0.843 km²
- 09 Shared modules, spares, and equipment services
00 1.286 km²



Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY DISPLAY ONLY · 2026-08-14

- Dazhongsi outputs intake, continuity, and R5 receipt.
- AI Origin outputs parts, calibration, and negative findings.
- Zhongzhiyuan outputs system regression and R4 evidence.
- All three extents remain provisional rough polygons.

EVIDENCE | 27 sources · 23 mapped tasks · 15 complete design-depth items · 9 GeoJSON files

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

04 ASSET REPLAY | three works, one failure, human release or return

Industrial infrastructure that returns urban AI equipment to accountable service

One asset, three works, one failure, and a final human decision

SYNTHETIC TABLETOP REPLAY | each frame shows place, asset state, human duty, input evidence, and output/stop

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines

06 / ONE-ASSET SERVICE REPLAY



Failure remains visible: return for correction and retest

SYNTHETIC 12/12 | AI-AUTHORITY 4/4 | FIELD RUNS 0 | INSTITUTIONAL SIGN-OFF 0

NOT PROOF OF SAFETY, PERFORMANCE, AUTHORIZATION, OR PUBLIC ACCEPTANCE

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14

EVIDENCE | 27 sources · 23 mapped tasks · 15 complete design-depth items · 9 GeoJSON files


Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

Three spatial types, three works, one professional relay with no skipped stop

STAFFED INTAKE + ACCESS RETEST + PARTS COMMONS + CALIBRATION + ISOLATION + SYSTEM REGRESSION

03 / KEY-AREA HANDOFF

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



- One asset moves through intake, evidence repair, whole-system failure, corrective retest, and human release.
- Failed evidence stays visible and changes the next step.
- AI cannot decide warranty, compatibility, safety, or R5 release.


Industrial infrastructure that returns urban AI equipment to accountable service

Public movement, ordinary equipment logistics, and licensed outbound transfers remain separated

04 / MOBILITY + BLUE-GREEN

Roads are conceptual centre lines, not road red lines, engineered sections, or confirmed station links

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.


COMMUNITY-DISPLAY-ONLY · 2026-08-14

Three spatial types, three works, one professional relay with no skipped stop

03 / KEY-AREA HANDOFF

STAFFED INTAKE · ACCESS RETEST · PARTS COMMONS · CALIBRATION · ISOLATION · SYSTEM REGRESSION

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



- The civic spine links walking, cycling, intake, learning, and asset-passport interpretation.
- Equipment logistics cannot occupy the public promenade.
- Character: railway maintenance works × precision industrial atlas.

EVIDENCE | 27 sources · 23 mapped tasks · 15 complete design-depth items · 9 GeoJSON files

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.



Industrial infrastructure that returns urban AI equipment to accountable service

Nine zones form a spatial service process, not a set of generic industry labels

02 / LAND USE + PROCESS

Land uses are clipped by the provisional boundary; nine polygons cover it with 0.001 sqm gap and zero overlap

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.


COMMUNITY-DISPLAY-ONLY · 2026-08-14

What is formed, what remains missing, and what is tabletop-only

05 / REALITY + EVIDENCE

SEPARATE DESIGN QUANTITIES, STATUTORY CONTROLS, READINESS, AND FIELD PERFORMANCE

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



TABLETOP RULE REPLAY: 1012 machine FIELD RING & RULE CONSISTENCY ONLY

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14

- Phase 1 protocols and skills; Phase 2 system tests; Phase 3 terminal procurement.
- RETURN-TO-SERVICE WEEK centres on failure clinics and accountable retesting, not product launches.



EVIDENCE | 27 sources · 23 mapped tasks · 15 complete design-depth items · 9 GeoJSON files

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

What is formed, what remains missing, and what is tabletop-only

SEPARATE DESIGN QUANTITIES, STATUTORY CONTROLS, READINESS, AND FIELD PERFORMANCE

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



TABLETOP RULE REPLAY: 12/12 matched; FIELD RUNS 0; RULE CONSISTENCY ONLY

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14

EVIDENCE | 27 sources · 23 mapped tasks · 15 complete design-depth items · 9 GeoJSON files

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

05 / REALITY + EVIDENCE

Public movement, ordinary equipment logistics, and licensed outbound transfers remain separated

04 / MOBILITY + BLUE-GREEN

Roads are conceptual centre lines, not road red lines, engineered sections, or confirmed station links

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14

- 11.413 sq km, nine zones, fifteen modules, and seven centre lines are provisional design quantities.
- FAR, height, statutory coverage, and road red lines remain pending.
- Official polygons trigger whole-package recalculation.