

ZZY-03

reversible-module-sections

Zhongzhiyuan AI Independent Innovation Acceleration Area • Learning Lab 1

Zhongzhiyuan - reversible module sections A and B

English edition

PROV-KEY-001 • provisional_extint

scale: not_to_scale • north arrow: none

ZZY-03-en

Cut keys (see plate 02)

A → ZZY-SEC-A: cut across the separation zone between the observation gallery and the controlled test enclosure B → ZZY-SEC-B: cut along the logistics spine, through a maintenance face and an emergency turning bay

A • ZZY-SEC-A • Section A: separation of public observation from controlled testing

The section shows the separation zone between the public observation gallery and the controlled test enclosure, the independent arrival face each one has, and the level and sightline relationship that keeps the gallery usable when the enclosure is shut.

Dimensions, basis and status

A ZZY-SEC-A-D1
2.4 m
proposed observation gallery clear width
proposed module proposed_not_verified

A ZZY-SEC-A-D2
1.2 m
proposed separation zone depth
proposed module proposed_not_verified

A ZZY-SEC-A-D3
pending
existing ground level difference along the cut
pending_survey

A ZZY-SEC-A-D4
pending
controlled test enclosure clear height
pending_survey

B • ZZY-SEC-B • Section B: logistics, maintenance and emergency recovery

Taken along the logistics spine, the section shows the module loading face, the path by which maintenance staff reach a failed machine from outside the test field, and the space an emergency turning bay needs for recovery of movement after an incident.

B ZZY-SEC-B-D1
pending
provisional working extent east-west span
pending_official_boundary

B ZZY-SEC-B-D2
3.6 m
proposed logistics loading bay depth
proposed module proposed_not_verified

B ZZY-SEC-B-D3
pending
emergency vehicle turning radius
pending_professional_audit

B ZZY-SEC-B-D4
1.2 m
proposed maintenance face clearance
proposed module proposed_not_verified

Claim limits

The sections are indicative build-ups, not construction drawings. A pending dimension may not be quoted as a design value, and the numbers that are given are proposed modules: unsurveyed, unaudited and unapproved.

Evidence

area:PROV-KEY-001 section:ZZY-SEC-A section:ZZY-SEC-B component:2-C04 component:2-C05 plate:ZZY-02-03 source:OPEN-BUILDING-HABRKEN-2021 source:Shearing-Layers-Brand-1994 standard:MOHURD-ARCH-DESIGN-DEPTH-2016 data:assumptions,joinA-BUILDING-001

assets/figures/key-area-zhongzhiyuan-03-reversible-module-sections-en.png

Type: Noto Sans SC subset (SIL OFL 1.1)

[illegible]

Keyed detail panels

Z-C01 Controlled Test Loop

A time-boxed low-speed test loop marked by movable barriers, with test and non-test hours posted separately. The barriers are not fixed to the ground.

Unresolved D gates: D10 D12

Z-C02 Stop Button and Human Takeover Post

One physical stop button per loop segment and one on-duty human takeover operator. Stop authority is named and the takeover procedure is on paper, so it needs no app.

Unresolved D gates: D10 D16

Z-C03 Public Test Log Desk

At the close of each test day the day's decisions and aggregate counts are posted at the desk. Decisions and aggregate evidence references only on paper, so it needs no personal data.

Unresolved D gates: D11

Z-C04 Parts and Repair Bay

A repair bay and parts rack established at the same time as the test loop. Equipment without an available bay and a named maintainer may not enter a test window.

Unresolved D gates: D12

Z-C05 Boundary Notice and Exit

Every entering in the test boundary carries a threshold-free exit stating the day's test, how to stop it, and where complaints go.

Unresolved D gates: D07

R-01 Public observation loop

The proposed public observation loop, step-free throughout; it never enters the controlled-test area and does not depend on whether a test window is open.

Unresolved D gates: D05 D07

Z-R04 Emergency egress and rescue route

The proposed emergency egress route, set out step-free; its width, gradient and final alignment stand only once a qualified professional has verified them.

Unresolved D gates: D05 D06 D07

ENV-ZY-01 Phase 1 conceptual envelope

One 90-day reversible passage pilot: movable barriers, no penetration of the ground surface, restored to its prior state at closure against a dismantling checklist with a retained restoration verification record.

Unresolved D gates: D10 D12

Adaptive Jing-Zhang: Disagreement Atlas and Reversible City

Dazhongsi AI Industry Cluster • Role: Arrival, repair, and urban service interface

Seeded Kruskal minimum-spanning-tree topology and selection-instability probe over hand-declared candidate edges.

Issue #1029 records a questioned discrepancy of approximately 2.26 km between the provisional extent and the station reference; this drawing establishes no station relationship.

DZS-02program-flows

Dazhongsi - not-to-scale four-quadrant order topology with five separately drawn lines

English edition

Dazhongsi AI Industry Cluster • Learning Lab 3

PROV-KEY-003 • not_to_scale_topology

scale: not_to_scale • north arrow: none

DZS-02-en

Not-to-scale order topology • DZS-TOPO-01

not to scale • scale bar: no • north arrow: no • position assignment: to_be_assigned_by_survey

Q2

D-E07

transfer

Q2

Q1

arrive

Q1

Q3

D-E08

stay

Q3

Q4

D-E05

repair

Q4

Q3

Four positions (an order, not a bearing)

D-E09

D-E01

Arrive position token

D-E02

Transfer position token

D-E03

Stay position token

D-E04

Repair position token

D-E05

Cycle parking module

D-E06

Cycle repair module

D-E07

Staffed service position

D-E08

Shelter module

D-E09

Snow storage bay

Topology declarations

not to scale

scale bar

north arrow

Q1 arrive • to_be_assigned_by_survey

Q2 transfer • to_be_assigned_by_survey

Q3 stay • to_be_assigned_by_survey

Q4 repair • to_be_assigned_by_survey

Issue #1029 records a questioned discrepancy of approximately 2.26 km between the provisional extent and the station reference; this drawing establishes no station relationship.

Five routes, each drawn separately

D-R01

Order link from the arrive position to the transfer position

positional_claim: void

D-R02

Order link from the transfer position to the stay position

positional_claim: void

D-R03

Order link from the stay position to the repair position

positional_claim: void

D-R04

Cycle parking and repair line

positional_claim: void

D-R05

Module maintenance line

positional_claim: void

Claim limits

Issue #1029 records a questioned discrepancy of approximately 2.26 km between the provisional extent and the station reference; this drawing establishes no station relationship.

Evidence

area:PROV-KEY-003 drawing:DZS-TOPO-01 route:D-R01 route:D-R02 route:D-R03 route:D-R04 route:D-R05 component:D-C01 component:D-C02 component:D-C03 component:D-C04 source:ISSUE-1029 metric:public_space_ratio

assets/figures/key-area-dazhongsi-02-program-flows-en.png

Type: Noto Sans SC subset (SIL OFL 1.1)

DZS-02 Dazhongsi - not-to-scale four-quadrant order topology with five separately drawn lines
Plate register DZS-02-en • 1 / 5 • 30% • Verification status: Not verified: accessibility gate G5 pending, survey pending, professional audit pending.

DZS-03reversible-module-sections

Dazhongsi - reversible module sections A and B

English edition

Dazhongsi AI Industry Cluster • Learning Lab 3

PROV-KEY-003 • not_to_scale_topology

scale: not_to_scale • north arrow: none

DZS-03-en

Cut keys (see plate 02)

A -> DZS-SEC-A: cut through the proposed cycle parking and repair module, involving no position at all B -> DZS-SEC-B: cut through the proposed stay and shelter module

A • DZS-SEC-A • Section A: proposed cycle parking and repair module

B • DZS-SEC-B • Section B: proposed stay and shelter module

Dimensions, basis and status

A DZS-SEC-A-D1

2.4 m

proposed parking module bay width

proposed module

proposed_not_verified

A DZS-SEC-A-D2

1.2 m

proposed repair bench depth

proposed module

proposed_not_verified

A DZS-SEC-A-D3

pending

usable clear width at any position still to be assigned

pending

pending_survey

A DZS-SEC-A-D4

pending

ground surface variation at any position still to be assigned

pending

pending_survey

B DZS-SEC-B-D1

2.4 m

proposed shelter module clear height

proposed module

proposed_not_verified

B DZS-SEC-B-D2

3.6 m

proposed stay module depth

proposed module

proposed_not_verified

B DZS-SEC-B-D3

1.2 m

proposed staffed counter working height

proposed module

proposed_not_verified

B DZS-SEC-B-D4

pending

actual separation between the four positions

pending

pending_survey_no_position_claimed

Claim limits

Issue #1029 records a questioned discrepancy of approximately 2.26 km between the provisional extent and the station reference; this drawing establishes no station relationship.

Evidence

area:PROV-KEY-003 section:DZS-SEC-A section:DZS-SEC-B component:D-C03 component:D-C04 plate:DZS-02-en source:CASE-QUARTSIDE source:HEARING-LAYERS-BRAND-1994 source:ISSUE-1029

assets/figures/key-area-dazhongsi-03-reversible-module-sections-en.png

Type: Noto Sans SC subset (SIL OFL 1.1)

DZS-03 Dazhongsi - reversible module sections A and B
Plate register DZS-03-en • 2 / 5 • 20% • Verification status: Not verified: accessibility gate G5 pending, survey pending, professional audit pending.

DZS-01evaluation-claim-limits

Dazhongsi AI Industry Cluster • Learning Lab 3

PROV-KEY-003 • not_to_scale_topology

scale: not_to_scale • north arrow: none

DZS-01-en

Dazhongsi - a drawing that claims no position: claim limits and the Issue #1029 disclosure

English edition

Conditions under which this drawing holds

The diagram states only the order between four performance positions: arrive, transfer, stay, repair. The four sit in four quadrants, and the quadrants carry no direction, no distance and no band claim, where each position actually binds to be assigned after survey.

What this drawing claims

Dazhongsi - four position performance topology (not to scale, not georeferenced)

Reversible components: D-C03 Arrival wayfinding module / D-C02 Staffed service module / D-C03 Stay and shelter module / D-C04 Cycle parking and repair module / D-C05 Non-digital processing module

Routes: D-R01 Order link from the arrive position to the transfer position / D-R02 Order link from the transfer position to the stay position / D-R03 Order link from the stay position to the repair position / D-R04 Cycle parking and repair line / D-R05 Module maintenance line

Sections: DZS-SEC-A Section A: proposed cycle parking and repair module / DZS-SEC-B Section B: proposed stay and shelter module

Step-free chain: DZS-SFC-01 / 7 node / 5 segment

What this drawing does not claim

building stock

phasing

station position

Declared status

verified

no

accessibility gate

G5 pending

survey

pending

professional audit

pending

authorization

not authorized

funding

unfunded

Claim limits

Issue #1029 records a questioned discrepancy of approximately 2.26 km between the provisional extent and the station reference; this drawing establishes no station relationship.

Evidence

area:PROV-KEY-003 drawing:DZS-TOPO-01 source:ISSUE-1029 source:KEY-AREA-SOURCE metric:city_area_ratio

assets/figures/key-area-dazhongsi-01-claim-limits-en.png

Type: Noto Sans SC subset (SIL OFL 1.1)

DZS-01 Dazhongsi - a drawing that claims no position: claim limits and the Issue #1029 disclosure
Plate register DZS-01-en • 3 / 5 • 7% • Verification status: Not verified: accessibility gate G5 pending, survey pending, professional audit pending.

DZS-04access-operations-segments

Dazhongsi AI Industry Cluster • Learning Lab 3

PROV-KEY-003 • not_to_scale_topology

scale: not_to_scale • north arrow: none

DZS-04-en

Dazhongsi - step-free chain, operating modes and seasons

English edition

Step-free chain: seven nodes, six segments • DZS-SFC-01

1

D-R01 arrive position

D-E01 2.4 m

2

D-E02 transfer position

D-E02 2.4 m

3

D-E03 stay position

D-E03 2.4 m

4

D-E04 transfer position

D-E04 2.4 m

5

D-E05 staffed service position

D-E05 3.6 m

6

D-E06 cycle repair position

D-E06 2.4 m

7

D-E07 repair position

Non-digital equivalents

tactile

visual contrast

spoken

staffed

proper

telephone

Seven operating modes

day

night

event

snow

maintenance

power failure

digital failure

Eight seasonal and operating topics

drainage and ice

shelter

ice and wind

right and action

storage

cleaning and waste

service access

equipment and power failure

removal and restoration

power storage

Claim limits

Issue #1029 records a questioned discrepancy of approximately 2.26 km between the provisional extent and the station reference; this drawing establishes no station relationship.

Evidence

area:PROV-KEY-003 drawing:DZS-TOPO-01 section:DZS-SEC-A component:D-C03 component:D-C04 plate:DZS-04-en source:CASE-QUARTSIDE source:HEARING-LAYERS-BRAND-1994 source:ISSUE-1029

assets/figures/key-area-dazhongsi-04-access-operations-segments-en.png

Type: Noto Sans SC subset (SIL OFL 1.1)

DZS-04 Dazhongsi - step-free chain, operating modes and seasons
Plate register DZS-04-en • 4 / 5 • 7% • Verification status: Not verified: accessibility gate G5 pending, survey pending, professional audit pending.

DZS-05governance-stop-evidence

Dazhongsi AI Industry Cluster • Learning Lab 3

PROV-KEY-003 • not_to_scale_topology

scale: not_to_scale • north arrow: none

DZS-05-en

Dazhongsi - governance, stop conditions and evidence

English edition

authorization

not authorized

funding

unfunded

pilot start allowed

no

blocking conditions

D03 D07 D04

Phase 1 reversible envelope

Restoration

Thresholds: none approved • DZS-TH-01

year-round availability of the sheltered stay position

Stop conditions and pilot limits

Claim limits

Issue #1029 records a questioned discrepancy of approximately 2.26 km between the provisional extent and the station reference; this drawing establishes no station relationship.

Evidence

area:PROV-KEY-003 drawing:DZS-TOPO-01 section:DZS-SEC-A component:D-C03 component:D-C04 plate:DZS-05-en source:CASE-QUARTSIDE source:HEARING-LAYERS-BRAND-1994 source:ISSUE-1029

Removal

Liability

Thresholds: none approved • DZS-TH-02

hours the cycle repair position is usable

Evidence

area:PROV-KEY-003 drawing:DZS-TOPO-01 section:DZS-SEC-B component:D-C03 component:D-C04 plate:DZS-05-en source:CASE-QUARTSIDE source:HEARING-LAYERS-BRAND-1994 source:ISSUE-1029

Excluded evidence categories

bulldoze track

assets/figures/key-area-dazhongsi-05-governance-stop-evidence-en.png

Type: Noto Sans SC subset (SIL OFL 1.1)

DZS-05 Dazhongsi - governance, stop conditions and evidence
Plate register DZS-05-en • 5 / 5 • 7% • Verification status: Not verified: accessibility gate G5 pending, survey pending, professional audit pending.

Keyed detail panels

D-C01 Arrival Module

A coordinate-independent arrival unit: an enquiry position, seating, shelter, and bilingual guidance. Which arrival point it serves is decided by later evidence and is not specified here.

Unresolved D gates: D02 D03 D08

D-C02 Repair and Parts Module

A shared repair bay and parts library serving the pilot equipment of the whole belt; this is where the three labs' repair capacity sits.

Unresolved D gates: D02 D12

D-C03 Urban Service Counter Module

A counter unit placing open-source enterprise services beside public services, offering a paper path and a digital path side by side.

Unresolved D gates: D02 D16

D-C04 Sheltered Waiting Module

A covered waiting unit with seating, gaining a windbreak face in winter and keeping cross-ventilation in summer. It claims no position relative to any station.

Unresolved D gates: D02 D13

D-C05 Maintainer Station Module

A fixed station and training position for maintainers. A maintenance commitment without a station counts toward no implementation-capacity claim.

Unresolved D gates: D02 D16

D-R01 Order link from the arrive position to the transfer position

The order link from the arrive position to the transfer position, put forward as step-free; it carries no position, distance or level and establishes no relationship to the station.

Unresolved D gates: D03 D05

D-R02 Order link from the transfer position to the stay position

The order link from the transfer position to the stay position, put forward as step-free; the four quadrant positions are to be assigned by survey.

Unresolved D gates: D03 D05

D-R03 Order link from the stay position to the repair position

The order link from the stay position to the repair position, put forward as step-free; this drawing is not to scale and is not georeferenced.

Unresolved D gates: D03 D05

ENV-DZ-01 Phase 1 conceptual envelope

One reversible set of arrival and repair modules: every element is demountable and movable, removed item by item at closure. Not georeferenced; placement waits on the official polygon. How the modules would meet existing construction, levels or evacuation conditions is unsurveyed.

Unresolved D gates: D02 D03 D06 D12

Every string on this drawing is generated from the registries inside the package; the drawing script carries no wording of its own. • Typeface: Noto Sans SC / SIL Open Font License 1.1 / http://scripts.sil.org/OFL • Plates: 15 / 30

Adaptive Jing-Zhang: Disagreement Atlas and Reversible City

Cross-area synthesis

Seeded Kruskal minimum-spanning-tree topology and selection-instability probe over hand-declared candidate edges.

Key-area program and flow plan

Zhongzhiyuan AI Acceleration Area

Announced area 192.1 ha Lab 1

Role: Controlled testing and governance verification

This area answers one question: what a low-speed machine is allowed to do on a street with people on it, who stops it, and who repairs it afterwards. It is the only one of the three labs that runs controlled equipment testing.

