


Ordinary City First / AI Spatial Depth

CORE 01 / AI SPATIAL DEPTH

AI SPATIAL DEPTH

The ordinary city works first; AI enters only the depth supported by public exposure, risk, evidence, responsibility, and recovery.



STUDY ONLY / RELATIONAL MODEL / NOT OFFICIAL PLANNING GEOMETRY

D0–D4 + SUPPORT



CORE THESIS

- The ordinary city works independently; AI enters through D0–D4 and reconnects to maintenance, replacement, and removal through a transversal support layer.
- Research-grade design candidate, not statutory planning or implementation commitment.

FOUR INVARIANTS

ORDINARY CONTINUITY

Walk, rest, commerce, culture, transit, human service, and access do not depend on AI.

HUMAN TAKEOVER

Every AI scenario names pause, manual completion, and ordinary-service recovery.

RECOVERY / REMOVAL

Maintain, repair, recover, replace, or remove through transversal support.

EVIDENCE STATUS

Official fact, published approximation, research computation, OSM context, and unknown stay distinct.

Evidence base and three scopes

01 Site Overview | Evidence First

Ordinary-city reference first; published magnitudes are separated from geometry authority

- OSM roads / blue-green / leisure context
- provisional site (dashed)
- candidate anchor (circle)



Authority split

Official published fact

Overall-design scope ≈11.4 km²;
three named key areas ≈192.1 /
104.3 / 72.0 ha.

Provisional geometry

Site/key polygons support study clipping
and relation review only;
they are not redlines.

OSM context

2026-08-11 snapshot; incomplete and not
proof of official roads, access,
or planning class.

Still unknown

Official polygons, controls, buildings;
complete official/existing-condition
green/public-space inventory; statutory metrics.

study only / not official planning geometry · research reference

Map data © OpenStreetMap contributors · ODbL 1.0 · snapshot 2026-08-11

02 Land Use | No Invented Zoning

One site-boundary-copy unresolved framework; relational logics are not land-use codes

UNRESOLVED STUDY FRAMEWORK

geometry = exact copy of provisional SITE-001; no internal polygon and no land-use code

ORDINARY-CITY BASE

streets · parks · campuses · commerce · transit · human service

THREE RELATIONAL STUDIES

permeability | controlled gradient | ordinary network + optional AI

REPLACEMENT GATE

official polygon + controls + building/ownership/operation review → formal land use

0 invented partitions · 0 zoning codes · 0 capacity claims

study only / not official planning geometry · research reference

THREE-LEVEL SCOPE

- Published approximation, research computation, and unknown remain separate; no invented building polygons or engineering alignments.

ORDINARY CITY BASELINE SYSTEM

What remains operational when AI is off: evidence boundaries do not replace city life

ORDINARY MOVEMENT

ACCESSIBILITY

HUMAN SERVICES

COMMERCE / CULTURE

PUBLIC SPACE: REST, MEET, NON-DIGITAL INFORMATION

BLUE-GREEN SUPPORT: SHADE, ECOLOGY, CONTINUOUS EDGE

MAINTENANCE BASELINE: CLEAN, SERVICE, HUMAN STAFF, RESTORE ORDINARY SERVICE

AI-OFF: ORDINARY CITY CONTINUES

EVIDENCE BOUNDARY

KNOWN

CANDIDATE

UNKNOWN

Evidence states what is known; unknown is not disguised as completed design.

Mobility, blue-green, and the AI-free path

Mobility, AI-Free Routes & Blue-Green Public Space

Existing OSM context is separated from participant-proposal metric geometry; three cross-component links remain unverified.



SCOPE DECLARATION

OSM is incomplete existing-condition context. Green/Public is the complete metric polygon universe actually asserted by this proposal; it is neither a full existing inventory nor proof of legal public access.

CONNECTIVITY EVIDENCE GAPS

1. AI Origin ↔ Xiaoyue

CONNECTIVITY_EVIDENCE_BLOCKED
2. Xiaoyue ↔ Zhongzhiyuan

CONNECTIVITY_EVIDENCE_BLOCKED
3. Zhongzhiyuan ↔ Dongsheng

CONNECTIVITY_EVIDENCE_BLOCKED

PROVES: local components and drawn segments.
DOES NOT PROVE: belt-wide continuity.
The three gaps are LineString evidence limits and do not enter either area ratio.

STUDY FIGURE / PARTICIPANT PROVISIONAL DESIGN GEOMETRY


study only / not official planning geometry

MAP EVIDENCE / LIMITS


- Ordinary entry, human service, and non-digital information remain usable within components when AI is off; three cross-component evidence gaps prevent any belt-wide continuity claim.

CONTINUOUS ORDINARY MOVEMENT SYSTEM

Conceptual mobility/public-space section; no exact widths, capacities, or tree spacing.





Heritage public interface and three landmarks



CORE 06 / LANDMARKS + COMPONENTS


THREE SPATIAL MEMORIES, NOT THREE TECH SPECTACLES

Edge, Threshold, and Branch Court retain ordinary urban value after AI closes.



STUDY ONLY / RELATIONAL MODEL / NOT OFFICIAL PLANNING GEOMETRY

AI-OFF VALUE FIRST




Three spatial grammars, not one template

Diagram C | Conceptual ground-floor sections: continuous ordinary routes; optional AI

No dimensions, floor heights, areas, materials, or specific buildings are asserted; people, thresholds, and routes show spatial relations only.


Origin type | open and permeable

ordinary sidewalk + multiple entrances + visible work; controlled project space recedes




Zhongzhiyuan type | open edge, controlled interior

ecological/public edge remains accessible; R&D, validation and service rear sit behind explicit thresholds



Dazhongsi type | ordinary commerce / culture / transit first; AI is a branch

ordinary entrances and human service form the main frontage; optional AI can be bypassed completely




People + arrows show movement and thresholds; no dimensions, floor heights, materials or building footprints are asserted.

study only / not official planning geometry

CORE 02 / THREE AREA GRAMMARS

THREE AREAS / THREE SPATIAL GRAMMARS

One depth principle produces permeability, controlled gradient, and an ordinary network with an optional branch—not one repeated pipeline.




STUDY ONLY / RELATIONAL MODEL / NOT OFFICIAL PLANNING GEOMETRY

EDGE / THRESHOLD / BRANCH

03 Key Areas | Anchor Conflicts Visible

Provisional rectangles remain; real public-map anchors do not redraw boundaries



study only / not official planning geometry

Map data © OpenStreetMap contributors, CC-BY, Imagery © Mapbox

SECTION → GRAMMAR → LOCATOR

- AI Origin is permeable; Zhongzhiyuan uses a controlled gradient; Dazhongsi keeps an ordinary network with an optional branch.

Eight spatial + four system + three industry tests

CORE 03 / SCENARIO SYSTEM

12 SCENARIOS: 8 SPATIAL + 4 SYSTEM

Industrial validation is a layered tag; System scenarios support space rather than masquerading as buildings.

SCN-01

PROJECT VISIBILITY

ORIGIN

D0–D3

HUMAN TAKEOVER → CLOSE / RESTORE

SCN-03

SOFTWARE R&D

IND-TEST-01

ZZY

D3–D4

HUMAN TAKEOVER → CLOSE / RESTORE

SCN-04

DEVICE TEST

IND-TEST-02

ZZY

D2–D4

HUMAN TAKEOVER → CLOSE / RESTORE

SCN-05

COMMERCE + CULTURE

DZS

D0–D2

HUMAN TAKEOVER → CLOSE / RESTORE

SCN-06

RETAIL APPLICATION

DZS

D2–D4

HUMAN TAKEOVER → CLOSE / RESTORE

SCN-08

READINESS AUDIT

XIAOYUE

D0–D3

HUMAN TAKEOVER → CLOSE / RESTORE

SCN-09

CORRECTABLE STORY

PUBLIC EDGE

D0–D3

HUMAN TAKEOVER → CLOSE / RESTORE

SCN-10

EMBODIED RECOVERY

IND-TEST-03

ZZY

D3–D4

HUMAN TAKEOVER → CLOSE / RESTORE

SYSTEM SCENARIOS / SUPPORT BAND

SCN-02

COMMUNITY FEEDBACK

NOT AN INDEPENDENT SPATIAL PROJECT

SCN-07

TRANSFER EVIDENCE CLINIC

NOT AN INDEPENDENT SPATIAL PROJECT

SCN-11

AI-FREE CONTINUITY DRILL

NOT AN INDEPENDENT SPATIAL PROJECT

SCN-12

BILINGUAL OPEN-EVIDENCE REVIEW

NOT AN INDEPENDENT SPATIAL PROJECT

STUDY ONLY / RELATIONAL MODEL / NOT OFFICIAL PLANNING GEOMETRY

3 INDUSTRIAL VALIDATION TAGS

ROLES AS SCENARIO CHECKS

Full persona relationships remain in A3

RESEARCHER

STARTUP / TRANSFER

RESIDENT / ORDINARY USER

FACILITY MAINTAINER

VISITOR / STUDENT

MERCHANT / FRONTLINE

ACCESS-SENSITIVE USER

CITY STEWARD (GOVERNANCE)

AI TYPE × SPATIAL DEPTH × INDUSTRIAL VALIDATION

Three types carry different public, controlled, validation, and recovery duties; not a value or maturity ranking.


	PUBLIC INTERFACE	OPTIONAL AI	CONTROLLED WORK	PROFESSIONAL VALIDATION	RECOVERY OBLIGATION
SOFTWARE / MODEL	EXPLAIN / CORRECT	BYPASSABLE	SHADOW TEST	DOMAIN REVIEW	ROLLBACK / MANUAL BASELINE
IND-TEST-01					
FIXED DEVICE	VISIBLE STATUS	NO BLOCKED CLEAR PATH	CONTROLLED TEST BAY	AUTHORISED TEST	ISOLATE / REPLACE
IND-TEST-02					
EMBODIED SYSTEM	NON-PARTICIPANT PROTECTION	PUBLIC PILOT NEEDS REVIEW	CONTROLLED OPERATION	PROFESSIONAL VALIDATION	STOP / TAKE OVER / RECOVER
IND-TEST-03					

Eleven candidates and reversible gates

CORE 07 / OPERATIONS + PORTFOLIO

CITY ENTRY IS NOT AN AUTOMATIC UPGRADE PIPELINE

Every candidate may be kept, adjusted, or removed; Scale requires new evidence and authority.



7 SPATIAL PROJECTS

SPATIAL PROJECTS

- CP-01 Visible Work Edge
- CP-03 Validation Threshold
- CP-04 Software Shadow Cell
- CP-05 Fixed-Device Test Bay
- CP-06 Embodied Recovery Yard / Room
- CP-07 Optional AI Branch
- CP-10 Heritage Interfaces

YES / MAYBE — only after authoritative location evidence

2 OPERATIONAL PROGRAMMES

OPERATIONAL PROGRAMMES

- CP-09 Readiness Walks
- CP-11 Open Evidence Cycle

NO — mechanism is not phasing geometry

2 GOVERNANCE / SERVICE SYSTEMS

GOVERNANCE / SERVICE SYSTEMS

- CP-02 Community Feedback
- CP-08 Transfer Evidence Clinic

CP-02 NO / CP-08 MAYBE

Phasing Geometry Contract Blocked

3 OSM helpers = context only, never projects or timetable

STUDY ONLY / RELATIONAL MODEL / NOT OFFICIAL PLANNING GEOMETRY

EMPTY TRUTHFUL > POPULATED FALSE

Metrics, Evidence & Recalculation Status

Three required metrics are known at low confidence, statutory controls and the official boundary remain unknown.

SITE AREA

11,412,825.385553982 m²

SITE-001 - provisional participant geometry

GREEN DESIGN-MODEL RATIO

0.01835696752571386 ≈ 1.84%

13 polygons - union: 209,504,8640792572 m²

PUBLIC DESIGN-MODEL RATIO

0.016847029839193884 ≈ 1.68%

19 polygons - union: 192,272,2085198374 m²

EVIDENCE CHAIN

- INPUT: SITE-001 + 13 Green + 19 Public participant-authored provisional geometry
- METHOD: EPSG:4548 area - polygon union; no OSM context in numerator
- OUTPUT: known - confidence-low; submission-derived design model
- RECALCULATE: official boundary or design geometry changes

STATUS

PROVISIONAL DESIGN-MODEL OUTPUT

NOT OFFICIAL PLANNING CONTROL

REMAINS UNKNOWN

official/statutory FAR

building density / height / setbacks

official exact site polygon

STUDY FIGURE / PARTICIPANT PROVISIONAL DESIGN GEOMETRY

study only / not official planning geometry

EVIDENCE / STATUS

- Green/Public required metrics are provisional known, low-confidence design-model outputs; official controls remain unknown. Formal readiness is controlled by the machine-readable manifest and self_check.json; this board does not assert approval, selection, or implementation status.

DESIGN SEQUENCING + DEPTH × LIFECYCLE + EVIDENCE GATE

Conceptual dependencies, not an official timetable; no false years are assigned to the 11 candidates.

