


site-overview



## SECOND KEY OVERALL STRUCTURE

Ordinary-Key-First line × three areas/two wings

PROVISIONAL ROUGH BOUNDARY • LOW CONFIDENCE •



Provisional geometry expresses conceptual relations only

01 Centennial Jing-Zhang Cultural Belt: translate railway redundancy and staffed operation into ‘the technology layer can leave; the way home remains’.

02 Metropolitan AI Life Experience Belt: make equivalent daily entry after declining sensitive recognition a visible, testable urban-life baseline.

03 AI Fusion Innovation Belt: turn non-biometric credentials, mechanical disconnect, anti-retaliation data isolation, and vendor exit into industry validation tasks.

Source: package GeoJSON / metrics / task evidence. Conceptual reference scheme; professional confirmation required.






# ECOSYSTEM AND TASK ZONES

Not parcels: adjacent industry, professional, and public tasks

PROVISIONAL ROUGH BOUNDARY · LOW CONFIDENCE ·



Provisional geometry expresses conceptual relations only

01 PRC Personal Information Protection Law

Purpose limitation, direct relevance, minimum impact, shortest necessary retention, and automated-decision rights constrain the data chain; they do not create housing status.

02 Measures for the Security Management of Facial Recognition Technology Applications

Where the same purpose can be achieved without face recognition, retain a reasonable convenient alternative; applicability still requires matter-specific professional review.

03 Beijing Accessible Environment Construction Regulation

Parallel smart/traditional service, user trials, and accessible information inform prototype acceptance; they do not prove a building's conditions.

04 NIST SP 800-63-4 Digital Identity Guidelines

Ask whether real-world identity is needed before selecting assurance; US technical guidance is not Chinese law.

05 European Digital Identity Framework

Selective disclosure, voluntary use, and retained alternatives are technical comparison lenses; EU law is not a local compliance basis.

Source: package GeoJSON / metrics / task evidence. Conceptual reference scheme; professional confirmation required.

Standing-view board: one story per board; machine evidence remains in JSON / GeoJSON.






# THREE KEY-AREA ROLES

VERIFY / CO-DESIGN / REHEARSE

PROVISIONAL ROUGH BOUNDARY · LOW CONFIDENCE ·



Provisional geometry expresses conceptual relations only

**01 Credential equivalence and interoperability test**  
RETURN if the non-biometric path is materially slower, more exposing, or cannot complete the same task.

**02 Anti-retaliation data-separation test**  
STOP if refusal or equipment failure flows into any tenancy/property disposition field.

**03 Outage, night, and vendor-exit test**  
Stop the smart pilot if ordinary residential entry cannot continue after AI/vendor shutdown or no one accepts the open list.

Source: package GeoJSON / metrics / task evidence. Conceptual reference scheme; professional confirmation required.

Standing-view board: one story per board; machine evidence remains in JSON / GeoJSON.






# ORDINARY-KEY-FIRST PUBLIC SPACE

Non-identifying arrival, green spine, three landmarks, six components

PROVISIONAL ROUGH BOUNDARY · LOW CONFIDENCE ·



Provisional geometry expresses conceptual relations only

01 Ordinary Key Gate

A tactile mechanical key sits beside a removable smart module, explaining ordinary entry before technology; it connects to no real access system.

02 Same-Door Two-Path Hall

Two paths to the same destination and a private review room form a 1:1 unloaded prototype without revealing who declines recognition.

03 Exit-Key Beacon

Shows only ordinary-path restoration time and open fault counts after AI/vendor shutdown, never residents or trails.

Source: package GeoJSON / metrics / task evidence. Conceptual reference scheme; professional confirmation required.




metrics-evidence



# METRICS, FIVE GATES, AND EXIT

Spatial recomputation + dedicated outputs + synthetic acceptance

PROVISIONAL ROUGH BOUNDARY · LOW CONFIDENCE ·



Provisional geometry expresses conceptual relations only

- 01 G0 Inventory title, housing procedure, and ordinary keys**

HOLD\_IF\_OWNER\_OR\_PROCEDURE\_UNKNOWN
- 02 G1 Unloaded 1:1 paired-path prototype**

RETURN\_IF\_PATHS\_NOT\_EQUIVALENT
- 03 G2 Professional and affected-person co-review**

HOLD\_UNTIL\_ALL\_CRITICAL\_ITEMS\_CLOSE
- 04 G3 Bounded non-residential public demonstration**

STOP\_IF\_REAL\_HOUSING\_OR\_DATA\_ENTER
- 05 G4 Exit, removal, and ordinary-entry restoration**

NO\_EXIT\_WITH\_ORPHANED\_ACCESS\_OR\_RECORDS

Source: package GeoJSON / metrics / task evidence. Conceptual reference scheme; professional confirmation required.

Standing-view board: one story per board; machine evidence remains in JSON / GeoJSON.