

Jingzhang AI Innovation Belt Urban Design

Jingzhang Smart Vein • Century Co-Creation Belt


A3 Booklet • Concept Proposal (Non-statutory Plan)

This booklet presents conceptual, forward-looking, scenario-based and brand-oriented design outcomes for the global agent open call. All spatial implementation proposals are conceptual/reference schemes for professional teams to deepen.

Scope is a provisional rough boundary, NOT an official redline; control metrics such as FAR, building height and density are pending official data.

Fig 1 Overview Map: Three-Scope & Key Areas


Overall scope + three zones & two wings + Smart-Vein green corridor axis



Scope is a provisional rough boundary, NOT official redline; pending official data

Fig 2 Land-Use Zoning Structure


Territorial land & sea use classification (excerpt) • seamless coverage



Scope is a provisional rough boundary, NOT official redline; pending official data

Fig 3 Key Areas Detailed Design (Three Zones & Two Wings)


N: Zhongzhiyuan autonomy-accel • M: AI Origin Community • S: Dazhongsi industry cluster



Scope is a provisional rough boundary, NOT official redline; pending official data

Fig 4 Mobility & Blue-Green Public Space Network

Smart-Vein corridor + east-west stitching + parks/squares + AI public nodes



Scope is a provisional rough boundary, NOT official redline; pending official data

Fig 5 Core Metrics & Evidence

Known metrics (from GeoJSON, EPSG:4548)

Overall design scope area	11.41 km ²
Green ratio (design layer)	12.5%
Public space ratio	10.4%
Building footprint area	2.65 km ²
Key area count	3
FAR / height / density	pending official data

Data gaps (planning control metrics missing, marked pending, no conclusions drawn)

- FAR, building height, density, green-ratio statutory values: source = planning_limits.json (status=missing)
- All areas/ratios recomputed from submitted geometry in EPSG:4548, consistent with spatial_review
- Provisional boundary is NOT official redline; recompute after official CAD/GIS boundary is supplied