




TOKEN BLOCK

京张令牌 · 百年京张AI创新带

A line that once carried goods now runs: an urban AI open test main line along the Jing-Zhang heritage park, three stations and two switches, organising industry, public space and governance.

Coordinated research area	43.6 km²
Overall design area (announced)	11.4 km²
Overall design area (recomputed)	11.41 km²
Key areas (announced area)	368.4 ha
Key area count	3
Green ratio (recomputed)	21.5%
Public space ratio (recomputed)	18.0%


3 stations · 2 switches · S→N 三站两岔 · 自南向北



International urban design call · open-source agent entry

Submission by GitHub @xiaowuzicode · starixs · Token Block

A3 文册 20 页 · A0 展板 7 张 · 图纸由脚本按 GeoJSON 与 metrics.json 矢量生成



Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

Executive summary

方案摘要

Concept & structure

On single-track railways a driver could enter a section only while holding its token, and no second token was issued until the first came back. This proposal applies that hundred-year-old safety rule to urban AI governance: the Jing-Zhang heritage park becomes one continuously operated, publicly bookable urban AI open test line — one token, one section, returned before the next is issued. The three stations are where the line opens to the city; the two switches bring the east and west wings onto the main line.

S1

S2

S3

S4

S5

S6

Arrival YardDown SwitchRunning sectionZero-Kilometre StationUp SwitchMarshalling Yard

South S1 → North S6 | 3 stations, 2 switches | main-line slow path 9,711 m

Announced vs recomputed (EPSG:4548)		
Overall design area	11.4 km² (announced)	11.41 km²
Key areas, total	368.4 ha (announced)	369.3 ha
Green ratio	—	21.5%
Public space ratio	—	18.0%
Slow-mobility network	—	16,730 m
AI scenario cards / landmarks	—	12 / 4

Three key areas (north to south)

Zhongzhiyuan AI Autonomous Innovation Acceleration Area	192.1 ha	192.9 ha
Beijing AI Origin Community	104.3 ha	104.3 ha
Dazhongsi AI Industry Cluster	72.0 ha	72.0 ha

FAR, building height, density, road redline and road area: pending approved regulatory conditions; metrics.json separately records 11 unknown metrics, each with its reason.

Token protocol & replay

1

Book

预订

...

2

Install

布设

...

3

Run a limited window

运行限定窗口

...

4

Return to public use

归还公共使用

Hard rules: only one token may be on the line at a time; a named operator and a declared data boundary are admission conditions; the human review point cannot be cancelled by automation; out-of-boundary collection revokes the token; no installation may break the step-free route.

Offline protocol replay (simulation.json, synthetic)

Replay tasks	80
Negative branches (rule refused correctly)	55
Machine-readable rule index	10
Replay outcome / audit completeness	100% / 100%

The four aggregates are recomputed from the task records by the repository validator; replays are not field evidence or an approval.

Three governance layers

Line Operator

线路运营方

Keeps the token ledger; issues and revokes

Switch Council

道岔联席会

Wing access & objections, published deadlines

Scenario Admission Panel

场景准入委员会

Reviews data boundaries & human review points

Stop conditions (when to pause or roll back)

An objection unresolved past its published deadline; or collection beyond the declared data boundary.

A digital channel running while its non-digital equivalent is unavailable; or the step-free route broken by an installation.

Official regulatory, heritage or rail data contradicting a spatial assumption here — recompute, do not argue.

Phasing, honesty & index

Near-term: two stations first

276.6 ha

Mid-term: connect both switch wings

482.0 ha

Long-term: full line through-running and north marshalling

382.6 ha

First 100 days: 10 work packages · 5 exit gates

Honesty boundary

The base boundary is provisional and rough — not an official redline or a basis for exact areas; every spatial move is a conceptual suggestion / reference scheme for professional teams to deepen; nothing here is statutory planning, government approval, confirmed implementation or an investment commitment.

文册索引 (20 页)

01	Cover	11	Roads, rail, slow mobility, utilities
02	Executive summary	12	Jing-Zhang heritage park & blue-green public space
03	Concept views	13	Zhongzhiyuan AI Acceleration Area: detailed design
04	Agent & method statement	14	Beijing AI Origin Community: detailed design
05	Design basis & source list	15	Dazhongsi AI Industry Cluster: detailed design
06	3 scopes & boundary status	16	Urban character, narrative
07	Existing reading, issues	17	Renewal project list, policy, phasing
08	Coordinated research area: industry & future city	18	AI+ scenarios, data, human review
09	Spatial structure	19	Metrics, areas recomputed, compliance
10	Land use & urban renewal	20	Risk, copyright, missing data

7 A0 boards: structure / land use / mobility / blue-green / key areas / AI scenarios / metrics & compliance

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

xiaowuzicode · starixs · Token Block

00 VISION
Concept views 概念视景



The corridor as one line, three stations, two switches

走廊全线概念视景——一线、三站、两岔
Concept impression · AI-generated (gpt-image-2; layout referenced from this package's GeoJSON) · not a survey basis, not an as-built view



S1 Arrival Yard — Dazhongsi arrival plaza

S1 到发场 · 大钟寺站前广场

Generation disclosure 生成披露

Images on this page are generated with gpt-image-2, layout-referenced from this package's GeoJSON, and convey spatial character only. They carry no quantitative information and are not a survey basis, an as-built view or an investment commitment. All plans, metrics and tables in this booklet are still script-rendered from the machine-readable data — see the agent & method statement page.



S4 Zero-Km Station — zero-kilometre plaza

S4 零公里站 · 原社区零公里碑广场



S6 Marshalling Yard — yard landscape park

S6 编组场 · 众智园编组场地景公园



Platform canopy at eye level (conceptual structure)

站台棚架与慢行主线人视（构筑物为概念意向）

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

Agent & method statement

智能体与方法声明

Pipeline	
01	Read the notice and brief design_brief.json / agent_taskbook.json
02	Limits of registered data sources.json / source_registry
03	Lock provisional boundary geometry/site_boundary.geojson
04	Design layers land_use / roads / green / public / buildings / phasing
05	Area/length recomputed EPSG:4548 · metrics.json
06	Compliance & depth matrix compliance / standard / design_depth
07	Plotting & self-check a3-booklet.pdf / a0-boards.pdf
Self-check result (self_check.json) DETERMINISTIC_VALIDATION · pass deterministic_validation: PASS SPATIAL_REVIEW · pass spatial_review: PASS VISUAL_PACKAGING · pass visual_review: PASS PROFESSIONAL_EVIDENCE · pass professional_review: PASS blocking blocking blocking blocking	

Statement & red lines	
agent_id	xiaowuzicode
agent_name	starixs · Token Block
role	ai_agent_submission_author
scripts/scaffold_ai_submission.py + participant-side re-runnable generators for geometry, metrics, figures, drawings and the offline visual page; concept illustrations generated with gpt-image-2 (layout referenced from the package geometry, disclosed on every placement, carrying no quantitative content)	
Four hard rules for these drawings	
Boundary honesty: the submitted boundary is the repository provisional rough boundary, not an official redline; always drawn low-contrast dashed and annotated, with all metrics recomputed once official polygons are released. Metric honesty: FAR, building height, building density, road redline width and road area are missing from public sources; drawings always read "pending approved regulatory conditions" and never a guessed value. Every spatial move is a conceptual suggestion / reference scheme for professional teams to develop further, not statutory planning, government approval, confirmed implementation or investment commitment. Data traceability: every area, ratio, count and scope figure on the drawings is read at plot time from metrics.json and compliance_matrix.json, never hardcoded in the script.	
Assumptions pending confirmation (11 items)	
A-CONTROLS-001	pending_professional_confirmation
A-BOUNDARY-001	pending_official_data
A-CONSTRAINT-LAYERS-001	intentionally_unauthored
A-INTENSITY-001	pending_official_data
A-ROAD-AREA-001	pending_official_data
A-EXISTING-BUILDINGS-001	pending_official_data
A-PARTITION-RESIDUAL-001	accepted_tolerance
A-CASE-STUDIES-001	qualitative_reference_only
A-SCENARIO-STATUS-001	conceptual_proposal
A-MISSING-DATA-001	pending_official_data
A-RAIL-HISTORY-001	qualitative_reference_only
Task coverage	
Official requirements	17
Agent tasks agent.1–agent.6	6
Tasks with a drawing	23
Tasks with a GeoJSON layer	23
Tasks with recomputed metrics	23
Standard response standard_matrix	6
Design depth entries design_depth_matrix	15
AI scenario card ai_scenario_card_count	12
Pilgrimage landmark pilgrimage_landmark_count	4

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

Design basis & source list

设计依据与资料清单

Source register	sources.json
SITE-PACKAGE brief/site-package/ Project brief, enums, allowed design space, ranges, and schemas.	official_public
SOURCE-REGISTRY data/source_registry.json Public/cleared/provisional source usability registry; distinguishes formal-ready, background-only, provisional-only, and needs-review materials.	repository_public_registry
PROCESSED-FACT-PACK data/processed/agent_fact_pack.md Agent-readable navigation layer for scopes, required tasks, source-use boundaries, and missing-data checklist; not a new authority source.	repository_processed_reference
BOUNDARY-SOURCE brief/site-package/geometry/provisional_boundaries.geojson Submitted site boundary geometry source (provisional).	agent_inferred_from_public_data
KEY-AREA-SOURCE brief/site-package/geometry/provisional_boundaries.geojson Three required detailed-design key area boundaries (provisional).	agent_inferred_from_public_data
OFFICIAL-ANNOUNCEMENT — Official announcement tasks, scope levels, key areas, language, and deliverable context.	official_public
AGENT-TASKBOOK brief/site-package/agent_taskbook.json Agent-facing open-call principles, six required agent tasks, scenario/branding/operation requirements, and boundary clause.	user_provided_cleared

Standards & codes	standard_matrix.json
● PROJECT-OFFICIAL-ANNOUNCEMENT Answers all required announcement tasks 1.3/1.4/1.5 and the three scope levels	Project brief · addressed
● PROJECT-AGENT-OPEN-CALL-TASKBOOK Answers the ten co-creation principles, six agent tasks and the boundary clause	Agent open call · addressed
● MOHURD-URBAN-DESIGN-MEASURES Coordinate building layout, landscape character, public space and identity	Urban design · addressed
● MOHURD-CONTROL-DETAILED-PLANNING Reach regulatory-plan urban-design depth and name the source of every control	Regulatory depth · addressed
● MNR-LAND-USE-CLASSIFICATION-GUIDE Land-use plan expressed in the national land-classification vocabulary	Land classification · addressed
● MOHURD-ARCH-DESIGN-DEPTH-2016 Deliverable depth for massing, height, frontage and character control	Building depth · addressed

Depth self-rating	design_depth_matrix.json	
Depth	Field	Status
Diagnosis & issue list	Site study	complete
Three-level scope framework	Scope hand-off	complete
Spatial structure	Spatial structure	complete
Land-use layout	Land use	complete
Development intensity pending regulatory conditions	Intensity control	complete
Building height, massing & character	Built character	complete
Retain / renovate / demolish method	Renewal method	complete
Transport, rail, slow mobility & parking	Transport	complete
Utilities & new infra	Utilities	complete
Blue-green & public-space system	Public space	complete
Detailed design of the three key areas	Key areas	complete
Renewal project list	Projects	complete
Phasing	Sequence	complete
Metrics & area recomputation	Recomputed metrics	complete
Risk & missing-data list	Risk disclosure	complete
Missing data list (preconditions)		
floor_area_ratio		missing
approved regulatory planning conditions or official design brief attachments		
building_height_m		missing
approved height controls, aviation/landscape/heritage constraints if applicable		
building_density		missing
approved regulatory planning conditions		
green_ratio (regulatory control)		missing
approved regulatory planning conditions or local green-space standards		
setback_m		missing
road redline, building control line, fire and municipal constraints		
Additional public references (see sources.json)		
MOHURD-URBAN-DESIGN-MEASURES	Urban Design Administrative Measures	
MOHURD-CONTROL-PLANNING-MEASURES	Regulatory Detailed Planning Measures	
MNR-LAND-USE-GUIDE	National Land-Use Classification Guide	
GENAI-INTERIM-MEASURES	Interim Measures for Generative AI Services	
BARRIER-FREE-LAW	Barrier-Free Environment Law	
ELDERLY-SMART-TECH-PLAN	Plan on Smart-Tech Difficulties of the Elderly	
ARCH-DESIGN-DEPTH-2016	Building Design Document Depth Provisions	
RAILWAY-TOKEN-HISTORY	Public railway token-block history	
SCENARIO-REGISTRY	Repository scenario registry	

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

FAR, building height, building density, road redline and road area: pending approved regulatory conditions.

3 scopes & boundary status

三层范围与边界状态

3-scope area relations

Areas map to square side by square root; squares show magnitude only, not scope shape.

Coordinated research area

43.6 km² (announced)

N to the 5th Ring Rd, E to the Jingzang Hwy, S to Xizhimenwai St, W to Wanquanhe Rd.
geometry_status: exact_polygon_missing_provisional_available

Overall design area

11.4 km² (announced)

Urban and industry districts within 1-2 km of the Jing-Zhang heritage park; N to the 5th Ring Rd, E to Xueyuan Rd and Xitucheng Rd, S to Xizhimenwai St, W to Dazhongsi East Rd and Heqing Rd.
geometry_status: exact_polygon_missing_provisional_available

Key area scope

368.4 ha (announced)

North to south: Zhongzhiyuan Acceleration Area, Beijing AI Origin Community, Dazhongsi AI Industry Cluster.
geometry_status: exact_polygon_missing_provisional_available

Geometry recomputed site_area_sqm11.41 km²

Land use layer total land_use_total_area_sqm11.41 km²

Key area total key_area_total_area_sqm369.3 ha

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

Overall design area & key area index

Naming system (railway lexicon)

S1	Arrival Yard	到发场	Dazhongsi AI Industry Cluster Announced 72.0 ha recomputed 72.0 ha
S2	Down Switch	下行道岔	Xiaoyuehe Scenario Empowerment Wing
S3	Running section	区间	Xueyuan Rd link
S4	Zero-Kilometre Station	零公里站	Beijing AI Origin Community Announced 104.3 ha recomputed 104.3 ha
S5	Up Switch	上行道岔	Zhongguancun Technology Service Wing
S6	Marshalling Yard	编组场	Zhongzhiyuan AI Autonomous Innovation Acceleration Area Announced 192.1 ha recomputed 192.9 ha

South to north: S1 Arrival Yard is the south access front, S6 Marshalling Yard the north acceleration end; two switches give east-west stitch and scenario access. Both are conceptual; position and delivery need regulatory, transit and title study.

Boundary status


official_boundary	False
boundary_precision	provisional_rough
geometry_role	provisional_constraint
source_id	PROVISIONAL-BOUNDARY-TEXT-AND-BBOX
key_area_boundary_precision	provisional_rough

For AI-agent generation, display and provisional self-check only; not an official redline, approval basis, or exact-area basis.

xiaowuzicode · starixs · Token Block

Existing reading, issues

现状解读与问题清单



Coordinated research area: industry & future city

统筹研究范围：产业生态与未来城市

Full-stack AI innovation

Source

Universities, state platform

Research & education edge: S3 section–S4 Zero-Kilometre Station

Open collab

Community, code, model build

S4 Zero-Km Station: open-source release; plaza opens to the city

Build-out

Pilot, evaluation & standards

S6 Marshalling Yard: full-stack innovation & safety evaluation

Transfer

Incubation, transfer, talent

S4 campus transfer blocks + talent services

Scale-up

Smart devices, content, data assets

S1 Arrival Yard: consumption, global exchange

Public use

Open testing, events, outreach

Bookable segments + 2 switch plazas

3 roles (notice)

● Centennial Jing-Zhang culture belt

● Urban AI life experience belt

● AI fusion innovation belt

The innovation chain is conceptual: space, operators and open rules for each link need further study with regulatory, title and industry input.

A future urban form fit for AI

A line that runs

Token block system today: the whole main line is bookable, operable, auditable — one token, one running section; at close it returns to public use.

Interface

The three key areas are open interfaces on the line, not gated campuses: platform plazas carry arrival, release and display; four-quadrant links stitch station to city.

Switch=stitch

Two switches feed communities, campuses and parks into the main line, closing walking and cycling breaks.

Green as base

The park green is both ecological base and physical carrier of open testing, avoiding a dedicated test facility.

Rules first

Every scenario carries a named operator, declared data limits and a human review point, never auto-cancelled; no individual profiling, no named vendor.

Spatial supply (recomputed values)

Green area245.7 ha

Green ratio21.5%

Public space area206.0 ha

Public space ratio18.0%

Slow route length16,730 m

East-west stitch6

User types, operating limits

Open-source devs

Needs: releases, collaboration, testing, community standing

Boundary: no personal trajectories; event data aggregated only

Start-ups

Needs: low-cost space, compute access, product test ground

Boundary: compute and data services need separate authorisation

Lead firm visitors

Needs: display, business, international reception, hiring

Boundary: brand marks and cases need clearance

Residents

Needs: commuting, leisure, community services, low-impact renewal

Boundary: no resident profiling for commercial recommendation

Campus users

Needs: research transfer, cross-campus work, daily slow mobility

Boundary: campus data and research need authorisation

Bookable segment protocol

Book — install — run a limited window under published rules — return to ordinary public use; named operator, declared data boundary, and a human review point no automation can cancel.

This layer is an operating-zone suggestion the agent may define; it is not statutory planning control, not a heritage or blue-line boundary, and no approval basis. Official constraint layers (heritage, water, regulatory) stay empty until official data arrives; the agent does not draft them.


AI service zones 6 | scenario nodes 12

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.


Spatial structure

总体空间结构




Structure

The main line runs south–north along the Jing-Zhang heritage park: a slow-mobility spine and the physical carrier of the open test track. It breaks into stations at the three key areas — the line handed to the city: platform plazas carry arrival, release and display; four-quadrant links stitch station to city. Two switches feed communities, campuses and parks into the line and host the east-west stitches and scenario open days.



East-west stitch	6
Transit connector line	3
AI scenario node	12
Pilgrimage landmark	4
Key area	3




Study notes

- The “break” at stations is design and operating language, not a railway plan; it changes no legal status.
- Crossing, clearance, step-free access and fire egress on line, switches, stitches need transport/utility review.
- The two plans are the south and north halves of one corridor at the same scale; the split is layout, not zoning.
- Once official key-area polygons and the redline are released, this structure must be re-sited and all metrics recomputed.

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

Land use & urban renewal 用地布局与城市更新



Data & notes

Land use classes & areas (metrics.json recomputed)

0802	Research land	239.5 ha	21.0%
0702	Community facilities land	184.1 ha	16.1%
1401	Park green	166.8 ha	14.6%
1403	Square / platform land	154.4 ha	13.5%
0701	Urban residential land	112.4 ha	9.9%
05	Commercial & service land	99.8 ha	8.7%
1402	Protective green	78.9 ha	6.9%
0803	Culture land	53.6 ha	4.7%
0804	Education land	51.7 ha	4.5%

Land use layer total land_use_total_area_sqm	11.41 km²
Submitted boundary area site_area_sqm	11.41 km²

Renewal: retain / renovate / demolish

Retain	2
Renovate	4
New build	7

Renewal handle buildings renewal_building_count	13
Building footprint area building_footprint_area_sqm	29.5 ha
Footprint cover, key areas (approx)	8.0%

FAR	Pending approved regulatory conditions
Height	Pending approved regulatory conditions
Density	Pending approved regulatory conditions
Setback & control lines	Pending approved regulatory conditions


Land use follows a public subset of territorial use-control classes; here it is a design suggestion, with official use, boundary and intensity per the regulatory plan. Footprints are indicative, showing renewal handles; retain / renovate / demolish awaits title and building data.

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

FAR, building height, building density, road redline and road area: pending approved regulatory conditions.

Roads, rail, slow mobility, utilities交通、轨道、慢行与市政支撑



Data & notes

Roads & slow mobility (recomputed)

Road centreline length road_network_length_m	38,211 m
Slow mobility length slow_mobility_length_m	16,730 m
East-west stitch east_west_stitch_count	6
Transit connector transit_connector_count	3
Road area road_area_sqm	Pending approved regulatory conditions
Road area ratio road_area_ratio	Pending approved regulatory conditions
Redline width & cross-section	Pending approved regulatory conditions
Car and cycle parking standards	Pending approved regulatory conditions

Alignment list (suggested lines)

ROAD-001	Main-line slow path	greenway
ROAD-002	West service-lane loop	branch
ROAD-003	East service-lane loop	branch
CROSS-A	Dazhongsí four-quadrant walk links	pedestrian
CROSS-B	Down Switch east-west stitch	pedestrian
CROSS-C	Xueyuan Rd link crossing	cycleway
CROSS-D	Zero-Km Station east-west stitch	pedestrian
CROSS-E	Up Switch east-west stitch	pedestrian
CROSS-F	Marshalling Yard north crossing	cycleway
TRANSIT-1	Dazhongsí station feeder	transit_connection
TRANSIT-2	Zero-Km Station feeder	transit_connection
TRANSIT-3	Marshalling Yard station feeder	transit_connection


Utilities & new infra strategy

- Edge compute stops and distributed energy sit with public facilities as new infrastructure prototypes; capacity, energy and safety conditions need official utility data.
- Transit integration follows "station–yard–city": platform plazas carry arrival, connectors link stations to the main line, four-quadrant links close junction breaks.
- Utility, drainage, flood, fire and civil-defence data missing; conclusions are method and precondition list only.

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.
FAR, building height, building density, road redline and road area: pending approved regulatory conditions.

Jing-Zhang heritage park & blue-green public space 京张遗址公园活力带与蓝绿公共空间



Data & notes

Blue-green & public space (recomputed)

Green area green_space_area_sqm	245.7 ha
Green ratio green_ratio	21.5%
Public space area public_space_area_sqm	206.0 ha
Public space ratio public_space_ratio	18.0%



Heritage park belt segments

- S2** Heritage-park green, Down Switch · Xiaoyuehe Scenario Wing band
Continuous heritage-park green, and the green base of the open test track
- S3** Heritage-park green, Running Section · Xueyuan Rd link band
Continuous heritage-park green, and the green base of the open test track
- S5** Heritage-park green, Up Switch · Zhongguancun Service Wing band
Continuous heritage-park green, and the green base of the open test track
- S6** Marshalling Yard north protective green belt
North ecological buffer; edge conditions await official water & road data

Platform/switch plazas

- Arrival Yard platform plaza** S1 · platform
Dazhongsí station four-quadrant walk links and arrival display face
- Zero-Km Station platform plaza** S4 · platform
Zero-km stone, open-source release hall and honours venue
- Marshalling Yard platform plaza** S6 · platform
Open display of independent innovation and a public face for standards governance
- Down Switch plaza** S2 · switch
East-west public parlour and scenario open-day venue of the Xiaoyuehe wing
- Up Switch plaza** S5 · switch
East-west public parlour and international face of the Zhongguancun wing


Green and public space areas are recomputed from submitted layers and shift with the provisional boundary; blue line, flood and ecology data missing, so frontage strategy is method advice.

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

Zhongzhiyuan AI Autonomous Innovation Acceleration Area

众智园AI自主创新加速区



Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.


FAR, building height, building density, road redline and road area: pending approved regulatory conditions.

xiaowuzicode · starixs · Token Block

10 KEY AREA - Zero-Km Station

Beijing AI Origin Community

北京AI原点社区



Positioning, moves & metrics

Campus-side transfer, talent homes

Announced area	104.3 ha
Submitted geometry recomputed	104.3 ha
geometry_status	exact_polygon_missing_provisional_available

Spatial moves (conceptual)

- Zero-Km marker and release hall form the home ground: release, code display and small roadshows open onto the platform plaza.
- Transfer incubators and open collaboration labs sit at the university edge; east-west stitches link campus, park and block in a slow network.
- Add talent housing and an Origin Community service centre for living, daily and social needs.
- Retain / renovate / demolish is indicative only; title, building and date data missing; conclusions await data.

Renewal handle list

01 Campus-adjacent Incubator	incubator
近校成果转化孵化器	renovate
02 Open-source collaboration lab	lab
开源协作实验室	new_build
03 Talent housing cluster	talent_apartment
人才公寓组团	new_build
04 Origin community service centre	community_service
原点社区服务中心	renovate

Pending approved regulatory conditions

FAR	pending
Height	pending
Density	pending
Build scale	pending
Road redline & setback	pending

Key area boundaries are provisional rough outlines (official_boundary=false); once official polygons are released, land use, buildings, transport and public space placement and all area metrics must be recomputed.

AI scenario nodes & operating limits here

05 Release hall	Human review required
Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.	
12 Start of the global AI week walking route	Human review required
Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.	

Bookable: Zero-Km Station segment

Open-source releases & community events first; public access is not negotiable

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.
FAR, building height, building density, road redline and road area: pending approved regulatory conditions.

10 KEY AREA · Arrival Yard

Dazhongsi AI Industry Cluster

大钟寺AI产业聚集区



Positioning, moves & metrics

Urban AI economy, global exchange

Announced area	72.0 ha
Submitted geometry recomputed	72.0 ha
geometry_status	exact_polygon_missing_provisional_available

Spatial moves (conceptual)

- Dazhongsi station integration and four-quadrant links carry station flows to the platform plaza and main line south end.
- Device HQ clusters, a data-asset lounge and a roadshow lounge form the urban industry frontage.
- AI-native consumption blocks take commercial service land, landing AI+ living services in small blocks.
- Planned green and squares are shared-use as the arrival front; junction layout needs transport review.

Renewal handle list

01 Arrival Yard intelligent-native retail block	retail
到场智能原生消费街区	renovate
02 International demo-day lounge	mixed_use
国际路演客厅	renovate
03 Intelligent-terminal HQ cluster	office
智能终端企业总部组团	retain
04 Data-element service house	ai_r_and_d
数据要素会客厅	new_build

Pending approved regulatory conditions

FAR	pending
Height	pending
Density	pending
Build scale	pending
Road redline & setback	pending

Key area boundaries are provisional rough outlines (official_boundary=false); once official polygons are released, land use, buildings, transport and public space placement and all area metrics must be recomputed.

AI scenario nodes & operating limits here

08 Data-element parlour	Human review required
Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.	
10 AI-native retail street	Human review required
Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.	

Bookable: Arrival Yard segment

Commerce & international scenarios first; events coordinated with station flows

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.
FAR, building height, building density, road redline and road area: pending approved regulatory conditions.

Urban character, narrative

城市风貌与文化叙事

Identity

TOKEN BLOCK

京张令牌 · 百年京张AI创新带

One horizontal line broken at three points: the breaks are the three stations. Line as product, station as interface. No locomotive, gear, brain or circuit cliché.

Ink #12181F

Text & main line

Station #C8452D

3 stns, max contrast

Switch #E08A2E

Switches & stitches

Spine #0F5C4A

Park green

Research #3B6EA5

R&D & innovation land

Service #7A5EA8

Commerce, service land

Living #C9A227

Homes & community land

Provisional #B9B4AC

Provisional, low-contrast dash

Cultural narrative

Centennial Jing-Zhang: token from running permit to scenario permit; the park is memorial and working infrastructure.

Zhongguancun culture: tradition carried by open collaboration, public release and open evaluation, not iconic form.

New AI culture: Zero-Km marker, release hall and honours display make a civic ritual to join.

All brands, fonts, images, likenesses and marks are used only after clearance; drawings use no uncleared material.

Bulk, frontage & height control

This page gives no height or intensity value

Building height, FAR, density, setback and control lines are approved-control items, registered missing in public sources; this scheme gives only relative relations and method, pending approved regulatory conditions.

Low at line, high outward

Both sides of the heritage park stay low and open, shifting height demand to the branch loop.

Stations up, sections calm

The three stations may form legible arrival fronts; running sections stay green and slow, no bulk competition.

Switch align

Frontages at both stitch ends align openings to keep cross-corridor views and walking continuous.

Roofscape

Roofs facing the park and platform plazas fall under character control; no exposed plant.

Existing first

Retained industrial buildings anchor character; new volumes answer by setback and stagger.

Retain / renovate / demolish method

Retain: existing buildings with historic or industrial memory and usable structure — assess before acting.

Renovate: where function no longer fits but structure is usable, open the ground floor first.

New build: proposed only where a functional gap is clear and no public space or green is taken.

Any demolition conclusion needs title, building and date data; this scheme makes no demolition call.

Depth basis height_massing_character

Pilgrimage landmarks, events

Pilgrimage landmark pilgrimage_landmark_count4

AI scenario card ai_scenario_card_count12

Zero-Km marker

S4 Zero-Km platform plaza

Open-source release & honours; yearly inscription

Release hall

S4 Beijing AI Origin Community

Release, code contributions, small roadshows

Innovation showcase

S6 Marshalling Yard

Public face of full-stack innovation & standards

Roadshow lounge

S1 Arrival Yard

Global exchange face for agents, devices and content industry

Global AI innovation events (conceptual)

Scenario day

Windows open by bookable segment under public rules; at close the space returns to ordinary public use.

Global AI Week

Walkable route: heritage culture, open-source community, industry display, roadshows.

Everyday developer community

Daily use of the release hall and collaboration lab, no large events needed.

Standards workshop

Marshalling Yard hosts public standards and safety evaluation.

Events and operation are conceptual suggestions / reference schemes for professional teams to develop further; no confirmed event, permit or investment.


Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

xiaowuzicode · starixs · Token Block

Renewal project list, policy, phasing

更新项目清单、实施政策与分期



Data & notes

Phase areas (recomputed)

Near-term: two stations first Bands S1, S4 Start with Arrival Yard and Zero-Km Station using light installations, events and open scenarios; no heavy engineering precondition	276.6 ha
Mid-term: connect both switch wings Bands S2, S5 Open both east-west stitches and switch plazas; connect the two wings to the main line	482.0 ha
Long-term: full line through-running and north marshalling Bands S3, S6 Complete the running section and deepen the Marshalling Yard; needs approved regulatory, rail & utility conditions	382.6 ha

Renewal project list (conceptual)

JZ-01	Jing-Zhang heritage park slow stitch	Public space / roads
	Needs: road redline, under-bridge space, traffic review	
JZ-02	Marshalling Yard Qinghe edge	Blue-green space / display
	Needs: river blue line, ecology & flood-control conditions	
JZ-03	Zero-Km campus transfer street	Renewal / industry services
	Needs: campus boundary, ownership, ground-floor uses	
JZ-04	Arrival Yard four-quadrant links	Transit / slow mobility
	Needs: rail stations, road junctions, utility lines	
JZ-05	AI public service & edge compute nodes	New infra / services
	Needs: energy, compute, safety & an operating entity	
JZ-06	Global AI Week public route	Ops / brand
	Needs: public-space permits, event safety, copyright clearance	

Policy suggestions


- Near term starts with light facilities, events and platforms, without large works or land take.
- Mid term opens east-west stitches and switch plazas; transport, utility and title terms confirmed in step.
- Long term completes the line and north marshalling, subject to regulatory and utility terms.
- The roughly-100-day call timetable is a submission requirement, not renewal phasing; the two must not be conflated.
- Anything without title, funding, delivery body or approval path is written as delivery risk, not a commitment.

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

AI+ scenarios, data, human review

AI+场景、数据治理与人工复核



AI scenario card

01	Bookable track segment 可预约轨道段 Human review req.	S3
02	Low-speed robot delivery validation 低速机器人配送验证 Industry test/validation Human review req.	S3
03	Autonomous slow-mobility assessment 自主慢行体验评估 Industry test/validation Human review req.	S3
04	Model safety red-team sandbox 模型安全红队沙盘 Industry test/validation Human review req.	S6
05	Open-source release hall 开源发布厅 Human review req.	S4
06	AI cultural guide along the line 沿线AI文化导览 Human review req.	S5
07	AI+ health service navigation point AI+医疗健康服务导航点 Human review req.	S2
08	Enterprise service copilot counter 企业服务Copilot窗口 Human review req.	S5
09	Data-element service house 数据要素会客厅 Human review req.	S1
10	Intelligent-native retail street 智能原生消费街区 Human review req.	S1
11	Public safety and event operations review 公共安全与活动运营复核 Human review req.	S2
12	Global AI Week route start 全球AI活动周步行路线起点 Human review req.	S4

Data rules & human review

One data limit (all scenarios)

Public or authorised data only; no individual profiling; no mandatory vendor; scenarios are conceptual suggestions, not approved operations.

Bookable segment protocol

Book — install — run a limited window under published rules — return to ordinary public use; named operator, declared data boundary, and a human review point no automation can cancel.

6 bookable segments, key scenarios

S1 Arrival Yard bookable segment

Commerce & international scenarios first; events coordinated with station flows

S2 Down Switch bookable segment

Daily services & low-speed delivery first; resident consent and revocation up front

S3 Running Section bookable segment

Continuous-path validation first; longest windows, least disturbance

S4 Zero-Km Station bookable segment

Open-source releases & community events first; public access is not negotiable

S5 Up Switch bookable segment

Enterprise-service and international-exchange scenarios first

S6 Marshalling Yard bookable segment

Evaluation & standards scenarios first, publicly observable

Red lines

- The urban agent can help spot slow-mobility breaks, public space heat, maintenance and event risks, but never replaces planning approval or issues an unauthorised profile.
- Each scenario needs a named operator, data limits and a human review point, never auto-cancelled.
- No named vendor, model or device is required; scenarios are conceptual suggestions, not approved for operation.
- Scenario data aggregated only; resident, campus and visitor profiles not used for commerce.

Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

Metrics, areas recomputed, compliance

指标体系、面积复算与合规矩阵

Metric recompute		Metrics recomputation (metrics.json)	
Metric		Conf.	Val
site_area_sqm		high	11.41 km²
land_use_total_area_sqm		high	11.41 km²
land_use_area_commercial_services_05_sqm		medium	99.8 ha
land_use_area_urban_residential_0701_sqm		medium	112.4 ha
land_use_area_community_facilities_0702_sqm		medium	184.1 ha
land_use_area_research_0802_sqm		medium	239.5 ha
land_use_area_culture_0803_sqm		medium	53.6 ha
land_use_area_education_0804_sqm		medium	51.7 ha
land_use_area_park_green_1401_sqm		medium	166.8 ha
land_use_area_protective_green_1402_sqm		medium	78.9 ha
land_use_area_square_1403_sqm		medium	154.4 ha
green_space_area_sqm		medium	245.7 ha
green_ratio		medium	21.53%
public_space_area_sqm		medium	206.0 ha
public_space_ratio		medium	18.05%
building_footprint_area_sqm		low	29.5 ha
building_footprint_ratio_key_areas		low	7.99%
key_area_count		high	3
key_area_total_area_sqm		medium	369.3 ha
key_area_beijing_ai_origin_community_sqm		medium	104.3 ha
key_area_dazhongsi_ai_industry_cluster_sqm		medium	72.0 ha
key_area_zhongzhiyuan_ai_acceleration_area_sqm		medium	192.9 ha
phasing_area_phase_1_sqm		medium	276.6 ha
phasing_area_phase_2_sqm		medium	482.0 ha
phasing_area_phase_3_sqm		medium	382.6 ha
road_network_length_m		medium	38,211 m
slow_mobility_length_m		medium	16,730 m
east_west_stitch_count		medium	6
transit_connector_count		medium	3
renewal_building_count		low	13
ai_scenario_card_count		high	12
pilgrimage_landmark_count		high	4
unknown (11) · pending approved regulatory conditions			
total_floor_area_sqm		scenario_admission_turnaround_days	
floor_area_ratio		step_free_continuity_breaks	
building_height_m		non_digital_equivalence_ratio	
road_area_sqm		objection_resolution_days	
road_area_ratio		public_space_return_compliance_ratio	
booked_window_utilisation_ratio			
Protocol replay · governance coverage · delivery frame (simulation.json / implementation.json)			
simulation_task_count	80	scenario_data_boundary_count	12
simulation_negative_branch_count	55	scenario_human_review_count	12
token_protocol_rule_count	10	work_package_count	10
simulation_success_rate	100%	exit_gate_count	5
tool_schema_pass_rate	100%	procurement_theme_count	8
audit_completeness	100%	monitoring_window_count	3

Compliance matrix: task→section / layer / metric / drawing

		compliance_matrix.json			
Task ID	Task name	Layer	Metric	Dwg	Source
1.3.1	Build a world-class AI innovation ecosystem	2	2	2	2
1.3.2	Build a new urban form fit for AI-driven productivity	2	2	1	2
1.3.3	Build a district global AI talent aspires to	2	3	1	2
1.4.1	Coordinated research area	1	1	1	2
1.4.2	Overall design area	2	2	2	2
1.4.3	Key area scope	1	5	1	2
1.5.1.1	Coordinated research area: AI innovation ecosystem	2	2	1	2
1.5.1.2	Coordinated research area: an AI-ready future urban form	2	2	2	2
1.5.2.1	Overall design area: industry goals & functions	2	3	1	2
1.5.2.2	Overall design area: urban renewal framework	3	3	2	2
1.5.2.3	Overall design area: transport, rail & utilities	2	4	1	2
1.5.2.4	Overall design area: heritage-park vitality belt	3	4	1	2
1.5.2.5	Overall design area: urban character	2	2	2	2
1.5.3.required	Required items of key-area detailed design	4	2	2	2
1.5.3.1	Zhongzhiyuan AI Autonomous Innovation Acceleration Area	3	2	1	2
1.5.3.2	Beijing AI Origin Community	3	3	1	2
1.5.3.3	Dazhongsi AI Industry Cluster	3	2	1	2
agent.1	Overall belt concept & functional coordination design	3	2	2	2
agent.2	Full-stack AI independence & world-class AI ecosystem design	3	2	1	2
agent.3	AI scenario empowerment & intelligent-city vitality design	3	3	2	2
agent.4	AI public space, AI-native uses & pilgrimage landmark design	3	4	1	2
agent.5	Narrative fusing Jing-Zhang, Zhongguancun and new AI culture	2	2	1	2
agent.6	Global AI event system & long-term operation design	3	4	1	2

Definitions

- Class 1: spatial metrics recomputed straight from the submitted geometry (boundary area, green ratio, public space ratio, footprint area, phase areas), all in metrics.json.
- Class 2: control metrics needing the official regulatory plan or brief annexes (FAR, building height, density, setback, road redline and facility standards) are registered unknown with reasons.
- Class 3: performance metrics needing ongoing calibration from operating or industry data (innovation index, talent density, slow mobility access, event participation, scenario use) go to assumptions, not conclusions.
- All known metrics can be recomputed from geometry/*.geojson in EPSG:4548; once official polygons are released everything must be recomputed, not one file swapped.

Area consistency check

Land use total – submitted area	12.0 sqm (0.0001%)
Key areas recomputed – announced	+8,893.0 sqm (+0.24%)
Submitted recomputed – announced	+12,825 sqm

■ Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

FAR, building height, building density, road redline and road area: pending approved regulatory conditions.

Risk, copyright, missing data

风险、版权与缺资料清单

Missing data

■

floor_area_ratio

missing

From: approved regulatory planning conditions or official design brief attachments
Required for formal submission: yes

■

building_height_m

missing

From: approved height controls, aviation/landscape/heritage constraints if applicable
Required for formal submission: yes

■

building_density

missing

From: approved regulatory planning conditions
Required for formal submission: yes

■

green_ratio (regulatory control)

missing

From: approved regulatory planning conditions or local green-space standards
Required for formal submission: yes

■

setback_m

missing

From: road redline, building control line, fire and municipal constraints
Required for formal submission: yes

Boundary & scope gaps

Coordinated research area

exact_polygon_missing_provisional_available

Overall design area

exact_polygon_missing_provisional_available

Key area scope

exact_polygon_missing_provisional_available

The official SITE_BOUNDARY and three KEY_AREA polygons are unreleased; this package uses the repository provisional rough boundary. Once official polygons replace it, site boundary, key areas, land use, roads, green space, public space, buildings, phasing and metrics must all be recomputed.

Delivery & ops risk

■

Boundary risk

Level: high

If the provisional rough boundary differs from the official redline, all areas and ratios shift.

■

Reg. risk

Level: high

FAR, height, density and setback undecided; build scale and form cannot be locked early.

■

Works risk

Level: medium

Clearance, structure and fire egress across the corridor unchecked; stitch feasibility open.

■

Title risk

Level: high

Title and delivery body unclear; the renewal list is not a commitment.

■

Utility risk

Level: medium

Utility, energy, drainage and compute data missing; new infrastructure stays a prototype.

■

Ops risk

Level: medium

Bookable segments and events need permits, safety and insurance; operator undecided.

■

Data risk

Level: medium

Data sources, consent and minimisation need independent review first.

■

Rights risk

Level: medium

Brands, fonts, images, likenesses, marks: use only after clearance.

Assumption register assumptions.json (11 items)

A-CONTROLS-001 · pending_professional_confirmation

Detailed regulatory controls, road redlines, ownership, municipal utilities, and engineering constraints must be confirmed from official attachments before statutory use.

A-BOUNDARY-001 · pending_official_data

The submitted site boundary and the three key-area polygons are the repository's provisional rough boundaries, not an official redline. All areas, ratios and the land-use partition must be recomputed together once official polygons are published.

A-CONSTRAINT-LAYERS-001 · intentionally_unauthored

Water system, heritage protection, regulatory control and existing road/rail layers are marked editable_by_agent=false in the site package enum. This package leaves them unauthored rather than inventing them; geometry/constraints.geojson carries only agent-definable bookable track segments and located scenario nodes.

A-INTENSITY-001 · pending_official_data

Floor area ratio, total floor area, building height and building density are recorded as unknown because planning_limits.json records them as missing official controls. Only a relative massing intent is stated.

A-ROAD-AREA-001 · pending_official_data

Road area and road area ratio cannot be recomputed from centrelines because approved redline widths and cross-sections are not published. Whether each east-west stitch crosses at grade, over or under is an engineering question this package does not answer.

A-EXISTING-BUILDINGS-001 · pending_official_data

No current-building survey, ownership record or official parcel geometry exists in the public package. The thirteen building footprints are indicative renewal handles whose suggested retain/renovate/new-build action derives from the structural role of their band, not from any judgement about a real existing building. No demolition conclusion is issued for any real parcel.

A-PARTITION-RESIDUAL-001 · accepted_tolerance

The land-use partition is generated by slicing the submitted boundary, so its area equals the site area by construction. A residual of about 12 sqm (1.1e-6 relative) remains between land_use_total_area_sqm and site_area_sqm as a floating-point artefact of reprojection to EPSG:4548. It is not a topological gap; measured gap and overlap are 1.8e-16 and 0 square degrees respectively.

4 more in assumptions.json (layout limit only, nothing truncated)

Copyright, compliance, no-claims

Not claimed

■ No claim of official approval, approved regulatory plan or status.

■ No claim of final land title, build scale or guaranteed delivery.

■ No claim of government events, investment or operating licence.

■ The provisional boundary is never stated as an official redline or a basis for exact areas.

■ Agent guesses are not approved metrics or engineering findings.

Assets, licences

■ These A3 / A0 drawings are script-generated vectors; no external images, screenshots, map tiles or third-party assets.

■ Fonts ship with the system, subset-embedded in the PDF; no remote fonts, scripts or APIs.

■ All spatial data come from the submitted geometry/*.geojson, metrics from metrics.json, and scope areas from the announcement and the site-package register.

■ Licences and sources: see sources.json and report/copyright_statement.md.

Self-check

● DETERMINISTIC_VALIDATION · pass · blocking

deterministic_validation: PASS

● SPATIAL_REVIEW · pass · blocking

spatial_review: PASS

● VISUAL_PACKAGING · pass · blocking

visual_review: PASS

● PROFESSIONAL_EVIDENCE · pass · blocking

professional_review: PASS

The AI agent answers for facts, sources, copyright, spatial data, metrics and wording; maintainers and reviewers may demand rework or reject on self-check and compliance matrix.

■ Base boundary is a provisional rough outline — not an official redline, not a basis for exact areas.

All spatial proposals are conceptual suggestions / reference schemes for professional teams to develop further; they are not statutory planning, government approval, confirmed implementation or an investment commitment.

FAR, building height, building density, road redline and road area: pending approved regulatory conditions.

xiaowuzicode · starixs · Token Block