



京张·城市应得

THE CITY'S DUE · JING-ZHANG

JZ-TCD · AN AUDITABLE CIVIC-RETURN FRAMEWORK

JING-ZHANG · THE CITY'S DUE: An Auditable Civic-Return Design for the Centennial Jing-Zhang AI Innovation Belt

Use what the city opens. Return what the city is due—every opening leaves an auditable, shareable and reusable civic receipt.

The City's Due means auditable civic deliverables, not cash dividend, fiscal promise, fee receipt or legal debt.

PROVISIONAL ROUGH GEOMETRY | NOT AN OFFICIAL REDLINE, STATUTORY PLAN, OWNERSHIP, APPROVAL OR ENGINEERING BASIS | Rebuild all nine layers, every metric, five figures, HTML and PDFs when official polygons and controls arrive.

CIVIC RETURN RECEIPT / □□□□

01 Open component

02 Public-service hours

03 Failure/exit log

04 Community compensation or knowledge return

43.6 km²

Coordinated research

Ecosystem, talent, capital, international collaboration and future-city relationships.

11.4 km²

Overall design

Renewal, mobility, blue-green public space and the civic-return network.

3

Key areas

Conceptual prototypes in Zhongzhiyuan, AI Origin and Dazhongsi.

AN AUDITABLE RECORD OF CIVIC DELIVERABLES

The Civic Return Receipt records the problem, data licence, version, human owner, risk, feedback, exit and four civic deliverables, then faces evidence, safety, user, operations and civic-return reviews. It is not certification or approval; missing delivery, severe risk or failed correction blocks automatic next-stage rights.

- 01 Evidence review
- 02 Safety review
- 03 User review
- 04 Operations review
- 05 Civic-return review


01

THREE SCALES × PUBLIC RETURN

THE CITY'S DUE: every urban opening leaves auditable civic deliverables

PROVISIONAL ROUGH GEOMETRY | NOT AN OFFICIAL REDLINE, APPROVAL, OWNERSHIP OR ENGINEERING BASIS | FULL RECALCULATION REQUIRED

Provisional site and scenario index



43.6 km²

Research: relationships and coordination

11.41 km²

Overall design: civic network

3

Key areas: spatial prototypes

THREE WORK INTERFACES × TWO SUPPORT NETWORKS

K1 Safety verification

Safety, edge and closed tests

K2 Open collaboration

Talent, open source, early teams

K3 Adoption review

Interoperability, adoption, acceptance

W1 ZGC professional support

IP, data, law, capital

W2 Xiaoyue public feedback

Limited co-tests, resident feedback

FIVE ACCEPTANCE CHECKS

EVIDENCE

SAFETY

USER

OPERATIONS

PUBLIC RETURN

Use what the city opens. Return what the city is due—every opening leaves an auditable, shareable and reusable civic receipt.

Sources: repository site package, GeoJSON, metrics and matrices. Conceptual recommendation; see sources.json / assumptions.json.

GEOJSON → METRICS → DISPLAY


PROVISIONAL · CONCEPT ONLY · RECALCULATE WITH OFFICIAL DATA

SOURCE OF TRUTH: GEOJSON · METRICS · MATRICES

02 FUNCTIONAL MOSAIC × TWELVE ACCOUNTABLE ROLES

Not tech-real-estate zoning: research, validation, daily life and public acceptance share one reversible responsibility workflow

PROVISIONAL ROUGH GEOMETRY | NOT AN OFFICIAL REDLINE, APPROVAL, OWNERSHIP OR ENGINEERING BASIS | FULL RECALCULATION REQUIRED



Sources: repository site package, GeoJSON, metrics and matrices. Conceptual recommendation; see sources.json / assumptions.json.

15 LAND-USE CELLS · 12 ROLES

01 Research

Evidence output precedes the next right

02 Compute

Evidence output precedes the next right

03 Data

Evidence output precedes the next right

04 Open source

Evidence output precedes the next right

05 Models/tools

Evidence output precedes the next right

06 Incubation

Evidence output precedes the next right

07 Law/ethics

Evidence output precedes the next right

08 Industry test

Evidence output precedes the next right

09 Urban scenario

Evidence output precedes the next right

10 Enterprise/capital

Evidence output precedes the next right

11 International

Evidence output precedes the next right

12 Public return


Evidence output precedes the next right

Every route may return, redirect or stop; no public return means no next-stage right.

03 THREE KEY AREAS: THREE WORK INTERFACES

Official place names stay intact; each area has distinct spatial actions, users, deliverables and stop conditions

PROVISIONAL ROUGH GEOMETRY | NOT AN OFFICIAL REDLINE, APPROVAL, OWNERSHIP OR ENGINEERING BASIS | FULL RECALCULATION REQUIRED



Sources: repository site package, GeoJSON, metrics and matrices. Conceptual recommendation; see sources.json / assumptions.json.

3 PROVISIONAL KEY AREAS

K1 ZHONGZHIYUAN

Safety Verification Interface

Foundation tools, red teams, edge and closed tests; public roads are never first-test sites.

K2 AI ORIGIN

Open Collaboration Interface

Dual mentors, open-source maintenance, early teams and talent-life support.

K3 DAZHONGSI

Adoption Review Interface

Interoperability, enterprise adoption, public explanation and vendor exit.

W1 ZHONGGUANCUN

Professional Support Network

IP, law, data, standards, capital and international back office.

W2 XIAOYUE RIVER

Public Feedback Network

Low-risk co-tests, accessible entry and resident response.


04

WALKING × BLUE-GREEN × EVERYDAY SCENARIOS

The technology layer can be switched off and removed; public space still works without screens

PROVISIONAL ROUGH GEOMETRY | NOT AN OFFICIAL REDLINE, APPROVAL, OWNERSHIP OR ENGINEERING BASIS | FULL RECALCULATION REQUIRED

Conceptual civic network and 12 scenario nodes



DESIGN PRIORITY

01SAFE ACCESS

Repair walking, cycling, accessibility and interchange gaps before any engineered alignment.

02CLIMATE + ECOLOGY

Shade, drainage, ecological continuity and daily rest precede sensors.

03HUMAN FALLBACK

Resident services retain in-person, phone, paper and staffed routes.

04REVERSIBLE TEST

Prefer indoor/recoverable hard surfaces; failure means remove, delete and review.

TYPICAL CIVIC INTERFACE | NO-AI BASELINE

REMOVABLE TECH



With screens off and devices removed, walking, shade, rest, drainage and staffed service still work.

RESIDENTS 01/03/04/06/12

TALENT + SME 05/07/08

INDUSTRY TEST 09/10/11

Sources: repository site package, GeoJSON, metrics and matrices. Conceptual recommendation; see sources.json / assumptions.json.

8 LINKS · 12 SCENARIOS · 3 LANDMARKS

Century Maintenance Index

Small, sit-able and replaceable archival elements record railway maintenance, open-source contributions, resident review and repaired failures by year; they remain seating and wayfinding when screens are off.

Civic Receipt Hall

Paper and offline pages show project receipts, data boundaries, human owners, civic deliverables and exits; no live crowd profiling or commercial leaderboard.

Public Acceptance Table

A shaded, accessible everyday table with staffed hours supports resident problem-framing, developer maintenance, student learning, multilingual collaboration and public acceptance checks; it remains useful between events.

Mila, Montreal

Mechanism	A nonprofit intermediary connects university research, industry partners, responsible AI and venture support.
Space	A physical research anchor and cross-institution partner network create recurring interfaces among researchers, founders and responsible-AI specialists...
Talent/service	Research training, internships, founding researchers and venture scientists form a continuous talent pipeline. · Mentoring, technical resources, design...
Test/community	Design partners and pilot validation test real demand, with responsible-AI work preceding deployment. · Research, entrepreneurship, policy...
Transfer	Co-locate researchers, open-source maintainers, enterprise design partners and ethics specialists.
Do not copy	Do not assume its talent density, public funding model or single-hub urban form can be copied.

Vector Institute, Toronto

Mechanism	An independent nonprofit intermediary connects government, universities, hospitals and industry without a single corporate centre.
Space	A physical campus anchor operates as part of a province-wide research, health and industry network.
Talent/service	Scholarships, recognised graduate programmes, applied internships and a talent platform connect education to employment. · SME support covers...
Test/community	Trustworthy-AI tools treat problem definition, governance, design, deployment testing, monitoring and retirement as one lifecycle. · Cross-sector...
Transfer	Create an independent translation desk that connects each project to readiness, IP, data, risk and talent services.
Do not copy	Do not copy its funding structure or health-data network, and do not reduce safety to a declaration.

AI Singapore

Mechanism	A national programme organises universities, research institutes, companies and engineering talent around time-bounded real problems.
Space	The national programme organises university research, engineering teams and enterprise problems as a cross-institution network; this source...
Talent/service	Apprentices train first and then join 100 Experiments or internal engineering projects. - Problem framing, engineering teams, PoC/MVP delivery, knowledge...
Test/community	Three-month PoC or six-month MVP paths reduce the risk of permanent pilots. - Engineers, founders, investors and everyday district services create...
Transfer	Use time-bounded validation, an internal owner and a knowledge-transfer package rather than relying on Demo Day.
Do not copy	Do not copy Singapore's highly centralised coordination, land operations or co-funding mechanism.

Testbed Helsinki

Mechanism	The city opens real environments while a nonprofit startup community connects teams, partners and capital.
Space	A shared gateway organises distributed real-city test environments; this source is not used to infer a startup-campus form.
Talent/service	Talent develops through real experiments, RDI projects and an international founder community. · A city testbed gateway, data catalogue, investor...
Test/community	Tests begin with real urban problems and document resident feedback and post-pilot disposition. · Resident co-creation, older adults and accessibility...
Transfer	Create one scenario gateway, a data catalogue, resident co-testing and post-pilot archiving.
Do not copy	Do not assume Finnish data rules and departmental coordination maturity transfer directly.

ETH AI Center, Zurich

Mechanism	A university-wide centre links AI foundations, applications, impact and social benefit across all departments.
Space	A cross-disciplinary network has a real meeting place rather than remaining a virtual alliance.
Talent/service	A dual-supervisor doctoral fellowship connects AI, domain disciplines, industry, entrepreneurship and social impact. · Research partnerships, innovation...
Test/community	Cross-disciplinary projects and red-teaming networks move safety capacity upstream. · Lectures, AI+X events, public communication and safety-policy...
Transfer	Give each project both an AI supervisor and a domain or social-impact supervisor.
Do not copy	Do not assume ETH's brand pull or let paying members influence public-test safety decisions.

CMU NREC, Pittsburgh

Mechanism	A university engineering centre links concepts, systems engineering, prototypes, field testing and commercialisation.
Space	A physical engineering centre combines project-specific laboratory, prototyping and test environments; this source is not used to infer a...
Talent/service	Research projects, engineers, internships, alumni and startup networks create strong circulation. · Equipment, mentoring, acceleration, scaling and...
Test/community	Testing progresses from simulation and bench work to indoor, closed outdoor and field environments. · Public exhibitions and community collaboration giv...
Transfer	Build a five-level verification ladder and make failures and maintenance visible.
Do not copy	Do not copy defence-funding structures or use public streets as the first test environment.

Yangjae AI Hub, Seoul

Mechanism	The city establishes an anchor jointly operated by university and research institutions, with support organised by company stage.
Space	A multi-site cluster combines education, offices, compute, validation and open innovation.
Talent/service	Education facilities, university partnerships, research activity and startups form a continuous supply chain. · Workspace, mentoring, investor links, GPU/PoC...
Test/community	The path runs from industrial problem identification and technical design to demonstration, adoption and diffusion. · Training, networking, seminars and...
Transfer	Give SMEs one project manager, one front door and multiple specialist back offices.
Do not copy	Do not rewrite planned facilities, funds or municipal investment as commitments for Haidian.

P1 Foundational and cross-disciplinary researchers Turn real public problems into falsifiable research; need cleared data, domain partners and permission to publish negative results.	P2 Early-stage founders and open-source maintainers Need users, compute, IP, compliance and maintenance capacity; public test access cannot buy exclusivity.	P3 Enterprise AI, safety and product teams Need interoperability tests, trusted suppliers and customer evidence; trade secrets may be minimised but independent audit remains necessary.	P4 Urban and public-service operators Need maintainable, accountable and appealable support tools; critical decisions retain a human owner.
P5 Residents, older adults, carers and disabled people Need non-smartphone alternatives, clear notice, withdrawal and accessibility; no default biometric identification.	P6 Students, career switchers and young developers Need real projects, mentors, credit and fair labour conditions; competitions do not replace lasting jobs.	P7 Local SMEs, cultural and everyday-service operators Need affordable adoption, portable contracts and data, a human desk and vendor exit routes.	P8 Visiting international developers, researchers and families Need bilingual arrival support, short-term collaboration and family-friendly information; no visa or housing promises.

Century Maintenance Index Small, sit-able and replaceable archival elements record railway maintenance, open-source contributions, resident review and repaired failures by year; they remain seating and wayfinding when screens are off.	Civic Receipt Hall Paper and offline pages show project receipts, data boundaries, human owners, civic deliverables and exits; no live crowd profiling or commercial leaderboard.	Public Acceptance Table A shaded, accessible everyday table with staffed hours supports resident problem-framing, developer maintenance, student learning, multilingual collaboration and public acceptance checks; it remains useful between events.
---	--	--

ANNUAL PROGRAMMES AND HONOURS	
01 The City's Due Annual Review	Audit prior-year civic deliverables and exits without invented investment claims.
02 Open Artifact Return Day	Maintainers, resident reviewers and failure-repair teams update the Century Maintenance Index.
03 Civic Task Season	Small build-test-review cycles around accessibility, ecology and community services.

REPLICATION, NOT ROADSHOW
Synchronised bilingual civic receipts, cross-city reproduction, visiting-maintainer seats, a code of conduct and responsible disclosure; shared structure never means regulatory recognition or deployment permission.

SCN-01 Accessible Walking Co-Test

Users	Disabled people, older adults, carers, visitors and mobility operators
Space	Existing hard-surface walking interfaces in the Jing-Zhang park and conceptual rail-connection nodes
Journey	Report a barrier on site or on paper → anonymous edge sensing of slope/crowding → human survey → publish a repair task → participant re-test
AI / data	Accessible-route suggestions and anomaly clustering; imagery may assist without facial recognition · Anonymous counts, gradients, facility condition and human annotations; no identity or continuous trajectory
Review / ops	Accessibility specialists and resident representatives review; operators decide publication · Public-space operator + accessibility organisation + technical maintainer (proposed types)
Phase / measures	Phase 1 reversible pilot · Issue-closure rate, human-review rate, re-test pass rate and non-digital feedback share
Risk / exit	Incorrect routing or over-sampling of vulnerable users · Take offline and restore human guidance after a safety incident, persistent errors or unresolved complaints
Public return	Open accessibility issue map, before/after evidence and reusable detection rules

SCN-02 Source-Checked Jing-Zhang Heritage Guide

Users	Residents, students, visitors and cultural volunteers
Space	Existing cultural nodes in the Jing-Zhang park and the proposed Century Maintenance Index
Journey	Choose a theme → receive a source-linked short explanation → check against physical interpretation → submit a correction → curator confirms the version
AI / data	Retrieval augmentation, multilingual simplification, accessible audio and version comparison · Cleared heritage materials and public corrections; no faces, identity or visitor profiling
Review / ops	Heritage/history specialists and public-culture operators review · Cultural or park operator + university history team + open-source maintainers (proposed types)
Phase / measures	Phase 1 offline prototype; Phase 2 multilingual extension · Traceable-claim share, correction response time and accessible-version coverage
Risk / exit	Hallucination, oversimplification and copyright overreach · Uncited claims are not published; material errors trigger rollback and on-site correction
Public return	Reusable bilingual source index, correction log and accessibility script

SCN-03 Park Heat and Shade Steward

Users	Residents, older adults, carers and park maintenance staff
Space	Public interfaces in the Xiaoyue River wing and Jing-Zhang park (exact sites pending)
Journey	Check lower-risk times → receive human-verified shade/water information → give on-site feedback → maintenance task enters the Century Maintenance Index
AI / data	Microclimate trend alerts, maintenance priority and anomaly detection; no medical diagnosis · Environmental sensing, public weather and human inspections; no link to personal health or identity
Review / ops	Maintenance staff review alerts; authoritative warnings govern extreme weather · Park operator + climate/landscape adviser + equipment maintainer (proposed types)
Phase / measures	Phase 1 minimal-sensor deployment · Sensor availability, false-alert rate and shade-issue closure time
Risk / exit	False alerts, maintenance burden and mistaking advice for health diagnosis · Remove equipment and retain human inspection if drift, cost or public misunderstanding persists
Public return	Open microclimate metadata, maintenance rules and failed-deployment records

SCN-04 Blue-Green Maintenance Assistant

Users	Landscape, water and park maintenance staff and nearby residents
Space	Non-sensitive, reversible sites along Qinghe, Xiaoyue River and green spaces
Journey	Human inspection → aggregate sensor anomalies → specialist judgement → schedule maintenance → publish results without sensitive locations
AI / data	Water-stress/flooding trends, vegetation anomalies and work-order prioritisation · Low-frequency environmental data, maintenance records and public weather; sensitive ecological sites remain undisclosed
Review / ops	Landscape/water professionals review each work order · Green/water-space maintainer + ecology adviser + technical provider (proposed types)
Phase / measures	Phase 1 simulation; Phase 2 limited field test · False-alert rate, human adoption, maintenance response time and complete equipment removal
Risk / exit	Ecological disturbance, sensitive locations and abandoned equipment · Stop immediately and restore the site after any ecological impact or loss of reversibility
Public return	Anonymised maintenance model, sensor-removal protocol and environmental net-benefit review

SCN-05 Multilingual Arrival and Talent Desk

Users	International visitors, researchers, developers and accompanying families
Space	Public-service interfaces in Dazhongsi and talent-service interfaces in the AI Origin Community
Journey	Choose language and need → receive dated public information → human staff confirms complex matters → anonymous evaluation
AI / data	Multilingual retrieval, summarisation and service triage; no visa or legal determinations · Public service information and session choices; identity is not retained after the session
Review / ops	Service staff review high-risk or time-sensitive information · Talent-service organisation + international community group + staffed desk (proposed types)
Phase / measures	Phase 1 bilingual prototype · Information freshness, human hand-off rate, correction time and family-information coverage
Risk / exit	Outdated information, discriminatory recommendations or perceived official promises · Pause automated answers and retain only human service if critical pages expire or errors cannot be corrected promptly
Public return	Open bilingual service glossary, correction log and accessible content templates

SCN-06 Human-Backed Community Service Navigator

Users	Residents, older adults, carers and community-service staff
Space	Community-service facilities and staffed hours at the Public Acceptance Table
Journey	Ask in person, by phone or on paper → tool only classifies → staff confirms and refers → feedback may be withdrawn
AI / data	Service classification, knowledge retrieval and accessible explanation; no welfare eligibility or medical decisions · Minimum necessary need fields; sensitive records remain in existing compliant systems, not model logs
Review / ops	All referrals are confirmed by on-duty staff · Community-service organisation + staffed desk + compliant technical maintainer (proposed types)
Phase / measures	Phase 1 offline-knowledge-base pilot · Human confirmation, mis-referral rate, non-digital channel share and appeal closure
Risk / exit	Sensitive-data leakage, mis-referral and digital exclusion · Disable automated classification and retain human service after a sensitive-data incident or excessive mis-referral
Public return	Open de-identified service taxonomy, accessible Q&A templates and appeal process

SCN-07 Open-Source Apprenticeship and Maintenance Match

Users	Students, career switchers, open-source maintainers and research teams
Space	Open-source workshop in the AI Origin Community and bilingual repositories
Journey	Submit skills and availability → human review of project labour terms → task suggestion → mentor confirms → contribution enters the Century Maintenance Index
AI / data	Skill-to-issue matching, documentation support and accessible learning paths · Voluntary skill profiles and public issues; no inference of sensitive attributes
Review / ops	Maintainers, mentors and labour/education advisers review · University/training body + open-source community + programme operator (proposed types)
Phase / measures	Phase 1 small cohort · Mentored-contribution rate, six-month maintenance retention, credit completeness and verified paid-role transitions
Risk / exit	Unpaid labour, biased matching and maintainer burnout · Stop matching if labour terms are unclear, mentors are absent or complaints remain unresolved
Public return	Open curriculum, issue-level taxonomy, maintenance handbook and credit standard

SCN-08 SME AI Adoption Clinic

Users	Local SMEs and cultural/everyday-service operators
Space	Dazhongsi adoption-review interface and Zhongguancun professional-support network
Journey	Describe problem → compare non-AI option first → data/IP/cost diagnosis → small-sample validation → human adopts, redirects or stops
AI / data	Need decomposition, vendor-neutral comparison and small-sample evaluation support · Minimum voluntarily supplied company data and public sector information; no resale
Review / ops	Company owner, domain adviser, legal/IP and safety staff confirm · Enterprise-service body + legal/IP + independent technical evaluator (proposed types)
Phase / measures	Phase 1 clinic; Phase 2 validation cohorts · Non-AI option adoption, validation completion, vendor exit feasibility and verified post-adoption maintenance cost
Risk / exit	Vendor capture, trade-secret leakage and false ROI · Stop recommendations if vendor neutrality, data portability or cost evidence cannot be assured
Public return	Open de-identified cases, procurement questions, vendor-exit template and failure lessons

SCN-09 Agent Interoperability and Overreach Test

Users	Agent developers, enterprise security teams and evaluators
Space	Conceptual controlled indoor validation environment in Zhongzhiyuan
Journey	Register tool permissions → synthetic tasks → multi-agent collaboration → red-team overreach → human log review → publish test card
AI / data	Tool use, permission isolation, collaboration protocols and anomaly detection · Synthetic or cleared test data; no production accounts or real personal data
Review / ops	Security engineers approve each permission and published conclusion · Independent evaluator + laboratory + enterprise security team (proposed types)
Phase / measures	Phase 1 simulation; Phase 2 closed validation · Overreach-block rate, unexplained calls, human-review coverage and reproduction success
Risk / exit	Sensitive vulnerability disclosure and mistaking test success for production safety · Immediately isolate, revoke permissions and follow disclosure protocol if production credentials, uncontrolled calls or severe vulnerabilities appear
Public return	Open test protocol, sanitised failures, permission template and version differences

SCN-10 Edge-Model Energy and Degradation Benchmark

Users	Edge-AI teams, device companies and public-space operators
Space	Conceptual laboratory in Zhongzhiyuan and indoor interoperability desk in Dazhongsi
Journey	Register hardware/model → common task → measure energy/latency/accuracy → environmental stress → human review → publish reproducible report
AI / data	Benchmark execution, drift detection and multi-objective comparison · Synthetic and public benchmarks; device logs strip serial numbers and sensitive configurations
Review / ops	Test engineers calibrate instruments and sign results · Independent lab + standards body + device maintainer (proposed types)
Phase / measures	Phase 1 common benchmark · Reproduction variance, energy per task, latency and fault-recovery time
Risk / exit	Instrument bias, marketing misuse and single-metric distortion · Withdraw and re-test after calibration failure, irreproducible results or misuse
Public return	Open benchmark scripts, calibration logs, negative results and energy-accounting method

SCN-11 Closed Low-Speed Embodied-AI Test

Users	Robotics teams, facility operators, safety reviewers and accessibility representatives
Space	Conceptual closable hard-surface site in Zhongzhiyuan; never first-tested on public roads
Journey	Simulation → bench → indoor → closed outdoor → incident review; only then may a limited public test be considered
AI / data	Low-speed navigation, obstacle detection, human takeover and fail-safe control · Synthetic obstacles, device telemetry and de-identified test video; no bystander identity
Review / ops	Safety engineer, site manager and accessibility representative jointly sign off · Controlled-test operator + safety evaluator + accountable device owner (proposed types)
Phase / measures	Phase 2 closed test · Takeover latency, collision/near-miss events, fail-safe success and site-restoration time
Risk / exit	Injury, noise/obstruction, video privacy and public misunderstanding · Any injury, severe near-miss or loss of control triggers shutdown, log preservation, site restoration and independent review
Public return	Open sanitised failure modes, safety checklist, takeover benchmark and site-restoration protocol

SCN-12 Open Civic Receipt Archive

Users	Residents, developers, maintainers, reviewers and operators
Space	Civic Receipt Hall, Century Maintenance Index and printable offline webpage
Journey	Read a project receipt → check data, risk and human owner → inspect civic deliverables and failures → submit a correction or new problem
AI / data	Document consistency, version differences and plain-language explanation; no automatic project scoring · Public project metadata, contribution records and de-identified feedback; names require opt-in consent
Review / ops	Operating secretariat verifies, resident panel may object and independent audit samples records · Future confirmed joint operating platform + resident review + independent audit (proposed types)
Phase / measures	Phase 1 minimum open archive, expanded annually · Receipt completeness, correction response time, failure disclosure and deliverable reuse count
Risk / exit	Ranking, privacy leakage, box-ticking and mistaking disclosure for approval · Pause affected functions and retain paper access after personal-data leakage, failed corrections or automated punitive use
Public return	The open archive itself is an open standard, version history, failure library and civic audit interface

FOURTEEN EVIDENCE TASKS

P-01	Official Data Intake and Full Recalculation · Phase 1	verify: Rebuild all nine layers and metrics; publish a difference report / risk: Version mismatch
P-02	Minimum Civic Return Receipt Standard · Phase 1	verify: Receipt completeness and correction time / risk: Extra approval layer or box-ticking
P-03	AI Origin Open-Source Workshop · Phase 1	verify: Six-month maintenance retention and complete contributor credit / risk: Unpaid labour or missing mentors
P-04	Zhongzhiyuan Five-Level Validation Ladder · Phases 1-2	verify: Reproduction success and incident closure / risk: Treating closed-test success as public deployment permission
P-05	Dazhongsi Enterprise Adoption Clinic · Phase 1	verify: Non-AI option adoption and vendor-exit feasibility / risk: Vendor capture
P-06	Xiaoyue River Resident Co-Test Gateway · Phase 1	verify: Non-digital feedback share and issue closure / risk: Disturbance or unanswered feedback
P-07	Zhongguancun Specialist-Service Desk · Phase 1	verify: Response time and referral completion / risk: Unconfirmed institutions or funding
P-08	Jing-Zhang Accessible Arrival Study · Phase 2	verify: Discontinuity review and re-test pass rate / risk: Mistaking conceptual links for engineering alignments
P-09	Low-Impact Blue-Green Maintenance Test · Phases 1-2	verify: False-alert rate, complete removal and net environmental benefit / risk: Ecological disturbance or equipment residue
P-10	Century Maintenance Index · Phase 2	verify: Annual update completion and correction time / risk: Overwriting existing heritage narratives
P-11	Civic Receipt Hall · Phase 1	verify: Failure-record disclosure and accessible-version coverage / risk: Ranking or personal-data leakage
P-12	Public Acceptance Table · Phase 1	verify: Everyday use time and participation diversity / risk: Event-only use
P-13	International Reproduction and Bilingual Maintenance · Phase 2	verify: Cross-city reproductions and closed version differences / risk: Visits without continuing maintenance
P-14	The City's Due Annual Review · Annual	verify: Civic-deliverable fulfilment and complete exit records / risk: Gaming the indicators

Four equal feedback channels: in person, telephone, paper and online. Resident objections enter human review and may trigger pause, repair, exit and site restoration; critical decisions retain a named human owner.

ASSUMPTIONS / SOURCES / CHECKS

A-BOUNDARY-001	All geometry, areas, ratios, figures, HTML and PDFs must be recalculated when official polygons arrive.
A-CONTROLS-001	Land use, buildings, mobility, public space and phasing are conceptual references only and cannot support statutory or construction decisions.
A-OPERATIONS-001	All governance bodies, partnerships, events and service desks are proposed organisation types, not established entities or commitments.
A-BASELINE-001	The proposal defines formulas and gates before targets; it does not fabricate performance gains or investment returns.
A-IMPLEMENTATION-001	Any physical intervention requires official data, professional design, public participation, permissions and confirmed operations before implementation.
A-OVERLAP-001	Overlap areas are reported explicitly; green, public-space and building ratios must not be added together or read as mutually exclusive statutory land accounts.

PRIMARY / INSTITUTIONAL SOURCES

OFFICIAL-ANNOUNCEMENT · https://ghzrzyw.beijing.gov.cn/zhengwuxinxi/tzgg/hd/202605/t20260509_4643047.html
BEIJING-THREE-ZONES · https://kw.beijing.gov.cn/xwdt/kcyx/xwdtcyfz/202604/t20260403_4573808.html
JINGZHANG-PARK · https://yllhj.beijing.gov.cn/zwgk/zwxx/202306/t20230626_3145467.shtml
CASE-MILA · https://mila.quebec/en/industry/partnerships
CASE-VECTOR · https://vectorinstitute.ai/about/
CASE-AISINGAPORE · https://aisingapore.org/innovation/100e/
CASE-HELSINKI · https://testbed.hel.fi/en/
CASE-ETH · https://ai.ethz.ch/about-us.html
CASE-CMU · https://www.nrec.ri.cmu.edu/about/
CASE-SEOUL · https://english.seoul.go.kr/seoul-policy-archive/seoul-ai-hub/

PROVISIONAL ROUGH GEOMETRY | NOT AN OFFICIAL REDLINE, STATUTORY PLAN, OWNERSHIP, APPROVAL OR ENGINEERING BASIS | Rebuild all nine layers, every metric, five figures, HTML and PDFs when official polygons and controls arrive.