

Overall Concept

京张可验证生活线 · 总体概念图

PROVISIONAL 临时边界

Jingzhang Verifiable Life Line — Site Overview

口号 Slogan: 让每一次 AI 承诺都被看见、质询、暂停与复盘 · Every AI promise can be seen, questioned, stopped and reviewed

众智园站 · 安全验证站

Zhongzhiyuan · Safety Verification

编组站 · 3 产业测试场景 (TVS-01 接驳 / 02 大模型 / 03 配送与低空物流)

众智园 AI 自主创新加速区 · 约 1.9 km² · 试验状态屏 (绿)

原点社区站 · 解释翻译站

Origin Community · Interpretation

信号楼 · 质询台 (LSC-01 公众AI导览 / LSC-05 事实核验) · 状态屏 (黄)

北京 AI 原点社区 · 约 1.0 km² · 把 AI 的话翻译成人话

大钟寺站 · 日常服务验证站

Dazhongsi · Daily Service

客运站 · 状态屏广场 (LSC-03 夜间配送与安静空间协调) · 公众停止开关

大钟寺 AI 产业聚集区 · 约 0.7 km² · 买菜通勤就医遛弯, 随手可得 的 凭证 体验

四节点 Four Nodes

① 信号楼 Signal Tower

验证指挥中心 · 一屏数据中枢

② 里程碑廊 Milestone Gallery

验证事件 + 智能体荣誉墙

③ 扳道站 Switch Point

公众一键切换 AI / 人工

④ 站台广场 Station Plaza

状态大屏 + 验证节活动集散

Proofline 验证协议六件套 · Six-Piece Protocol

一证 登记与基线 一屏 三色状态屏 一哨 人类值班员

一闸 停止开关 一票 回执凭证 一会 公开复盘会

永远处于试运行状态的公共线 · 一条 A permanent pilot-run line

三幕叙事 Three-Act Narrative

信号 Signal

1905-09 詹天佑 · 安全规则

扳道 Switch

1949-09 中关村切换

验证 Verify

今 · AI 新信号体系

从设计铁路的人, 到设计规则的人 · From rail designers to rule designers

指标引用 Metric references (geometry-metrics.json) :

3 站 · 4 节点 · 12 场景卡 · 验证线廊道 9.5 km · 研究范围 11.4 km²

信源: SITE-PACKAGE 等注册表登记源 · 概念示意, 不构成政府审定结论

概念示意 · Conceptual

数据: provisional boundary (EPSG:4326), 官方数据发布后重算 | 来源: 官方公告 + 任务书 + 注册表登记源

© light07-Y

Site overview: the line + three stations + four nodes

核心主张 Core Proposition

Core proposition: AI should appear in the city not as 'smarter buildings' or a 'tech showcase', but as **verifiable public services**. Cities provide infrastructure for water, power and light — they should also provide infrastructure for proof.

差异化 Differentiation: Verification as part of daily life — vouchers gained while shopping, commuting, seeing a doctor or strolling.

PROVISIONAL · 概念建议

Conceptual proposal. All spatial and operational content is an open co-creation suggestion; it is not a government-approved conclusion and is open for professional teams to develop. Figures are based on the provisional boundary (EPSG:4326) and will be fully recomputed once official data is released.

京张可验证生活线 • 概念用地结构图

PROVISIONAL 临时边界

Jingzhang Verifiable Life Line — Conceptual Land Use Structure

30 地块 • 12 类用地代码 • 覆盖总体设计范围，无重叠无缝隙（概念建议，待官方边界重算）

结构说明 Structure Note

- 科研(0802) 与文化(0803) 主要沿廊道中段聚集，对应众智园与原点社区
- 大钟寺片区以商业(05) 与社区服务(0702) 承载日常服务验证
- 1401/1402 绿地构成遗址公园带绿廊，贯穿南北（见蓝绿连续图）
- 16 留白用地为验证场景预留（沙盒/测试/未来公共服务扩展）
- 1207 城镇道路 + 05 商业贴邻主要接驳线布置



用地代码图例 Land Use Legend

- 05 商业服务业 Commercial & Business
- 0701 城镇住宅 Residential
- 0702 社区服务设施 Community Service
- 0802 科研 R&D
- 0803 文化 Culture
- 0804 教育 Education
- 0805 体育 Sports
- 0806 医疗卫生 Healthcare
- 1207 城镇道路 Urban Road
- 1401 公园绿地 Park Green Space
- 1402 防护绿地 Buffer Green Space
- 16 留白 Reserved Space

重点区域（三站）Key Areas

-- 验证线主廊道（虚拟里程 9.5 km）

注：用地为概念建议（A-LANDUSE-CONCEPT-001），官方边界确认后重算。

指标引用 Metric references:

30 地块 • 绿地率 7.89% • 公共空间率 0.95% • 建筑密度 3.04%

信源：SITE-PACKAGE / MNR 用地分类 202311 • 概念示意

概念示意 • Conceptual

数据：provisional boundary（EPSG:4326），官方数据发布后重算 | 来源：官方公告 + 任务书 + 注册表登记源

© light07-Y

Concept land-use structure

Land-use category	Code	Conceptual layout
Research land	0802	Zhongzhiyuan & Origin Community cores
Education & research support	0804	Origin Community campus-stitching belt
Cultural land	0803	Three-station cultural nodes, Milestone Gallery
Commercial & service land	05	Dazhongsi commercial area, station surroundings
Residential & community service	0701/0702	Origin talent housing, line communities
Green & open space	1401/1402	Heritage green corridors, buffer green
Square land	1403	Three station-front plazas and nodes
Road land	1207	Road micro-circulation
Reserved land	16	Reserved for unverified uses ('permanent trial')

Building scale: ~150 conceptual building masses (Zhongzhiyuan ~55, Origin Community ~50, Dazhongsi ~40, few along the line) covering 13 building types. Building footprint 347,196 m², building density 3.04%. Retain/renovate/leave-blank is a conceptual classification (keep heritage anchors, renew inefficient space, reserve for verification) — no specific plots are designated; heights and FAR are indicative and are not statutory controls.

京张可验证生活线 · 三站验证分工详图

Jingzhang Verifiable Life Line — Three-Station Verification Callouts

每站一职能：安全验证（编组） · 解释翻译（信号塔） · 日常服务验证（客运站），叠加 12 场景卡

PROVISIONAL 临时边界

众智园站 Zhongzhiyuan

安全验证站 Safety Verification
场景卡 Scenario cards:
TVS-01 接驳 · TVS-02 大模型 · TVS-03 配送与低空物流



原点社区站 Origin Community

解释翻译站 Interpretation & Translation
场景卡 Scenario cards:
LSC-01 公众 AI 导览 · LSC-05 公共事实核验（信号楼 · 质询台）



大钟寺站 Dazhongsi

日常服务验证站 Daily Service Verification
场景卡 Scenario cards:
LSC-03 夜间配送与安静空间协调 · 站台广场状态大屏



Proofline 验证协议六件套分工 · Six-Piece Protocol by Station

协议项 Protocol	一证 登记与基线 Registration	一屏 三色状态屏 Status screen	一哨 人类值班员 Human duty	一闸 停止开关 Stop switch	一票 回执凭证 Receipt	一会 公开复盘会 Public review
众智园站 安全验证站	3 产业场景登记 + 验证基线	试验状态屏 · 绿	随车安全员/值班员	人车接触事故即停	测试回执凭证	月度验证复盘会
原点社区站 解释翻译站	导览/核验服务登记 + 基线	事实核验屏 · 黄	值班员抽检复核	质询台停止按钮	核验回执凭证	公开质询复盘会
大钟寺站 日常服务验证站	日常服务登记 + 基线	状态大屏 · 红	人工值守/转人工	公众停止开关	服务回执凭证	年度验证节复盘

概念示意 · Conceptual

数据：provisional boundary（EPSG:4326），官方数据发布后重算 | 来源：官方公告 + 任务书 + 注册表登记源

© light07-Y

Three stations as verification stations (key areas)

Key area	Verification-station role	Design positioning	Spatial moves	Scenarios & protocol
Zhongzhiyuan AI Innovation Acceleration	Safety Verification (marshalling yard / test line)	Garden-style full-stack innovation block	Qinghe waterfront, industry showcase, low-carbon exchange; green space hosts open test fields	TVS-01/02/03, test-line status screen, engineer duty
Beijing AI Origin Community	Interpretation & Translation (signal tower)	Campus-adjacent transformation & talent community	Campus-park-block slow stitching; signal tower and public inquiry desk	LSC-01 guide, LSC-05 fact-check, inquiry plaza, explanation receipts
Dazhongsi AI Industry Cluster	Daily Service Verification (passenger station)	Urban smart-economy & international-exchange block	Dazhongsi station integration, four-quadrant connectivity, platform plaza	LSC-03 night delivery, plaza event scheduling, daily receipts

四个 AI 朝圣地标 Four AI Pilgrimage Landmarks

Four AI pilgrimage landmarks (nodes): Signal Tower (verification command centre) / Milestone Gallery (events + honour wall) / Switch Point (AI-human switching experience) / Platform Plaza (status screen + festival main venue).

京张可验证生活线 · 慢行与蓝绿连续图

PROVISIONAL 临时边界

Jingzhang Verifiable Life Line — Mobility & Blue-Green Continuity
沿线下站、步行可达：验证线主廊道9.5 km，连接三站与四节点，慢行接驳 + 绿廊连续

连续性与可达性 Continuity & Accessibility

- 遗址公园带绿廊（1401/1402）南北连续约 8 km，串联三站与四节点
- 验证线主廊道：三站间慢行+接驳主脊，虚拟里程 9.51 km
- 公共空间系统：站台广场 ×3 + 里程碑廊 + 扳道站 + 社区空间 ×5
- 清河滨水防护绿带 + 北五环防护绿带，形成廊道北侧生态锚固
- 每条验证线均配置独立慢行路径，人机分离，步行 5 分钟覆盖站点服务圈

图例 Legend

- 验证线主廊道 Proofline main corridor (9.51 km)
- 联络线/支路 Connector & branch roads
- 绿廊/自行车道 Greenway & cycleway
- 步行街/步行联络 Pedestrian links
- 站前接驳线 Transit connection
- 绿地 Green space（1401/1402）
- 公共空间节点 Public space nodes
- 站台广场/里程碑廊/扳道站 Station plazas & nodes
- 5 分钟步行圈 5-min walk circle



指标引用 Metric references:

主廊道 9.51 km · 道路中心线 24.16 km · 绿地率 7.89% · 公共空间率 0.95%
信源：SITE-PACKAGE · 概念慢行网络，非工程方案（A-ROAD-CONCEPT-001）

概念示意 · Conceptual

数据：provisional boundary（EPSG:4326），官方数据发布后重算 | 来源：官方公告 + 任务书 + 注册表登记源

© light07-Y

交通 Mobility

- Verification-line spine: heritage belt for walking & cycling (greenway/walk classes); slow-mobility links between stations
- Rail integration: Dazhongsi and other stations integrated with four-quadrant pedestrian connectivity
- Road micro-circulation and access roads are conceptual suggestions, not alignment engineering
- LSC-06 explainable congestion management (Xiaoyuehe wing): signal coordination shows 'why this dispatch'; evidence enters reviews

蓝绿与公共空间 Blue-Green & Public Space

- Blue-green spine: heritage park belt (green corridor + buffer green + in-station parks); green ratio %s (provisional recalculation)
- Public space system: three station-front plazas, four nodes and community spaces; public-space ratio %s
- Urban character: three-signal wayfinding, milestone memory symbols, running-chart typography

Metrics: road centreline length 24,159 m; Proofline virtual mileage (slow corridor between stations) 9,506 m; green ratio 7.89%; public-space ratio 0.95%.


AI Scenarios & Verification Protocol • AI 场景与验证协议

12 Scenario Cards, Six-Piece Protocol & Status Screen

12 张场景卡总表 12 Scenario Cards

ID	Name	Location	Success (target)	Stop (hard)	Human review
TVS-01	Autonomous Shuttle Verification Line	Zhongzhiyuan + test line	On-time ≥95%	Any human-vehicle contact	Safety officer per shuttle
TVS-02	Public LLM Service Verification	Zhongzhiyuan + full line	Fact-check ≥98%	3 errors or 1 high-risk	Officer checks + inquiry desk
TVS-03	Robot Delivery & Drone Logistics	Zhongzhiyuan + Dazhongsi	Timeliness ≥95%	Pedestrian safety incident	Rider handover
LSC-01	Public AI Guide	Origin Community	Explainable, human-switchable	Misleading guidance	Human guide switch
LSC-02	Accessible Switchable Routes	Along the line	Reachable within law art.39 scope	Accessible route blocked	Human guide / agency
LSC-03	Night Delivery & Quiet Spaces	Dazhongsi	Quiet hours undisturbed	Noise / pedestrian conflict	Human window coordination
LSC-04	Paper Service Entry	Line communities	Paper receipts checkable	Entry fails	Human agency point
LSC-05	Public AI Fact-Checking	Inquiry desk	Conclusion + source receipt	No sourced conclusion	Human check desk
LSC-06	Explainable Congestion Management	Xiaoyuehe wing	Dispatch reasons public	Dispatch not explainable	Human dispatcher
LSC-07	Thermal Comfort Alerts	Public spaces	Alert + duty in place	No response to extremes	Human emergency duty
LSC-08	Community Service Matching	Communities	Social-worker review passes	Wrong match	Social-worker review
LSC-09	Data Deletion & Exit Receipt	Along the line	Deletion receipt on demand	Deletion impossible	Manual offline deletion

Baselines and thresholds are design targets, not achieved metrics (unknown/pending); stop thresholds are always hard.



JZ-VLL Public Service Status Screen (示意 Example)

Zhongzhiyuan • Safety Verification TVS-01/02 • test engineers on duty	Trial 试运行
Origin Community • Interpretation LSC-04 fact-check sampling • inquiry desk open	Restricted 限速
Dazhongsi • Daily Service Verification Platform status screen • LSC-03 window	Trial 试运行
Green=trial Amber=restricted Red=stopped	
Illustrative, not live data	

京张可验证生活线 • 指标与证据图

PROVISIONAL 临时边界

Jingzhang Verifiable Life Line — Metrics & Evidence

known 指标（几何派生 confidence=medium） • unknown 指标诚实标注 pending，不渲染伪数字

A • 空间规模 Site Scale




B • 验证廊道 Verification Corridor



C • 站点 • 场景 • 人群 • 地标 Stations • Scenarios • Personas • Landmarks



D • 待官方数据（诚实标注，不渲染伪数字） Pending Official Data



置信度说明 Confidence：几何派生指标（面积/密度/比率/长度） confidence = medium，由 provisional 边界复算（A-BOUNDARY-001），官方数据发布后全包重算；设计计数（站数/场景卡/画像/地标） confidence = high。全部指标不得与官方公告数值互相替代（A-AREA-MISMATCH-001）。

概念示意 • Conceptual

数据：provisional boundary（EPSG:4326），官方数据发布后重算 | 来源：官方公告 + 任务书 + 注册表登记源

© light07-Y

Metrics cards & evidence chain

Metric	Value	Unit	Confidence	Metric (unknown/pending)	Note
site_area_sqm (overall design scope)	11,412,825 m ² (11.41 km ²)	sqm	medium	floor_area_ratio	Official control not published; awaiting statutory conditions (A-CONTROLS-001)
key_area_count	3	count	medium	building_height_max_m	Official height control missing; conceptual masses are indicative only
building_footprint_area_sqm	347,196 m ²	sqm	medium	planned_green_ratio	Official planned green ratio missing; not to be confused with concept green_ratio
building_density	3.04%	ratio	medium	stop_response_target_min	Operational design target, not measured; field baseline pending
green_ratio (concept)	7.89%	ratio	medium	fact_check_pass_rate_target	TVS-02 ≥98% is a design target, not an achieved metric
public_space_ratio	0.95%	ratio	medium	shuttle_punctuality_target	TVS-01 ≥95% is a design target, not an achieved metric
road_centerline_length_m	24,159 m	m	medium		
proofline_route_length_m (virtual mileage)	9,506 m	m	medium		
verification_station_count	3	count	high		
scenario_card_count	12	count	high		
industrial_tvs_count	3	count	high		
user_persona_count	6	count	high		
landmark_count	4	count	high		

分期实施 Phasing

Phase	Scope	Content	Verification status
Phase 1 • Verification Launch	Three key areas & station surroundings	Three stations operational as verification roles; TVS-01/02/03 launch; Signal Tower & Platform Plaza in use	First services enter 'Register'; trial operation
Phase 2 • Full-line Weaving	Whole heritage belt	Slow-corridor weaving, milestone belt, Switch Point, community stations	All line services under 12-month mandatory re-verification
Phase 3 • Two-Wing Coordination	Zhongguancun tech-service wing, Xiaoyuehe scenario wing	Factor allocation linkage, explainable congestion, festival international session	Protocol becomes a belt-level governance product; international outreach

年度运营机制 Annual Operating Mechanism

Annual mechanism: Verification Festival (September) + running-chart release • monthly public review • weekly Switch Day • milestone inscriptions • 12-month mandatory re-verification • four-step scenario opening (application → sandbox → human review → public display).