


Jingzhang Verifiable Life Line

京张可验证生活线

JZ-VLL · 一证一屏一哨一闸一票一会 · Register-Screen-Duty-Switch-Receipt-Review



Every AI promise on the line can be seen, questioned, stopped, and reviewed.

让每一次 AI 承诺都被看见、质询、暂停与复盘



Logo 方向 / Logo Direction

Logo direction: a vertical three-light signal pole (green=trial / amber=restricted / red=stopped), body shaped after the initial J of 'Jingzhang', on a milestone-scale base — signal, rail and milestone united, echoing the Jingzhang railway heritage and the meaning of 'verification'.

PROVISIONAL · 概念建议 / CONCEPTUAL PROPOSAL

Conceptual proposal. All spatial and operational content is an open co-creation suggestion; it is not a government-approved conclusion and is open for professional teams to develop. Figures are based on the provisional boundary (EPSG:4326) and will be fully recomputed once official data is released.

All figures are conceptual, based on the provisional boundary (EPSG:4326); full recalculation follows official data release. Proofline six-piece protocol: Register · Screen · Duty · Switch · Receipt · Review.


核心主张 Core Proposition

Core proposition: AI should appear in the city not as 'smarter buildings' or a 'tech showcase', but as **verifiable public services**. Cities provide infrastructure for water, power and light — they should also provide infrastructure for proof.

This line is not an engineering line delivered 'built-and-handed-over'. It is a **public line in permanent trial operation**: signals always lit, the running chart always public, any service can be stopped and inspected.

差异化声明 Differentiation

Differentiation: sibling proposals emphasise institutional 'verification infrastructure'; this proposal makes **verification part of daily life** — vouchers gained while shopping, commuting, seeing a doctor or strolling; the first chain stringing signal→dispatching→switch→milestone→receipt→review into one executable, fully traceable protocol.



铁路语言映射 Railway-Language Mapping

Railway-language mapping: signal→status; dispatching→human-AI division of labour; switch→AI/human handover; inspection→12-month mandatory re-verification; line closure→stop protocol; milestone→version and memory; timetable→SLA; ticketing→receipt.

命名体系 Naming System

Naming chain: Line (verification line = heritage park spine) → Stations (Zhongzhiyuan / Origin Community / Dazhongsi) → Nodes (Signal Tower / Milestone Gallery / Switch Point / Platform Plaza) → System (Proofline six-piece protocol). 'Station' is a natural railway translation: as stations once anchored life along the Jingzhang Railway, AI services now 'set up stations' along the line where the public can walk in to question, or leave to exit.


Station	Role (rail metaphor)	Location	AI scenarios & protocol anchor
Zhongzhiyuan	Safety Verification (marshalling yard / test line)	Zhongzhiyuan AI Independent Innovation Acceleration Area	TVS-01/02/03 industrial test verification, test-line status screen, test-engineer duty
Origin Community	Interpretation & Translation (signal tower)	Beijing AI Origin Community	LSC-01 guide, LSC-05 fact-check, inquiry plaza, explanation receipts
Dazhongsi	Daily Service Verification (passenger station)	Dazhongsi AI Industry Cluster	LSC-03 night delivery coordination, platform plaza, daily receipts

Node	Function
Signal Tower	Verification command centre (Origin Community), transparent and open; explanation screens showing 'why this decision'
Milestone Gallery	Verification events + AI-agent honour wall (mid-line); launch time, review records and contributor rolls inscribed
Switch Point	Interactive public space; the public can switch AI/human service modes by hand — the 'points' mechanism
Platform Plaza	Dazhongsi public status screen + event gathering + main venue of the Annual Verification Festival

五大功能映射与三区两翼 Five-Function Mapping & Two Wings

Five-function mapping: full-stack AI innovation→Zhongzhiyuan Safety Verification Station; world-class AI ecosystem→Origin Community Interpretation Station; AI+ scenario enablement→Dazhongsi Daily Service Verification Station; intelligent vitality→full-line scenario system; AI governance discourse→Proofline protocol & Verification Festival.

Three zones, two wings: three stations = three key areas; the Zhongguancun tech-service wing carries global factor allocation and capital enablement (linked with 'Register'); the Xiaoyuehe scenario-enablement wing carries LSC-06 explainable congestion management — a 'protocol-factor-scenario' loop.



Narrative landing: from the people who designed railways, to the people who design the rules.

视觉系统 Visual System

Visual system: ① the three signal colours enter wayfinding and status language (green=trial / amber=restricted / red=stopped) as public service-status colours; ② milestone as spatial memory symbol; ③ running-chart as the typographic language (this booklet follows it); ④ cultural identity kept distinct from the strip-wide logo system.

The three-act narrative is the international communication spine, landing on 'from designing railways to designing rules': the Jingzhang heritage lives not in a showcase but in the rules.

绿 试运行 Trial 黄 限速 Restricted 红 停运 Stopped

Baselines and thresholds are design targets, not yet field-measured (unknown/pending); field baselines are to be collected on site. Stop thresholds are always hard requirements.

Industrial Test Verification ×3 (Zhongzhiyuan Station · TVS-01~03, full fields)

Zhongzhiyuan · test line	Zhongzhiyuan + full-line Q&A points	Zhongzhiyuan + Dazhongsi delivery windows
运营者 Operator: Test-platform operator + test engineers 基线来源 Baseline: Design targets (not yet measured); field baseline pending 观察/样本/时间窗 Observation: Shuttle trial runs; sample=trials; window=service hours 成功阈值（目标） Success (target): On-time rate ≥95% 停止阈值（硬性） Stop (hard): Any human-vehicle contact incident 独立停机复核（人类） Human review: Safety officer on every shuttle 等价人工服务 Human fallback: Regular shuttle / human driver 数据留存/删除凭证/复核周期 Data: Run logs; deletion receipts; review cycle=per run / daily 申诉入口/扩容复盘 Appeal: Test review meeting; re-verification before scale-up 协议链映射 Protocol chain: Register→test-line status screen→engineer on duty→emergency stop→test-report receipt→review	运营者 Operator: Service operator + duty officers 基线来源 Baseline: Design targets; per Interim Measures for Generative AI boundary 观察/样本/时间窗 Observation: Gov/city Q&A; replies; sample=random checks; window=monthly 成功阈值（目标） Success (target): Fact-check pass rate ≥98% 停止阈值（硬性） Stop (hard): 3 consecutive factual errors or 1 high-risk error 独立停机复核（人类） Human review: Duty-officer spot checks + public inquiry desk 等价人工服务 Human fallback: Human agent / counter response 数据留存/删除凭证/复核周期 Data: Anonymised Q&A; logs; deletion receipts; review cycle=monthly 申诉入口/扩容复盘 Appeal: Inquiry desk / appeal entry; review before scale-up 协议链映射 Protocol chain: Register+explain screen+duty+stop switch+explanation receipt+monthly review	运营者 Operator: Delivery operator + dispatch duty 基线来源 Baseline: Design targets (not yet measured); field baseline pending 观察/样本/时间窗 Observation: Delivery tasks & drone logistics; sample=order batches; window=delivery hours 成功阈值（目标） Success (target): Delivery time achievement ≥95% 停止阈值（硬性） Stop (hard): Pedestrian safety incident 独立停机复核（人类） Human review: Rider handover confirmation 等价人工服务 Human fallback: Human rider delivery 数据留存/删除凭证/复核周期 Data: Location data minimised; deletion receipts; review cycle=daily 申诉入口/扩容复盘 Appeal: Delivery service desk; review before scale-up 协议链映射 Protocol chain: Register+window status screen+dispatch duty+emergency stop+handover receipt+review

Daily Scenarios ×9 (LSC-01~09, summary)

ID	Name	Location	Core points
LSC-01	Public AI Guide	Origin Community (interpretation)	Multilingual, explainable, switchable to human guide (ai-cultural-guide)
LSC-02	Accessible Switchable Routes	Along the line	Law art.39 boundary; statutory listed venues only (ai-traffic-walkability)
LSC-03	Night Delivery & Quiet Space Coordination	Dazhongsi	Quiet hours, delivery time windows (robot-delivery-low-speed)
LSC-04	Paper Service Entry	Line communities	Phone-free human-equivalent entry for elders; paper receipts
LSC-05	Public AI Fact-Checking	Inquiry desk	Submit AI content → sourced conclusion + explanation receipt
LSC-06	Explainable Congestion Management	Xiaoyuehe wing	Signal coordination showing 'why this dispatch'
LSC-07	Thermal Comfort Alerts	Public spaces	Extreme-weather alerts + human emergency duty
LSC-08	Community Service Matching	Communities	AI matching + human social-worker review (enterprise-service-copilot)
LSC-09	Data Deletion & Exit Receipt	Along the line	Leaving an AI service yields a deletion receipt (public-safety-operations-review)

Persona	Typical needs	Spatial response	Protocol boundary
P01 Grandma Wang · 78, lives alone (Dazhongsi)	AI service entry without a phone	Paper entry, human agency, LSC-04	No behavioural profiling; human fallback
P02 Chen Mo · 29, AI engineer (Zhongzhiyuan)	Testing, open-source, reputation	Test line, milestone honour wall, TVS series	Code & test data contributed voluntarily
P03 Master Li · 40, delivery rider (Xiaoyuehe)	Night delivery windows, human-robot handover	Delivery windows, robot handover points, LSC-03	Location data minimised; human handover fallback
P04 Zhang Lin · 35, mother (Origin Community)	Guide, safety, thermal comfort	Accessible switchable routes, comfort alerts, LSC-01/02/07	No child tracking
P05 Alex · 28, overseas developer visitor	Multilingual, open protocol, events	Inquiry desk, festival international session, LSC-05	Multilingual explanations; anonymous participation
P06 Boss Zhao · 45, SME owner	Scenario open-application, resource matching	Four-step scenario opening, enterprise copilot	Data authorisation under separate contract

The six personas serve as 'review seats', not labels — composite role samples for design validation, not measured data. Each persona maps to explicit protocol boundaries (data minimisation, human fallback, exit rights).

京张可验证生活线 · 概念用地结构图

Jingzhang Verifiable Life Line — Conceptual Land Use Structure

30 地块 · 12 类用地代码 · 覆盖总体设计范围，无重叠无缝隙（概念建议，待官方边界重算）

PROVISIONAL 临时边界

结构说明 Structure Note

- 科研(0802) 与文化(0803) 主要沿廊道中段聚集，对应众智园与原点社区
- 大钟寺片区以商业(05) 与社区服务(0702) 承载日常服务验证
- 1401/1402 绿地构成遗址公园带绿廊，贯穿南北（见蓝绿连续图）
- 16 留白用地为验证场景预留（沙盒/测试/未来公共服务扩展）
- 1207 城镇道路 + 05 商业贴邻主要接驳线布置



用地代码图例 Land Use Legend

- 05 商业服务业 Commercial & Business
- 0701 城镇住宅 Residential
- 0702 社区服务设施 Community Service
- 0802 科研 R&D
- 0803 文化 Culture
- 0804 教育 Education
- 0805 体育 Sports
- 0806 医疗卫生 Healthcare
- 1207 城镇道路 Urban Road
- 1401 公园绿地 Park Green Space
- 1402 防护绿地 Buffer Green Space
- 16 留白 Reserved Space

重点区域（三站）Key Areas

验证线主廊道（虚拟里程 9.5 km）

注：用地为概念建议（A-LANDUSE-CONCEPT-001），官方边界确认后重算。

指标引用 Metric references:

30 地块 · 绿地率 7.89% · 公共空间率 0.95% · 建筑密度 3.04%

信源：SITE-PACKAGE / MNR 用地分类 202311 · 概念示意

概念示意 · Conceptual

数据：provisional boundary（EPSG:4326），官方数据发布后重算 | 来源：官方公告 + 任务书 + 注册表登记源

© light07-Y

Concept land-use structure

Building scale: ~150 conceptual building masses (Zhongzhiyuan ~55, Origin Community ~50, Dazhongsi ~40, few along the line) covering 13 building types. Building footprint 347,196 m², building density 3.04%.

Retain/renovate/leave-blank is a conceptual classification (keep heritage anchors, renew inefficient space, reserve for verification) — no specific plots are designated; heights and FAR are indicative and are not statutory controls.

Land-use category	Code	Conceptual layout
Research land	0802	Zhongzhiyuan & Origin Community cores
Education & research support	0804	Origin Community campus-stitching belt
Cultural land	0803	Three-station cultural nodes, Milestone Gallery
Commercial & service land	05	Dazhongsi commercial area, station surroundings
Residential & community service	0701/0702	Origin talent housing, line communities
Green & open space	1401/1402	Heritage green corridors, buffer green
Square land	1403	Three station-front plazas and nodes
Road land	1207	Road micro-circulation
Reserved land	16	Reserved for unverified uses ('permanent trial')

京张可验证生活线 · 慢行与蓝绿连续图

Jingzhang Verifiable Life Line — Mobility & Blue-Green Continuity
沿线下站、步行可达：验证线主廊道9.5 km，连接三站与四节点，慢行接驳 + 绿廊连续

PROVISIONAL 临时边界

连续性与可达性 Continuity & Accessibility

- 遗址公园带绿廊（1401/1402）南北连续约 8 km，串联三站与四节点
- 验证线主廊道：三站间慢行+接驳主脊，虚拟里程 9.51 km
- 公共空间系统：站台广场 ×3 + 里程碑廊 + 扳道站 + 社区空间 ×5
- 清河滨水防护绿带 + 北五环防护绿带，形成廊道北侧生态锚固
- 每条验证线均配置独立慢行路径，人机分离，步行 5 分钟覆盖站点服务圈

图例 Legend

- 验证线主廊道 Proofline main corridor (9.51 km)
- 联络线/支路 Connector & branch roads
- 绿廊/自行车道 Greenway & cycleway
- 步行街/步行联络 Pedestrian links
- 站前接驳线 Transit connection
- 绿地 Green space（1401/1402）
- 公共空间节点 Public space nodes
- 站台广场/里程碑廊/扳道站 Station plazas & nodes
- ⊖ 5 分钟步行圈 5-min walk circle



指标引用 Metric references:
主廊道 9.51 km · 道路中心线 24.16 km · 绿地率 7.89% · 公共空间率 0.95%
信源：SITE-PACKAGE · 概念慢行网络，非工程方案（A-ROAD-CONCEPT-001）

概念示意 · Conceptual

数据：provisional boundary（EPSG:4326），官方数据发布后重算 | 来源：官方公告 + 任务书 + 注册表登记源

© light07-Y

Mobility & blue-green continuity

交通 Mobility

- Verification-line spine: heritage belt for walking & cycling (greenway/walk classes); slow-mobility links between stations
- Rail integration: Dazhongsi and other stations integrated with four-quadrant pedestrian connectivity
- Road micro-circulation and access roads are conceptual suggestions, not alignment engineering

• LSC-06 explainable congestion management (Xiaoyuehe wing): signal coordination shows 'why this dispatch'; evidence enters reviews

蓝绿与公共空间 Blue-Green & Public Space

• Blue-green spine: heritage park belt (green corridor + buffer green + in-station parks); green ratio %s (provisional recalculation)

• Public space system: three station-front plazas, four nodes and community spaces; public-space ratio %s

• Urban character: three-signal wayfinding, milestone memory symbols, running-chart typography



概念更新项目清单（10 项）10 Conceptual Renewal Projects

No.	Conceptual renewal project (10)	Protocol link
01	Zhongzhiyuan test line & public test field	TVS-01/02/03, test-line status screen
02	Signal Tower (Origin interpretation hub)	Screen/explanation, inquiry desk
03	Milestone Gallery & milestone belt	Verification events, honour wall
04	Switch Point interactive public space	AI/human switching experience
05	Dazhongsi platform plaza & status screens	Status screen, event gathering
06	Heritage-belt slow corridor weaving	Proofline virtual mileage (9,506 m)
07	Paper service entries & receipt kiosks	Receipt (paper voucher)
08	Xiaoyuehe explainable congestion scenario belt	LSC-06 signal coordination
09	Community AI service stations (human desk)	Duty (human fallback)
10	Verification Festival venue & running-chart hall	Review (public review)

分期实施 Phasing

Phase	Scope	Content	Verification status
Phase 1 • Verification Launch	Three key areas & station surroundings	Three stations operational as verification roles; TVS-01/02/03 launch; Signal Tower & Platform Plaza in use	First services enter 'Register'; trial operation
Phase 2 • Full-line Weaving	Whole heritage belt	Slow-corridor weaving, milestone belt, Switch Point, community stations	All line services under 12-month mandatory re-verification
Phase 3 • Two-Wing Coordination	Zhongguancun tech-service wing, Xiaoyuehe scenario wing	Factor allocation linkage, explainable congestion, festival international session	Protocol becomes a belt-level governance product; international outreach

京张可验证生活线 · 指标与证据图

PROVISIONAL 临时边界

Jingzhang Verifiable Life Line — Metrics & Evidence

known 指标（几何派生 confidence=medium） · unknown 指标诚实标注 pending，不渲染伪数字

A · 空间规模 Site Scale




B · 验证廊道 Verification Corridor



C · 站点 · 场景 · 人群 · 地标 Stations · Scenarios · Personas · Landmarks



D · 待官方数据（诚实标注，不渲染伪数字） Pending Official Data



置信度说明 Confidence：几何派生指标（面积/密度/比率/长度） confidence = medium，由 provisional 边界复算（A-BOUNDARY-001），官方数据发布后全包重算；设计计数（站数/场景卡/画像/地标） confidence = high。全部指标不得与官方公告数值互相替代（A-AREA-MISMATCH-001）。

概念示意 · Conceptual

数据：provisional boundary（EPSG:4326），官方数据发布后重算 | 来源：官方公告 + 任务书 + 注册表登记源

© light07-Y

Metrics cards & evidence chain

Metric (unknown/pending)	Note
floor_area_ratio	Official control not published; awaiting statutory conditions (A-CONTROLS-001)
building_height_max_m	Official height control missing; conceptual masses are indicative only
planned_green_ratio	Official planned green ratio missing; not to be confused with concept green_ratio
stop_response_target_min	Operational design target, not measured; field baseline pending
fact_check_pass_rate_target	TVS-02 ≥98% is a design target, not an achieved metric
shuttle_punctuality_target	TVS-01 ≥95% is a design target, not an achieved metric

Recalculation: areas and lengths computed in EPSG:4548 (CGCS2000, zone CM117E), output EPSG:4326; geometry-derived metrics carry medium confidence; provisional values coexist with, and do not replace, announced figures. Unknown metrics reflect missing official controls or field baselines — design targets are never disguised as achieved values.

Metric	Value	Unit	Confidence
site_area_sqm (overall design scope)	11,412,825 m ² (11.41 km ²)	sqm	medium
key_area_count	3	count	medium
building_footprint_area_sqm	347,196 m ²	sqm	medium
building_density	3.04%	ratio	medium
green_ratio (concept)	7.89%	ratio	medium
public_space_ratio	0.95%	ratio	medium
road_centerline_length_m	24,159 m	m	medium
proofline_route_length_m (virtual mileage)	9,506 m	m	medium
verification_station_count	3	count	high
scenario_card_count	12	count	high
industrial_tvs_count	3	count	high
user_persona_count	6	count	high
landmark_count	4	count	high

年度运营机制 Annual Operating Mechanism

Mechanism	Arrangement
Annual Verification Festival (September) + Running-Chart Release	Annual open day, full-year running chart & status release; international session
Monthly public review meeting	Service data, stop events and receipts reviewed; public may attend and question
Weekly Switch Day (one-day duty officer)	Public serve as one-day duty officers, experiencing 'Duty' and 'Switch'
Milestone inscription honours	Verification events and contributors inscribed in the gallery; version & memory made visible
12-month mandatory re-verification	Every service is 'inspected' on expiry, re-running 'Register'; trial operation never ends
Four-step scenario opening	Open application → sandbox test → human review → public display

风险分级 Risk Grading (R1-R5)

ID	Risk	Response
R1	Boundary data risk	Provisional boundary → medium confidence + full recalculation on official release; organiser data gap does not block scoring
R2	Site-status risk	No site visit → field baselines pending; metrics honestly marked unknown/pending
R3	Technical feasibility risk	New infrastructure as conceptual prototypes; no engineering feasibility claims
R4	Privacy & compliance risk	Data minimisation, deletion receipts, Barrier-Free Law art.39 boundary, Generative AI Interim Measures boundary
R5	Policy uncertainty	Activities and policy suggestions are conceptual; no imitation of official arrangements

Unified boundary terms: all outputs are open co-creation concept suggestions, not substitutes for formal planning and not government-approved conclusions; no statutory judgments on controls, plot-level retain/renovate/demolish, or road/rail/bridge engineering alignments. Deliverable fonts: Noto Sans SC (OFL — embeddable, attributable, redistributable); tools, images and data rights registered item by item in copyright_statement.md.