

JING-ZHANG CIVIC FOUNDRY • V5.0

JING-ZHANG CIVIC FOUNDRY

AN AI CIVIC-PRODUCT CONVERSION LINE CO-AUTHORED BY THE CITY

EXISTING PUBLIC ASSET

9 km


continuous park

70

communities

450k

people served



SPACE BEFORE MECHANISM

ONE LINE • THREE GROUNDS • NINE ROOMS • QUIET-ACTIVE RHYTHM

01

ZHONGZHIYUAN / SAFE VALIDATION

QUIET-TEST-OBSERVE-EXIT

DISTINCT PUBLIC EXPOSURE AND RISK THRESHOLD

02

AI ORIGIN / CO-PRODUCTION

STREET-PORCH-COURT-WORKSHOP

DISTINCT PUBLIC EXPOSURE AND RISK THRESHOLD

03

DAZHONGSI / CIVIC PREMIERE

STATION-STREET-GROUND-HALL

DISTINCT PUBLIC EXPOSURE AND RISK THRESHOLD

NINE TRANSVERSE URBAN ROOMS

CAMPUS/PARK → STREET-PORCH-COURT-WORKSHOP → COMMUNITY/STATION

TURN THE RAILWAY EDGE INTO ENCOUNTER NODES; KEEP QUIET GREEN INTERVALS BETWEEN ACTIVE POINTS.

ONE REAL CIVIC COMMISSION

ONE VISIBLE PUBLIC PROTOTYPE


ONE YEAR OF ADOPT-OR-EXIT EVIDENCE

FROM RAILWAY CAPACITY TO CIVIC CONVERSION CAPACITY

CITY IMAGE + URBAN STRUCTURE

A SPATIAL FRAME PEOPLE CAN REMEMBER

PATHS, EDGES, DISTRICTS, NODES AND LANDMARKS FORM ONE LEGIBLE CITY IMAGE.



FIVE CITY-IMAGE ELEMENTS

PATH / 路径
ONE LINE: CONTINUOUS PARK + CONVERSION PATH

EDGE / 边界
RAILWAY EDGE BECOMES A CROSSABLE SEAM

DISTRICT / 区域
THREE GROUNDS: VALIDATE, CO-PRODUCE, PREMIERE

NODE / 节点
NINE ROOMS: STREET-PORCH-COURT-WORKSHOP

LANDMARK / 地标
CONTRIBUTION LANDMARKS RECORD CIVIC CAPABILITY

TRANSVERSE URBAN-ROOM SECTION



NINE ROOMS ARE CANDIDATE FIELD-VERIFICATION STITCHES, NOT ROAD OR ENGINEERING COMMITMENTS.

FIG 02

KEY AREAS | THREE HUMAN-SCALE SEQUENCES

Concept design • provisional geometry • official_boundary=false


THREE GROUNDS + SIX PATTERNS

THREE KEY AREAS, NOT THREE OBJECT LANDMARKS

THREE DISTINCT SPATIAL CHARACTERS DEFINED BY FIVE-MINUTE WALKS, EYE-LEVEL EDGES AND PUBLIC EXPOSURE.



SIX REUSABLE SPATIAL PATTERNS



PATTERNS MUST BE CALIBRATED TO USERS, TREES, HERITAGE AND MAINTENANCE; NO UNIFORM CORRIDOR DEPLOYMENT.

FIG 03

ECOLOGICAL SUITABILITY + PUBLIC LIFE

NOT EVERY PLACE NEEDS TO BE ACTIVATED

READ WATER, SOIL, TREES, HEAT, SOUND AND HABITAT BEFORE QUIET, REPAIR OR REVERSIBLE TESTING.

SIX-LAYER ECOLOGICAL SUITABILITY OVERLAY



WATER / PONDING



SOIL / ROOT ZONES



TREES / CANOPY



HEAT / SHADE



SOUND / QUIET



HABITAT / CONTINUITY

DEFAULT RULE

NO SURVEY DATA = BUILD LESS, STAY REVERSIBLE, AVOID ROOT ZONES

HIGH SENSITIVITY / HIGH DAILY USE: CONSERVE
HARDENED / ACCESSIBLE / MAINTAINABLE: CONSIDER A REVERSIBLE PROTOTYPE

QUIET-ACTIVE CORRIDOR RHYTHM

QUIET


ACTIVE



P4 QUIET NO-SCAN BYPASS



NO CLOSURE • NO SCAN • NO FEE • CONTINUOUS SHADE



DAILY EDGE

CONTINUOUS SHADE

REVERSIBLE NODE

2×3 PUBLIC-LIFE OBSERVATION WINDOW


WEEKDAY

WEEKEND

AM

NOON

PM



OBSERVE; DO NOT PREFILL RESULTS

WALK / DETOUR

STOP / SIT

CARE / EXERCISE

TALK / CONFLICT

REPEAT IN HEAT, COLD, RAIN, SNOW AND EVENT CONDITIONS

SUITABILITY IS NOT A SCORE; IT LEADS TO FOUR SPATIAL DECISIONS

KEEP QUIET

HIGH ECOLOGICAL SENSITIVITY / HIGH DAILY USE
CONSERVE, REPAIR AND OBSERVE

REPAIR DAILY LIFE

MISSING SHADE, SEATS, CROSSING, LIGHT OR STAFFED HELP
REPAIR THE S1 PUBLIC BASELINE FIRST

PERMIT A TEST

HARDENED, ACCESSIBLE, MAINTAINABLE + CHAIN PASSED
TIME-LIMITED REVERSIBLE PROTOTYPE


REFUSE BUILDING

ROOT ZONE, QUIET INTERVAL, MAIN PATH OR EVIDENCE GAP
BLANK SPACE IS NOT BUILDABLE SPACE


ADOPTION EVIDENCE + PUBLIC VALUE

NOT “PILOTED” , BUT ADOPTED OR EXITED WITH CARE


PUBLIC INVESTMENT FOLLOWS VERIFIABLE CIVIC OUTCOMES; LEDGERS SUPPORT RATHER THAN REPLACE SPACE AND LIFE.



FIVE URBAN-DESIGN ACCEPTANCE TESTS



FOUR SCALES FOR A CLEAR PUBLIC DECISION



BASELINE | A NINE-KILOMETRE PARK ALREADY IN USE

Concept design • provisional geometry • official_boundary=false

EXISTING PUBLIC ASSET

9 km


continuous park

70

communities

450k

people served



OVERALL STRUCTURE | THREE GROUNDS + NINE ROOMS

Concept design • provisional geometry • official_boundary=false

SPACE BEFORE MECHANISM

ONE LINE • THREE GROUNDS • NINE ROOMS •
QUIET-ACTIVE RHYTHM

01

ZHONGZHIYUAN / SAFE VALIDATION

QUIET-TEST-OBSERVE-EXIT

DISTINCT PUBLIC EXPOSURE AND RISK THRESHOLD

02

AI ORIGIN / CO-PRODUCTION

STREET-PORCH-COURT-WORKSHOP

DISTINCT PUBLIC EXPOSURE AND RISK THRESHOLD

03

DAZHONGSI / CIVIC PREMIERE

STATION-STREET-GROUND-HALL

DISTINCT PUBLIC EXPOSURE AND RISK THRESHOLD

NINE TRANSVERSE URBAN ROOMS

CAMPUS/PARK → STREET-PORCH-COURT-WORKSHOP → COMMUNITY/STATION

TURN THE RAILWAY EDGE INTO ENCOUNTER NODES; KEEP QUIET GREEN INTERVALS BETWEEN ACTIVE POINTS.

ONE REAL CIVIC COMMISSION

ONE VISIBLE PUBLIC PROTOTYPE


ONE YEAR OF ADOPT-OR-EXIT EVIDENCE

FROM RAILWAY CAPACITY TO CIVIC CONVERSION CAPACITY

CITY IMAGE + URBAN STRUCTURE


A SPATIAL FRAME PEOPLE CAN REMEMBER

PATHS, EDGES, DISTRICTS, NODES AND LANDMARKS FORM ONE LEGIBLE CITY IMAGE.



FIVE CITY-IMAGE ELEMENTS

- PATH / 路径**
ONE LINE: CONTINUOUS PARK + CONVERSION PATH
- EDGE / 边界**
RAILWAY EDGE BECOMES A CROSSABLE SEAM
- DISTRICT / 区域**
THREE GROUNDS: VALIDATE, CO-PRODUCE, PREMIERE
- NODE / 节点**
NINE ROOMS: STREET-PORCH-COURT-WORKSHOP
- LANDMARK / 地标**
CONTRIBUTION LANDMARKS RECORD CIVIC CAPABILITY



NINE ROOMS ARE CANDIDATE FIELD-VERIFICATION STITCHES, NOT ROAD OR ENGINEERING COMMITMENTS.


FIG 02



ZHONGZHIYUAN • SAFE VALIDATION

QUIET-TEST-OBSERVE-EXIT

KEEP A COMPLETE BYPASS FIRST; ENTER CONTROLLED TESTING VOLUNTARILY. STATUS AND FAILURE ARE VISIBLE, HAZARD IS CONTAINED.




P4 QUIET BYPASS REMAINS CONTINUOUS



AI ORIGIN • CO-PRODUCTION

STREET-PORCH-COURT-WORKSHOP

MOVE FROM AN EVERYDAY STREET TO A COMMISSION PORCH AND FREE COURT, THEN VOLUNTARILY INTO MAKING. CO-AUTHORS ALTER THE PROTOTYPE.



P4 QUIET BYPASS REMAINS CONTINUOUS



ST

COM
BEF
COF




P4 C



DAZHONGSI • CIVIC PREMIERE

STATION-STREET-GROUND-HALL

CONNECT TRANSIT TO NEIGHBOURHOOD GROUND FLOORS AND EVERYDAY STEPS BEFORE THE HALL. LOW-RISK PROJECTS FACE PUBLIC UNDERSTANDING AND CORRECTION.



P4 QUIET BYPASS REMAINS CONTINUOUS


THREE GROUNDS + SIX PATTERNS

THREE KEY AREAS, NOT THREE OBJECT LANDMARKS

THREE DISTINCT SPATIAL CHARACTERS DEFINED BY FIVE-MINUTE WALKS, EYE-LEVEL EDGES AND PUBLIC EXPOSURE.



SIX REUSABLE SPATIAL PATTERNS



PATTERNS MUST BE CALIBRATED TO USERS, TREES, HERITAGE AND MAINTENANCE; NO UNIFORM CORRIDOR DEPLOYMENT.

FIG 03

ECOLOGICAL SUITABILITY + PUBLIC LIFE

NOT EVERY PLACE NEEDS TO BE ACTIVATED

READ WATER, SOIL, TREES, HEAT, SOUND AND HABITAT BEFORE QUIET, REPAIR OR REVERSIBLE TESTING.

SIX-LAYER ECOLOGICAL SUITABILITY OVERLAY



WATER / PONDING



SOIL / ROOT ZONES



TREES / CANOPY



HEAT / SHADE



SOUND / QUIET



HABITAT / CONTINUITY

DEFAULT RULE

NO SURVEY DATA = BUILD LESS, STAY REVERSIBLE, AVOID ROOT ZONES

HIGH SENSITIVITY / HIGH DAILY USE: CONSERVE
HARDENED / ACCESSIBLE / MAINTAINABLE: CONSIDER A REVERSIBLE PROTOTYPE

QUIET-ACTIVE CORRIDOR RHYTHM

QUIET


ACTIVE



P4 QUIET NO-SCAN BYPASS



NO CLOSURE • NO SCAN • NO FEE • CONTINUOUS SHADE



DAILY EDGE

CONTINUOUS SHADE

REVERSIBLE NODE

2×3 PUBLIC-LIFE OBSERVATION WINDOW


WEEKDAY

WEEKEND

AM

NOON

PM



OBSERVE; DO NOT PREFILL RESULTS

WALK / DETOUR

STOP / SIT

CARE / EXERCISE

TALK / CONFLICT

REPEAT IN HEAT, COLD, RAIN, SNOW AND EVENT CONDITIONS

SUITABILITY IS NOT A SCORE; IT LEADS TO FOUR SPATIAL DECISIONS

KEEP QUIET

HIGH ECOLOGICAL SENSITIVITY / HIGH DAILY USE
CONSERVE, REPAIR AND OBSERVE

REPAIR DAILY LIFE

MISSING SHADE, SEATS, CROSSING, LIGHT OR STAFFED HELP
REPAIR THE S1 PUBLIC BASELINE FIRST

PERMIT A TEST

HARDENED, ACCESSIBLE, MAINTAINABLE + CHAIN PASSED
TIME-LIMITED REVERSIBLE PROTOTYPE


REFUSE BUILDING

ROOT ZONE, QUIET INTERVAL, MAIN PATH OR EVIDENCE GAP
BLANK SPACE IS NOT BUILDABLE SPACE


ADOPTION EVIDENCE + PUBLIC VALUE

NOT “PILOTED” , BUT ADOPTED OR EXITED WITH CARE

PUBLIC INVESTMENT FOLLOWS VERIFIABLE CIVIC OUTCOMES; LEDGERS SUPPORT RATHER THAN REPLACE SPACE AND LIFE.



FIVE URBAN-DESIGN ACCEPTANCE TESTS



FOUR SCALES FOR A CLEAR PUBLIC DECISION

