


COVER

Jingzhang Maintenance Commons

One maintenance spine · three service yards · two support wings · twelve reversible scenarios

JINGZHANG MAINTENANCE COMMONS



Not smarter failure — a more repairable city



Dashed line: provisional rough work boundary. Recalculate all placement after official data.

Jingzhang Maintenance Commons: turn maintenance into innovation and repairability into a civic right.

EVIDENCE · GEOMETRY · METRICS · ASSUMPTIONS · EXIT GATES

PROBLEM + EVIDENCE

Recalculate first; promise only after evidence

JINGZHANG MAINTENANCE COMMONS

Spatial metrics use EPSG:4548; operating metrics need formulas, owners and pilot baselines

11.41 km²

provisional work area

14.8%

concept green ratio

1.9%

concept public-space ratio

12

AI maintenance scenarios

4

industry validation scenarios

3

reversible landmarks

KNOWN → GEOMETRY → FORMULA → METRIC → CLAIM

Pending: official polygons, controls, surveyed assets/ownership, mobility, utilities, heritage/ecology and operating baseline


An AI district must expose failure, responsibility, repair, service verification and exit. Provisional geometry supports concept generation and internal recalculation only.

EVIDENCE · GEOMETRY · METRICS · ASSUMPTIONS · EXIT GATES

IDENTITY + GLOBAL CASES

Jingzhang Maintenance Commons

One maintenance spine · three service yards · two support wings · twelve reversible scenarios



Not smarter failure — a more repairable city



Dashed line: provisional rough work boundary. Recalculate all placement after official data.


Translate cross-system operations, circular-city policy, Repair Cafés, open repair data, right-to-repair, Sewoon regeneration and material passports into open interfaces, skill networks and reversible renewal.

EVIDENCE · GEOMETRY · METRICS · ASSUMPTIONS · EXIT GATES

THREE SCALES

Jingzhang Maintenance Commons

One maintenance spine · three service yards · two support wings · twelve reversible scenarios



Not smarter failure — a more repairable city



Dashed line: provisional rough work boundary. Recalculate all placement after official data.

43.6 sq km studies ecosystem and institutions; 11.4 sq km organises renewal, mobility, blue-green and services; 368.4 ha across three key areas tests space, operation and exit gates.


EVIDENCE · GEOMETRY · METRICS · ASSUMPTIONS · EXIT GATES

SPATIAL STRUCTURE

A recalculable maintenance chain, not a statutory plan

JINGZHANG MAINTENANCE COMMONS

Official land-use codes cover the provisional envelope; redraw as a whole after statutory controls



- 科研 / R&D
- 文化 / Culture
- 教育 / Education
- 服务 / Services
- 居住 / Living
- 社区服务 / Community
- 绿地 / Green

Coverage 100% · overlap 0 sqm

This verifies internal topology only, not existing or approved land use.


One maintenance green spine, three service yards, two support wings and twelve micro-stations. Zhongguancun supports standards, legal, supply and enterprise services; Xiaoyue River supports ecology, community and public-space trials.

LAND USE + BUILDINGS

A recalculable maintenance chain, not a statutory plan

JINGZHANG MAINTENANCE COMMONS

Official land-use codes cover the provisional envelope; redraw as a whole after statutory controls



- 科研 / R&D
- 文化 / Culture
- 教育 / Education
- 服务 / Services
- 居住 / Living
- 社区服务 / Community
- 绿地 / Green

Coverage 100% · overlap 0 sqm

This verifies internal topology only, not existing or approved land use.

Official land-use codes fully cover the work envelope; nine footprints are program placeholders. Survey first, reactivate first, prefer light retrofit, mark no mandatory demolition and invent no FAR or height.


EVIDENCE · GEOMETRY · METRICS · ASSUMPTIONS · EXIT GATES

MOBILITY + BLUE-GREEN

Separate rights for slow mobility, blue-green space and service logistics

JINGZHANG MAINTENANCE COMMONS

Everyday access and ecology first; tests, loading and sensing stay minimal, timed and reversible



- 01

People move first

tests, robots and loading never sever an accessible bypass
- 02

Ecology lives first

shade, runoff and habitat precede demonstrations
- 03

Collect less

no face, voice, emotion or personal movement tracking by default
- 04

Design for exit

every micro-station has a term, owner, service cycle and restoration rule

Everyday access and ecology precede tests and loading. Robots stay slow, enclosed and supervised with physical stops; sensing is minimal; every station has a term, owner and restoration rule.

EVIDENCE · GEOMETRY · METRICS · ASSUMPTIONS · EXIT GATES

THREE KEY AREAS

Three service yards: reliability to everyday repair

Each key area is tested through role, space, users, operation and exit gate

JINGZHANG MAINTENANCE COMMONS

01 ZHONGZHIYUAN



Reliability Yard

industrial validation · controlled tests · operations talent

EXIT GATE

stop on failure, boundary breach or absent human takeover

02 AI ORIGIN



Open Repair Academy

open tools · accessibility adaptation · skill transfer

EXIT GATE

return if unauthorised, opaque or irreversible

03 DAZHONGSI



Civic Maintenance Market

public reporting · parts sharing · small repair services

EXIT GATE

withdraw on nuisance, blocked access or absent maintenance

All three polygons are provisional_rough; areas only check this package and do not define parcels.

Zhongzhiyuan becomes a Reliability Yard, AI Origin an Open Repair Academy and Dazhongsi a Civic Maintenance Market; each defines users, operator roles and exit gates.

EVIDENCE · GEOMETRY · METRICS · ASSUMPTIONS · EXIT GATES

SEVEN PERSONAS + TWELVE SCENARIOS

Three service yards: reliability to everyday repair

Each key area is tested through role, space, users, operation and exit gate

JINGZHANG MAINTENANCE COMMONS

01 ZHONGZHIYUAN



Reliability Yard

industrial validation · controlled tests · operations talent

EXIT GATE

stop on failure, boundary breach or absent human takeover

02 AI ORIGIN



Open Repair Academy

open tools · accessibility adaptation · skill transfer

EXIT GATE

return if unauthorised, opaque or irreversible

03 DAZHONGSI



Civic Maintenance Market

public reporting · parts sharing · small repair services

EXIT GATE

withdraw on nuisance, blocked access or absent maintenance

All three polygons are provisional_rough; areas only check this package and do not define parcels.


Workers, engineers, residents, disabled users, students, small businesses and professionals define success together. Four industry trials remain within safety, authority and human-takeover limits.

EVIDENCE · GEOMETRY · METRICS · ASSUMPTIONS · EXIT GATES


CULTURE + LANDMARKS + OPERATION

Jingzhang Maintenance Commons

One maintenance spine · three service yards · two support wings · twelve reversible scenarios



Not smarter failure — a more repairable city



Dashed line: provisional rough work boundary. Recalculate all placement after official data.

First Bolt, Open Repair Bench and Century Maintenance Ledger are reversible prototypes. Railway service culture, Zhongguancun engineering and diagnosable AI form the narrative.


EVIDENCE · GEOMETRY · METRICS · ASSUMPTIONS · EXIT GATES

PROJECT LIST + PHASING

Separate rights for slow mobility, blue-green space and service logistics

Everyday access and ecology first; tests, loading and sensing stay minimal, timed and reversible

JINGZHANG MAINTENANCE COMMONS



- 01

People move first

tests, robots and loading never sever an accessible bypass
- 02

Ecology lives first

shade, runoff and habitat precede demonstrations
- 03

Collect less

no face, voice, emotion or personal movement tracking by default
- 04

Design for exit

every micro-station has a term, owner, service cycle and restoration rule

Rules and micro-stations first, academy and service network next, capital facilities only last. All twelve projects need real owners, operators, budgets, service cycles and exit restoration.

EVIDENCE · GEOMETRY · METRICS · ASSUMPTIONS · EXIT GATES

METRICS + RISKS + NEXT STEP

Recalculate first; promise only after evidence

JINGZHANG MAINTENANCE COMMONS

Spatial metrics use EPSG:4548; operating metrics need formulas, owners and pilot baselines

11.41 km²

provisional work area

14.8%

concept green ratio

1.9%

concept public-space ratio

12

AI maintenance scenarios

4

industry validation scenarios

3

reversible landmarks

KNOWN → GEOMETRY → FORMULA → METRIC → CLAIM

Pending: official polygons, controls, surveyed assets/ownership, mobility, utilities, heritage/ecology and operating baseline

Spatial metrics recalculate in EPSG:4548; FAR, floor area and height remain unknown. Official polygons and professional data trigger a complete redraw, recalculation, rerender and self-check.

EVIDENCE · GEOMETRY · METRICS · ASSUMPTIONS · EXIT GATES