

Centennial Jingzhang AI Innovation Belt Urban Design

Time Linked. Space Woven. Future in Motion.

JINGZHANG FLOW

An urban development belt linking urban space, carrying Jingzhang memory, and moving innovation outcomes.

Time Linked. Space Woven. Future in Motion.

One Spine Links Three Zones; Two Wings Weave the Loop; Multiple Paths Integrate the City

02

From coordinated research to overall design, then key-area and scenario detailing

Completed work is presented as the core; items requiring further detailing are clearly marked.

01 Coordinated Research	03—07	Scope & boundaries, resource network, barriers & opportunities, synthesis
02 Overall Design	08—20	Theme structure, innovation loop, multi-path strategy, space & land use
03 Key-Area Detailing	21—64	Three key areas, ten AI scenarios, risks and provenance

Architect team responsible for design judgment and final confirmation | AI Agent: Codex | GitHub account: clouidxcold

03

Layer evidence to avoid treating concept boundaries as statutory conclusions

Implementation still requires field, ownership, planning and engineering verification.

Fact Layer | Citable

- 01 Official taskbook, site package and public policies
- 02 Public maps, OSM road network and existing POI
- 03 Official cases and public institutional materials

Inference Layer | Discussable

- 01 Strength of resource connections and functional gaps
- 02 East–west stitching opportunities and candidate public paths
- 03 Industry–scenario–space matching relationship

Design Layer | To be detailed

- 01 Overall structure and spatial operation strategies
- 02 Key-area functions, scenarios and nodes
- 03 Implementation list, metrics and phasing suggestions


Important
Boundary

The research scope, overall design scope and three key areas are conceptual research boundaries; resource points identify structure and do not replace field survey, ownership checks, statutory planning or engineering survey.

04 Three-Level Scope and Existing Conditions

From the coordinated research area to the overall design area, then to three key focus areas.

把已知边界、最新控规与公园建设状态放在同一张事实底图上



范围：主办方仓库 provisional_boundaries.geojson；规划与公园状态：北京市/海淀区政府公开资料

非官方红线 | 仅用于概念研究与现场核查

三层工作尺度

统筹研究约43.6 km²：判断资源网络；总体设计约11.4 km²：建立更新框架；三个重点区约368.4 ha：后续做精细设计。

最新规划事实

2026年8月11日，京张公园沿线9个街区、约1668.2 ha的街区控规获批，结构为“一带一轴、两心多点”。公开网页未提供可用法定图层。

公园实施状态

一期：清华东路—知春路约2.5 km；二期向南北延伸形成约9 km绿廊。北段与清河绿廊连通，南段学院南路—知春路恢复约2.4 km轨道。

边界可信度

紫色、橙色和红色范围均来自主办方仓库的provisional GeoJSON：面积经过校核，但不是法定红线。正式设计前必须替换为主办方确认的CAD/GIS。

研究结论 01

设计对象不再只是“新建一条公园”，而是用已贯通的绿色轴线带动两侧存量街区更新和东西向开放。

Key Diagram Points

01 The coordinated research scope identifies regional relations among universities, research, industry, communities, mobility and ecology.

02 The overall design scope organizes a continuous public network within 1–2 km around Jingzhang Park.

03 The three key areas are detailed, but they are not the only public connections in the overall scope.


04 All scopes are conceptual research boundaries and do not replace statutory planning, ownership checks or engineering survey.

Scope & Planning Status | Conceptual boundary and public-data synthesis

05 Knowledge–Industry–Life Resource Network

Knowledge and technical resources are dense to the west; community demand concentrates to the east; the Jingzhang spine enables two-way connection.

识别资源密度、跨界接口与公园可承担的公共连接作用



点位：OpenStreetMap contributors（ODbL，提取于2026-08-24）；重点锚点：政府公开资料与OSM交叉核对

非官方红线！仅用于概念研究与现场核查

资源密度（OSM样本）

研究边界内识别 346 个公开标注点：高校/高教 60、科研 124、文化共享 56、医疗 29、历史 77。数量仅代表OSM标注完整度。

结构判断

知识与科研资源并不匮乏；问题在于大量资源位于校园、院所和园区内部，彼此物理距离近，却缺少面向城市的共同首层、共享会议空间和连续慢行接口。

主要用户

学生、科研人员与初创团队具有高频步行/骑行、临时会面、短时工作、成果展示和低成本餐饮需求；周边居民则需要安静、全龄和日常化的公共空间。

关键矛盾

“资源高密度”不等于“创新高连接度”。公园最有价值的角色，是成为校园—园区—社区之间无需预约、无需门禁的公共中介。

研究结论 02

总体概念应从“串珠成链”升级为“开放接口网络”：纵向是京张公共主线，横向是把封闭资源引向公园的短支线。

Key Diagram Points

01 The west side concentrates universities, research, talent and tech firms, forming a dense knowledge and innovation resource area.

02 The east side carries community life, education, healthcare and public-service needs, making it an important source of urban feedback.

03 The existing issue is not a lack of resources, but weak everyday links across campuses, parks and communities.


04 The Jingzhang spine and transverse branches reorganize professional resources, public needs and urban life together.

Resource Network | Strengths, breaks and synergies

06 Spatial Barriers and Stitching Opportunities

East–west connection shifts from approaching the park to crossing the park and stitching the city.

区分已证实问题、地图推断与必须现场核验的断点



红线：基于道路与基础设施的结构性推断，需现场核验；蓝绿虚线：依据官方“东西连通/鱼骨慢行”要求归纳

非官方红线 | 仅用于概念研究与现场核查

已证实的阻隔

官方规划解读明确指出：铁路与13号线平行、竖向关系变化复杂，沿线存在围墙、权属分散、道路交叉和慢行断点；项目必须分段、分期推进。

已实施的缝合

二期北段在五环桥下打通3条鱼骨状慢行道，并连接清河北水绿廊；北三环通过退台、无障碍坡道和城市阳台处理高差。

仍需回答的问题

哪些校园/园区边界可以开放？哪些路口能安全过街？夜间是否连续可达？桥下空间噪声、风环境与照明如何？现有入口是否服务日常通勤？

调查优先级

优先踏勘六个横向接口，而不是平均调查43.6 km²。每处记录：门禁、围墙、路宽、信号灯、坡度、骑行停放、首层业态、早晚高峰人流。

研究结论 03

“东西割裂”要被拆成可实施的小问题：一处过街、一段首层、一扇园区门、一个共享房间、一套运营时段。

Key Diagram Points

01 Roads, walls, closed compounds and large building masses break east–west walking and public-space continuity.

02 Stitching is not simply drawing resources toward the park; it means building public routes that cross the park and connect the east and west city.

03 Prioritize roads, ground floors, forecourts, corner greens, under-bridge spaces and existing stock to reduce demolition and reconstruction.

04 Through-branches, access branches and capillary branches jointly form a multi-level, context-specific network.

Barriers & Opportunities | Roads, boundaries, ground floors and existing spaces as operable targets

07 Time Linked. Space Woven. Future in Motion. | JINGZHANG FLOW

An urban development belt linking urban space, carrying Jingzhang memory, and moving innovation outcomes.

设计理念

J与F融合，形成一条纵向延展的主脉，象征京张发展轴的连续性与向上生长力。Z以斜向贯穿其中，连接过去与未来，代表京张记忆的传承与创新动能的释放。三者交织成网，寓意时空的连接与城市能量的流动，传递智慧、协同与可持续的未来愿景。

字母融合

J + F + Z → 

设计元素解析


 纵向主脉
结构、秩序、身份。

 横向联系
联通、协作、机会。

 斜向贯穿（Z）
连接过去与未来，
传承与创新。

 流动与延续
时间的延续。
空间的交织。

 城市语境
根植城市，面向未来。
开放生长。



轨 联 时 空 ， 智 运 未 来
J I N G Z H A N G F L O W

一条串联城市空间、传承京张记忆、运载创新成果的城市发展带
Time Linked. Space Woven. Future in Motion.

应用示例



主标识



竖版锁定



标识 / 导视应用



环境 / 延展图形

Key Diagram Points

01 “Track Linking” continues the cultural imagery of connection, carrying and transport in the Jingzhang Railway.

02 Spatially it connects the main spine, three zones, two wings and surrounding resources; temporally it links memory with future life.

03 “Intelligent Mobility” emphasizes the continuous movement of knowledge, technology, teams, prototypes, products and feedback.

04 The design does not equate AI with futuristic form, but focuses on how technology improves real urban life.

Time Linked. Space Woven. Future in Motion.

08

Build an Urban Mechanism for Outcome Flow

Spatial connection, temporal continuity and innovation mobility together define the core proposition.

Spatial Linkage

- 01 Jingzhang Heritage Park becomes the longitudinal public spine
- 02 Transverse branches stitch the eastern and western blocks
- 03 Shared nodes bring resources into everyday public life

Temporal Linkage

- 01 Continue the railway imagery of connection, carrying and transport
- 02 Let historical memory and future technology coexist
- 03 Continue urban fabric through renewal rather than clearing and rebuilding

Outcome Mobility

- 01 AI Origin outputs knowledge, teams and prototypes
- 02 Zhongzhi Park advances integration, verification and acceleration
- 03 Dazhongsi undertakes display, market and feedback


Target users: students, researchers and start-up teams as the core, while also serving residents, public-service institutions, enterprises and city visitors.

Prioritize shared exchange, outcome translation, exhibition/experience, market adoption and youth life; configure real testing spaces only where industry necessity requires.

09

One Spine Links Three Zones; Two Wings Weave the Loop; Multiple Paths Integrate the City

The spine carries public life and memory; the three zones take differentiated roles; the two wings feed demand and innovation resources.



Key Diagram Points


- 01 One spine: Jingzhang Heritage Park forms a continuous north–south public base for memory, slow mobility, exchange and display.
- 02 Three zones: AI Origin incubates sources, Zhongzhi Park integrates and accelerates, and Dazhongsi provides market experience, covering different stages of the innovation loop.
- 03 Two wings: Zhongguancun inputs research, talent and professional services; Xiaoyue River inputs community needs and use feedback.
- 04 Multiple paths: through, access and capillary branches stitch the east–west city and extend the park’s publicness outward.
- 05 The overall goal is to address spatial fragmentation, disconnected innovation resources and incomplete outcome conversion chains.

Overall Functional Structure | Three-zone roles and outcome-mobility loop

10

innovation outcomes flow along the Jingzhang spine and iterate through feedback

Knowledge, technology, teams and prototypes move south; market use, applications, feedback and new needs return north.



Key Diagram Points

- 01 AI Origin Community supports knowledge sharing, outcome translation, near-campus incubation and youth talent exchange.
- 02 Zhongzhi Park supports autonomous technology integration, engineering collaboration, standards/safety and innovation acceleration.
- 03 Dazhongsi supports product experience, business conversion, urban adoption and public feedback.
- 04 Outcomes move from north to south into application; real needs and use feedback return to R&D and integration.
- 05 The two wings continuously supplement talent, computing power, capital, professional services and community demand.

AI Innovation Ecosystem Flow | From source research to urban adoption

11

Use typological operations to form transverse public branches

A continuous slow-mobility skeleton combines conditional operations, shared nodes and urban-resource anchors.

01 Street Continuity

Continuous slow mobility and safe crossing

02 Forecourt Activation

Transform building forecourts into shared nodes

03 Building Porosity

Ground floors and courtyards become public passages

04 Shared Boundary

Selectively open walled boundaries

05 Infrastructure Conversion

Reuse under-bridge and edge spaces

06 Blue-Green Linkage

Connect green spaces, water systems and pocket parks

07 Hub Connection

Multi-level slow-mobility links to transport hubs

12 Publicness extends laterally from the park into the city

Organize green patches and enlarged nodes along transverse branches to form a flexible public network.

Spatial Operations

Main spine · lateral branches · shared nodes · public interfaces

概念建议 | 可供专业团队

01 | 贯通京张公共主脉

遗产记忆、连续慢行、日常休憩
与共享活动复合，不做孤立景观带

02 | 公共性沿横向支脉渗透

支脉不仅承担通行，还串联街角绿地、
前场、院落和开放首层进入两侧街区

03 | 界面开放支撑横向联系

面园首层分段打开，重点服务横向路径
穿过建筑前场、半室外空间和共享院落

04 | 沿支脉放大复合公共节点

重点交汇处扩大为口袋公园、入口广场、
桥下客厅及可承接活动的共享场所

05 | 优先激活存量空间

保留建筑主体，优先改造首层、街角、
附属用房和低效边缘空间

06 | 少量轻量、可逆的增量

只在条件相对明确的机会空间补充
服务亭、廊架、共享设施或小型建筑

约11.4km²总体设计范围临时替代边界；公园宽度、建筑和空间单元均为类型示意，非精确比例

京张公园与遗产主脉

横向公共支脉

公共性渗透空间

放大复合公共节点

存量建筑类型示意

弱化的面园开放界面

建筑前场与过渡空间

共享院落

少量增量机会

路径交汇节点

口袋公园

街角绿地

桥下共享空间

横向公共联系模式 | 根据现场条件选择，不构成固定序列

01 直接渗透型

城市街道 → 街角绿地 / 过街节点 → 横向支脉 → 京张公园

02 建筑穿透型

城市街道 → 开放首层 / 公共廊道 → 共享院落 → 京张公园

03 前场联动型

城市街道 → 建筑前场 / 入口广场 → 复合公共节点 → 张公园

04 特殊空间转化型

道路或站点 → 桥下 / 基础设施边缘 → 横向支脉 → 京张公园

05 园区分时共享型

校园 / 园区内部路径 → 共享院落 → 分时开放入口 → 京张公园

保留提升

改善慢行、绿化、照明、导视和基础设施。

开放共享

打开首层、前场、院落和必要的内部通道。

功能植入

在低效空间植入交流、展示和公共服务。

轻量增量

条件明确时补充可逆设施和少量小型建筑。

本图回答空间如何更新，不决定具体AI场景。涉及校园、企业、社区和建筑内部的开放均为分级共享建议；不构成权属调整、拆改留、道路工程或建设实施结论。

Key Diagram Points

01 The park spine carries railway memory, ecological slow mobility, everyday public activity and innovation exchange; it is not a general testing corridor.

02 Green permeability is introduced along transverse branches, with shared nodes of different scales at real intersections.

03 Open interfaces emphasize visibility, reachability, accessibility and usability, linking forecourts, ground floors, courtyards and inner blocks.

04 Three overlapping networks carry urban memory, public exchange and innovation-outcome flow.


05 Renewal uses preservation/upgrading, open sharing, functional insertion and limited increments, emphasizing incremental, reversible and conditional action.

Spine, branches, shared nodes and existing spaces work together

Concept proposal | Not an approval or engineering conclusion

13 Overall land use focuses on composite renewal, not large-scale replacement

The diagram shows conceptual functional zoning and does not replace statutory land-use categories.



Five building and land-use actions


- 01 Preserve: continue well-functioning existing uses
- 02 Open: activate ground floors, forecourts and boundaries
- 03 Adapt: lightly renovate existing buildings for mixed use
- 04 Local renewal: fill public-service and innovation-function gaps
- 05 Conditional new build: only where ownership and planning permit

Share existing facilities first, then activate interfaces, adapt idle buildings, and only then consider conditional increments.

14

Slow-mobility stitching, hub connection and blue-green public networks work together

Prioritize east–west pedestrian continuity and use the Jingzhang spine to link green space, water systems, corners and transit nodes.



15 Use railway memory as the base and innovation life as the surface to form an enduring urban context

Focus on public interfaces, recognizable elements, night experience and adaptation of existing buildings.

Railway Heritage Interface

Linearity, frames, platforms and mobility imagery

Innovation Display Interface

Transparent ground floors, flexible exhibitions and outcome releases

Campus Sharing Interface

Graded openness, visible and accessible, quiet and friendly

Community Life Interface

Small scale, continuous shade, all-age use

Composite Hub Interface

Clear wayfinding, multi-level connection, all-weather


Blue-Green Leisure Interface

Low-impact, waterfront, seasonal and ecologically resilient

16

Cultural Fusion Narrative: From Railway Connection to Innovation Flow


Use “connect–collaborate–flow” as the shared thread to turn historical memory, innovation culture and new AI culture into readable, participatory and updateable urban experience.



17

Three AI Pilgrimage Landmarks and Honor Nodes: One Monument · One Loop · One Field

With “where knowledge begins—how technology is proven—how outcomes are adopted by the city” as the storyline, form an Origin → Proof → Echo → back-to-Origin innovation loop.



FLOW MILESTONES | Unified honor system: public space first, physically readable, digitally expandable, authorized content, revocable

18



Annual Event System and Long-Term Operation Mechanism

Long-term operation centers on “regular communities + open scenarios + annual brand events,” building an urban innovation mechanism that can initiate, match, display, receive feedback and exit continuously.

JINGZHANG FLOW WEEK

Annually release open topics, representative outcomes, contributor lists and next-year cooperation needs; other activities operate regularly across the three zones and two wings.

The annual brand event is not the only activity; it publicly archives and communicates year-round outcomes.



Operational boundary: This system is a reference for later operation teams and does not constitute confirmed activities, investment policies or implementation commitments.

19

Translate spatial goals into a verifiable metric framework

Used to compare proposals, identify data gaps and support human review; not disguised as precise uncalculated commitments.


核心指标复算与证据链

同一套临时几何、同一套公式、同一组输出

临时概念模型 | 低置信度 | 非法定指标



统一复算链



指标—证据对应

指标	证据文件	公式	状态
总体面积	site_boundary.geojson	polygon_area(site)	已知 低置信度
绿地比例	green_space.geojson	green_area ÷ site_area	已知 低置信度
公共空间比例	public_space.geojson	public_area ÷ site_area	已知 低置信度

正式数据触发规则

主办方发布经确认的总体范围或重点片区几何后，替换临时边界并同步复算 metrics.json、网页、图件及后续成果；当前数值只证明概念模型内部一致。

Key Diagram Points

01 Land use, green space, public space, roads and building renewal use the same geometric base.

02 Site area, green ratio and public-space ratio should be recalculated consistently from the corresponding GeoJSON.

03 FAR, building height and other indicators dependent on formal controls remain to be verified before data are complete.


04 Metrics test connectivity, publicness, existing-stock efficiency, everyday vitality, operations and innovation loops.

Metrics, recalculation and compliance matrix

20

Three key areas complete the innovation-outcome loop through differentiated roles

The overall roles of the three key areas are defined; Zhongzhi Park, AI Origin Community and Dazhongsi details are included in later chapters.



AI Origin generates knowledge and prototypes → Zhongzhi Park completes integration and acceleration → Dazhongsi enables market experience and feedback → new needs return to R&D

21 Existing-stock first, lightweight intervention, conditional increments

Near term focuses on public-space and scenario activation; mid term promotes existing-stock adaptation; long term implements conditional projects.



Key Diagram Points

- 01 First verify formal boundaries, ownership, buildings, municipal systems, mobility, public services and protection objects.
- 02 Near term prioritizes low-cost, reversible projects such as slow-mobility crossings, corners, forecourts, lighting and wayfinding.
- 03 Mid term opens ground floors, courtyards, park entrances, internal paths and infrastructure edges through agreements.
- 04 Mid-to-long term inserts stable exchange, display, youth, community and professional collaboration services.
- 05 Only when existing stock cannot meet needs and conditions are mature should limited professional facilities and conditional new builds proceed.

Building renewal, project list and phased implementation

22

Zhongzhi Park | Open Platform for Outcome Translation and Innovation Acceleration

INNOVATION ACCELERATOR | Research → Prototype → Test → Incubation → Scale

ZHONGZHIYUAN

Zhongzhi Park

Open platform for outcome translation and innovation acceleration

INNOVATION ACCELERATOR

Research → Prototype → Test → Incubation → Scale



Positioning boundary
Not duplicate incubation, not a university substitute, and not another vertical industrial park;
rather, it fills the middle conversion gap from Prototype → Test → Incubation.

23 Overall Location and Surrounding Resources: Zhongzhi Park at the intersection of knowledge, mobility and industry

Introduce university, park, mobility and industry resources into an open outcome-translation platform

Introduce university, park, mobility and industry resources into an open outcome-translation platform



24 Overall Positioning: Three Flows Overlaid and Interwoven with Blue-Green Systems

Ecological flow, mobility flow and innovation flow jointly shape an open innovation interface

AI Origin | Spatial Strategy

Capillary links · open ground floors · shared micro-nodes

三流叠合的蓝绿创新界面

OVERALL POSITIONING: BLUE-GREEN INNOVATION INTERFACE

众智园位于小月河蓝绿生态廊道与京张创新流动轴之间，是生态流、交通流与创新流的交汇转换节点。

其设计重点不是单纯扩展园区，而是将蓝绿系统转化为服务成果转化、测试验证、交流展示与城市共享的创新加速界面。

图例 | LEGEND

- 生态流 | ECOLOGICAL FLOW
- 交通流 | MOBILITY FLOW
- 创新流 | INNOVATION FLOW
- 蓝绿渗透空间 | BLUE-GREEN SPACE
- 核心节点 | CORE NODE
- 重要连接点 | KEY CONNECTION
- 城市肌理 | URBAN FABRIC
- 水系 | WATER SYSTEM
- 公园绿地 | GREEN SPACE



五大空间价值

- 双廊交汇界面
生态廊道与创新轴线的
关键交汇地带
- 蓝绿渗透核心区
大尺度蓝绿空间可进入、
可渗透、可共享
- 生态-园区转换节点
生态资源进入园区系统的
接口与转换区
- 创新测试与交流潜力空间
原型开发、测试验证、交流
展示的天然载体
- 交通割裂修复机会
通过蓝绿与慢行系统缝合
铁路与高速的割裂

生态流 ECOLOGICAL FLOW

小月河蓝绿生态系统
→ 提供生态基底与公共空间

交通流 MOBILITY FLOW

京张创新流动轴与城市交通
→ 提供到达、联系与可达性

创新流 INNOVATION FLOW

高校-企业-产业的创新链条
→ 提供知识、技术与产业能量

三流叠合的蓝绿创新界面

生态流 × 交通流 × 创新流
在此交汇、渗透、转换、加速

25 Users and Innovation Chain of Zhongzhi Park: From Research Outcomes to Growing Enterprises

Provide continuous space and service support across the whole outcome-translation process



26

Spatial Prototypes: Five Acceleration Mechanisms Translated into Five Real Spatial Scenarios

CONNECT / SHARE / TEST / GROW / EXPAND form a continuous innovation space system



27 Outcome Connection and Shared R&D

Enable knowledge, projects and engineering capability to quickly become verifiable prototypes

AI Origin | Scenario 01

Knowledge discovery · co-learning · collaboration



CONNECT + SHARE

让知识、项目与工程能力 快速形成可验证原型

核心行为

- 高校成果导入与项目首诊
- 联合研发与工程师协同
- 原型开发与阶段评审

空间组件

成果转化入口 / 共享研发空间 / 原型
工具平台 / 项目工作室

边界 | 开放协作不等于复制五道口第三
空间

28 Park Testing and Verification

Move prototypes from “working” to “verified”

AI Origin | Scenario 02

Urban problem co-creation · public evaluation



TEST

让 Prototype 从“能运行”进入“被验证”

核心行为

- 室内受控测试与安全隔离
- 半室外及园区环境验证
- 数据采集、评估与复盘

空间组件

测试仓 / 灰空间 / 园区道路与广场 / 数据控制空间

边界 | 测试按风险分级，不把全国泛化为测试场

29 Enterprise Growth and Outcome Scaling

Connect verified products to customers, capital and markets

AI Origin | Scenario 03

Outcome release · demand feedback



GROW + EXPAND

把验证后的产品接入客户、 资本与市场

核心行为

- 弹性研发办公与团队扩张
- 客户验证与成果发布
- 资本、法务及产业链对接

空间组件

成长企业单元 / 客户验证厅 / 发布路演厅 / 企业服务接口

边界 | 承接成长与扩展，不重复周边园区通用孵化

30 Innovation Street Interface

Turn park innovation resources into accessible urban public interfaces

AI Origin | Scenario Diagram

Public activity · innovation service · feedback



OPEN STREET

把园区创新资源转化为可进入的城市公共界面

核心行为

- 开放首层与创新服务外溢
- 商业、口袋公园和慢行激活
- 产品展示与公众体验

空间组件

开放首层 / 创新橱窗 / 口袋公园 / 慢行节点 / 服务前台


边界 | 激活界面不等于假定拆改、权属或道路红线

31 Xiaoyue River Eco-Innovation Interface

Use blue-green space for ecological exchange, public display and low-risk verification

AI Origin | Implementation

Shared spaces · micro-renewal · operation



ECO TESTBED

以蓝绿空间承载生态交流、公共展示与低风险验证

核心行为

- 生态交流与公共活动
- 智慧感知与环境监测
- 低风险户外测试与展示

空间组件

滨水慢行 / 生态客厅 / 感知节点 / 临时展示 / 可撤测试点

RESEARCH → PROTOTYPE → TEST →
INCUBATION → SCALE
开放型成果转化与创新加速平台


AI ORIGIN COMMUNITY

AI Origin Community

Campus-to-campus links · Campus-city sharing · Near-campus innovation

KNOWLEDGE COMMONS

One Spine → One Core → Four Stations → Walkable Network



Positioning boundary
Not a new closed AI industrial park, and not replacing a public network with landmark buildings;
rather, it uses shared ground floors, forecourts, streets and slow-mobility systems to let knowledge flow from campus to city.

33 Overall Spatial Structure | One Spine · One Core · Four Stations · Slow-Mobility Network

The park spine, Wudaokou core and four shared stations jointly form a public innovation network

AI原点社区设计结构分析图 (修正版)

一脉·一核·四站·慢行网络

基于Codex真实空间底图与OSM路网

OSM坐标系: EPSG:4326 日期: 2026-08-29

一脉: 京张铁路遗址公园公共主脉

南北向公共纽带串联五校空间, 连接景观、轨道、五道口核心与城市南北创新带。

一核: 五道口—AI原点核心

以五道口枢纽为核心, 响应原点延伸至AI原点社区核心功能: 汇聚知识资源、创业服务、成果发布、商业生活与青年文化活动。

四处校际共享站 (校际共享站)

① 西站 | 北大—清华校际共享站

位置: 北大东侧—清华西侧之间
服务: 北大 ↔ 清华

② 北站 | 清华—北林校际共享站

位置: 清华东侧—北林西侧 (清华东路路口附近)
服务: 清华 ↔ 北林 (叠加清华东路路口轨道B接入)

③ 东站 | 东部高校群校际共享站

位置: 北语西侧—北科大西北—北大东侧之间
服务: 北语 + 北科大 + 北大

④ 南站 | 地大—北航校际共享站

位置: 京张公园东侧—北四环南侧 (地大南侧—北航北侧)
服务: 地大 ↔ 北航 (接入京张主脉与南郊超高校路)

慢行网络: 分级慢行体系 (严格依托真实路网)

一级 | 核心联络 (高质量慢行通道)

主要是成府路与五道口周边道路, 连接一核与京张主脉

二级 | 校群联络 (中等质量慢行通道)

依托清华东路、学院路、中关村北大街, 其他东西向道路, 连接四站、校园主入口与一核用次主脉

三级 | 毛细联络 (低质量慢行通道)

连接校园入口、宿舍、共享场与公园接口等细颗粒度联系

潜在联络 / 待验证开放界面


需进一步核实校园开放条件与通行可达性

图例

- 高校 (知识源)
- 校园主入口 (已识别)
- 轨道站点
- 京张铁路遗址公园公共主脉
- 共享站 (四站)
- 一核核心区 (五道口—AI原点)
- 主要道路 (机动车)
- 街巷 (公共通道)
- 科研/创新/公共资源 (POI)



结构逻辑: 知识从校园到城市的流动路径



设计要点

- 慢行网络严格依托真实公共道路与街巷, 串联校园入口、共享站、一核与京张主脉。
- 在校际共享站周边通过首层开放、街角激活、街角营造与小尺度填补, 形成知识交流的细颗粒度。
- 四站功能各有侧重: 研究交流、共享学习、创业孵化、青年社交与公共文化活动。
- 校园开放条件、围墙与出入口可达性、跨越北四环与学院路等关键节点需现场核实。

34 Key Spatial Operations | Link—Open—Activate—Gather—Permeate

Promote publicness into campus and block edges through low-disturbance, reversible and graded openness

关键空间操作：连—开—启—聚—渗

以连续公共空间序列释放高校创新资源，不对应具体地块或工程边界



空间结果：从单一交通通道转向可停留、可交流、可持续更新的知识公共空间网络

AI Origin Community — Key Spatial Operations

Concentrates intervention on connected slow routes, active ground floors, shared thresholds, pocket nodes and adaptive reuse that can release existing innovation resources to the public realm.

Node 01 | Wudaokou—AI Origin Core | Function and Spatial Prototype

One core · two corridors · multiple halls · multiple fields: organizing outcome release, co-creation, youth exchange and urban feedback

01

五道口—AI原点核心

—核·双廊·多厅·多场 | AI创新城市客厅

AI 场景

AI成果城市发布与需求回流：成果进入城市、公众体验与需求反馈再回到高校和团队。

核 | 创新锚点

AI原点大厦及周边前场承担成果汇聚、创新服务和开放发布。

廊 | 双向公共廊

南北京张方向公共联系 + 东西五道口创
新生活与商业联系。

厅·场 | 分布式客厅

激活现有首层、地铁口前场、街角与商业退界，形成发布、共创、青年与反馈空间。

共同原则：存量优先 | 轻量介入 | 人行优先 | 开放分级 | AI辅助、人工决策

本图用于解释节点空间逻辑，不表示权属、规划边界或工程实施范围。

Wudaokou—AI Origin Core: Program and Prototype

Translates the role of Wudaokou—AI Origin Core into a coordinated program, spatial sequence and reusable prototype linked to the wider public-space network.


36 Node 01 | Wudaokou-AI Origin Core | Design Analysis

Link the AI Origin building, rail station, street commerce and Jingzhang public spine



37 Node 01 | Innovation Urban Living Room | Concept Aerial

Use open ground floors, forecourts and continuous walking interfaces to form the highest-level public innovation living room



02

西站 | 北大—清华

一楼两场，南北协同 | 研究基座·共享前场·开放花园

AI 场景

跨学科AI研究会诊：AI辅助公开文献检索、知识关联和会议整理，人工完成学术判断与合作决策。

共享研究首层

选择性激活华腾科技大厦首层，形成研究会诊、小型会议与共享学习界面。

开放研究前场

利用东北侧前场设置林下研究岛、共享长桌、小阶梯与开放问题界面。

城市研究花园

利用潜力开放空间承载公开分享、跨校课程和城市交流，轻量可逆更新。

共同原则：存量优先 | 轻量介入 | 人行优先 | 开放分级 | AI辅助、人工决策

本图用于解释节点空间逻辑，不表示权属、规划边界或工程实施范围。

PKU–Tsinghua Node: Program and Prototype

Translates the role of PKU–Tsinghua Node into a coordinated program, spatial sequence and reusable prototype linked to the wider public-space network.

39 Node 02 | Peking University–Tsinghua | Design Analysis

Connect the knowledge resources of the two campuses through shared ground floors, building forecourts and potential open spaces

北大—清华校际共享节点

一楼两场，南北协同

研究基座—共享前场—开放花园

主题结构：

“一楼两场，南北协同 | 研究基座—共享前场—开放花园”

设计对象仅三部分：华腾科技大厦首层、其东北侧前场、道路交叉口东北侧潜力开放空间，不新增大型共享中心。

1 一楼 | 共享研究首层

研究会诊、小型会议、共享学习；只选择性打开首层，形成透明、可进入的研究界面。

- 研究会诊
- 小型会议
- 共享学习

2 一场 | 开放研究前场

日常讨论、短讲、展示；采用林下研究岛、共享长桌、小阶梯和开放问题界面。

- 林下研究岛
- 共享长桌
- 小阶梯
- 开放问题界面

3 二场 | 城市研究花园

公开分享、跨校课程、城市交流；以绿地、树阵和轻型可逆构筑物形成开放城市界面。

- 公开分享
- 跨校课程
- 城市交流

设计原则

- 存量优先
- 林下共享
- 人行优先
- 轻量可逆

实施边界

华腾科技大厦首层、东北前场和右上开放区域目前都只是“设计潜力空间”，权属、开放、消防、过街和增量建设条件均未确认，不能在图上表现成已经确定可建设。

设计潜力空间范围（非建设）

一楼两场，南北协同

Peking University–Tsinghua Shared Node
Concept Masterplan



唯一主AI场景：跨学科AI研究会诊

AI负责公开文献检索、知识关联、会议记录和合作方向提示；学术判断、合作决策与敏感信息处理由人工完成。



空间策略：低干预、可逆、可持续

- 不改变原有绿地格局
- 轻量化构筑与可移动设施
- 生态友好与雨洪友好
- 数字赋能与开放共享

- 林下学习区
- 共享长桌/学习设施
- 信息界面/活动界面
- 自行车停车区
- 服务与补给点
- 设计潜力空间范围（非建设）

Node 03 | Tsinghua–Beijing Forestry University | Function and Spatial Prototype

One park · two gates · one loop · multiple points: building a low-impact learning network under trees

03

北站 | 清华—北林

一园·两门·一环·多点 | AI开放学习公园

AI 场景

开放学习与跨校课程导航：AI聚合公开课程、讲座、共享空间与学习活动，保留非AI信息获取方式。

一园 | 共享绿地

保留现有草坪与成熟树木，以开放草地和林下空间承载学习与午间交流。

两门·一环

强化两校入口、骑行停放与安全过街，沿绿地边缘形成连续林下学习环。

多点 | 学习岛

植入共享长桌、学习亭、草坡阶梯、讨论岛和课程信息界面，服务短时高频使用。

共同原则：存量优先 | 轻量介入 | 人行优先 | 开放分级 | AI辅助、人工决策

本图用于解释节点空间逻辑，不表示权属、规划边界或工程实施范围。

Tsinghua–BFU Node: Program and Prototype

Translates the role of Tsinghua–BFU Node into a coordinated program, spatial sequence and reusable prototype linked to the wider public-space network.

Node 03 | Tsinghua–Beijing Forestry University | Design Analysis

Retain lawns, trees and main paths, using distributed shared points to connect two campus interfaces



Node 04 | Xueyuan Road Three Campuses | Function and Spatial Prototype

Three gates and one loop: repairing daily access through shared entrances and a continuous street-corner walking loop

04

东站 | 学院路三校

三门一环 | 共享门厅·慢行交换环·校际信息界面

AI 场景

AI跨校课程与团队即时匹配：面向北语、矿大、北科大师生日常通勤，辅助公开课程、项目与同行者匹配。



门 | 三校共享门厅

利用三处高校街角、校门前场或建筑退界，设置林荫等候、短时讨论与信息界面。



环 | 慢行交换环

保留路口交通功能，优化四角等候、连续过街、步骑分流、无障碍与方向识别。



界 | 校际信息界面

统一数字与非数字信息界面，支持课程、项目、团队和共享空间发现。

共同原则：存量优先 | 轻量介入 | 人行优先 | 开放分级 | AI辅助、人工决策

本图用于解释节点空间逻辑，不表示权属、规划边界或工程实施范围。

Xueyuan Road Three-University Node: Program and Prototype

Translates the role of Xueyuan Road Three-University Node into a coordinated program, spatial sequence and reusable prototype linked to the wider public-space network.

43 Node 04 | Xueyuan Road Three Campuses | Design Analysis

Rely on real urban interfaces and existing crossings; do not insert a detached central building

学院路三校校际共享节点 AI跨校课程与团队即时匹配

三门一环 | 共享门厅—慢行交换环—校际信息界面

1 节点定位：

以北京语言大学、中国矿业大学（北京）、北京科技大学在学院路交叉口周边的城市界面为对象，通过三处共享门厅、慢行交换环与校际信息共享，构建服务跨校交流的知识交叉节点。



2 空间结构：



三门 | 共享门厅：
北语共享门厅、矿大共享门厅、北科大共享门厅



一环 | 慢行交换环：
优化四角等候、连续过街、步骑衔接



一界 | 校际信息界面：
课程、项目、团队与活动信息共享

3 AI场景：AI跨校课程与团队即时匹配



活动发现、课程匹配、团队匹配、短时会面、线下交流反馈。

4 关键策略：

- 不在路口中央新增共享建筑或大型广场
- 存量优先，利用街角前场、建筑退界与开放首层
- 5—30分钟高频短停使用为主
- 座椅、讨论桌、自行车停放退出主通行流线
- AI辅助公开信息匹配，人工判断与普通公告并存

5 实施边界：

校园开放、首层开放、权属、信号配时与无障碍条件均待核实。



- 1 北语共享门厅
服务北京语言大学
- 2 矿大共享门厅
服务中国矿业大学(北京)
- 3 北科大共享门厅
服务北京科技大学
- 4 慢行交换环
连接四角慢行空间
优化过街与步骑衔接
- 5 自行车停放区
两校侧角布局
便捷安全停放
- 6 开放首层
沿街界面开放
增强交流界面

场景与分析

- 1 林荫等候
树荫下舒适等候
便捷相遇



- 2 短时讨论
桌椅可移动组合
快速小组交流



- 3 校际信息界面
课程、活动与团队
一屏获取



- 4 自行车停放
有序停车便捷取用
街退慢行出行



- 5 安全过街
连续过街与等候
步行优先更安全



- 6 开放首层
沿街界面开放
吸引交流与停留



AI匹配流程（示意）



Node 05 | CUGB–Beihang | Function and Spatial Prototype

Bridge · Corridor · Workshop: linking existing bridges, linear green space and everyday dining spaces

05

南站 | 地大—北航

桥·廊·坊 | 过街天桥·共享绿廊·存量街坊

AI 场景

AI校园—城市出行与公共服务原型共评：二层形成原型，绿廊公众体验，天桥真实路径验证，人工讨论迭代。

桥 | 过街天桥

保留现状天桥交通属性，优化桥头导视、照明、无障碍与两侧慢行接驳。

廊 | 共享绿廊

保留条形绿化，嵌入林下会面、开放问题展示和小尺度公众共评。

坊 | 存量街坊

保留两层餐饮与首层生活活力，条件性激活局部二层作为城市问题工作坊。

共同原则：存量优先 | 轻量介入 | 人行优先 | 开放分级 | AI辅助、人工决策

本图用于解释节点空间逻辑，不表示权属、规划边界或工程实施范围。

CUGB–Beihang Node: Program and Prototype

Translates the role of CUGB–Beihang Node into a coordinated program, spatial sequence and reusable prototype linked to the wider public-space network.

45 Node 05 | CUGB–Beihang | Design Analysis

Retain traffic and dining functions; prioritize improving bridgeheads, green corridors and pedestrian access

地大—北航校际共享节点 「桥·廊·坊」过街天桥·共享绿廊·存量街坊

节点定位

以现状过街天桥、道路两侧校外条形绿化空间及南侧两层餐饮建筑为主要设计对象。通过桥头接驳优化、绿廊轻介入与餐饮街坊存量激活，形成面向地大、北航及周边城市人群的AI城市问题共评节点，不断增大型共享中心。

空间结构

空间	功能	设计动作
 桥 过街天桥	跨校通行 / 校际信息 / 活动入口	保留现状天桥，优化桥头导报、照明、无障碍及与绿廊的慢行衔接
 廊 共享绿廊	日常通行 / 林下会面 / 问题展示 / 小型共评	保留条形绿化，以座椅、共享桌、轻型展示和小尺度共评平台进行轻介入
 坊 存量街坊	首层餐饮 / 日常社交 / 二层工作坊与共评	保留两层建筑与首层餐饮活力，条件性激活局部二层作为AI城市问题工作坊

三者沿真实跨校路径串联，形成

“跨越道路 → 绿廊停留与公众体验 → 街坊室内共创与反馈”的空间梯度。

AI场景 | AI校园—城市出行与公共服务原型共评

地大、北航学生团队围绕校园周边出行与公共服务问题开展AI原型共评。AI辅助公开路线与服务信息整合、用户反馈分类和问题归纳；公众体验以自愿参与为前提，涉及安全判断、产品迭代及敏感数据处理均由人工完成。

流程：提出出行/服务问题 → 二层形成原型 → 绿廊公众体验 → 天桥真实路径验证 → AI整理反馈 → 人工讨论与迭代

关键设计策略

-  **桥头广场** 保留天桥的交通属性，重点强化入口识别、照明、无障碍、等候与两侧慢行衔接。
-  **绿廊轻介入** 维持现状狭长绿化格局，以通行和休憩为主，嵌入林下会面、开放问题展示与小型共评。
-  **餐饮共生** 保留首层餐饮与日常生活，优化外摆和步行界面；局部二层在条件允许时转为共享工作坊。
-  **分级开放** 绿廊与桥头保持公共开放，共评空间半开放，研发、设备与数据处理空间受控。

实施边界

现状天桥、道路两侧条形绿化及南侧两层餐饮建筑现阶段仅作为设计潜力载体；天桥结构与无障碍条件、绿地权属、建筑产权与使用、二层改造、消防及运营条件均需后续核实。周边既有建筑默认保留，不预设拆除或新增大体量建设。

-  **目标：以“桥·廊·坊”串联两校日常路径，把真实城市问题、公众体验与跨校共创嵌入既有生活场景。**

图例  绿廊与植被  桥头广场 / 节点空间

 步行流线

 骑行流线

 共享休憩 / 座椅

 展示 / 信息设施

 建筑活化界面

 自行车停车区



AI开放学习与共评场景



AI共评流程示意



46

Dazhongsi | Intelligent Application Feedback Chain

URBAN APPLICATION LAB

Time Linked · Future in Motion

JINGZHANG FLOW

3D URBAN COMMONS




Four-Quadrant Connection · Urban Application · Feedback Return



One of the three key areas | Detailed expression supporting the overall plan


47 Resources are not lacking; the real issue is the absence of continuous interfaces among the four quadrants

01 / Existing-Condition Judgment



48 The three-layer network solves only three issues: continuous arrival, ground-level activity, and critical crossing

05 / Three-Layer Network



+1 Local Three-Dimensional Interface

Cross only at the strongest barriers
Connect building second levels / key nodes

±0 At-Grade Urban Stage

Carry everyday activities and scenarios
Green space / street corners / public stage

-1 Underground Public Base

Link rail arrivals and services
Station hall / underground interface / transfer

49 Closed Loop of AI Scenario Operators

Four scenarios × four operator types × closed-loop feedback

AI场景运营主体闭合图 / AI Scenario Operating Framework

四大场景 × 四类运营主体 × 闭环回流，驱动智慧体验与价值共生
4 Scenes × 4 Operator Layers × Closed Loop Feedback, Driving Smart Experiences and Shared Value



50 Content Production and Communication

07 / Main Scenario 01



1733 · LIFE + CONTENT

Who Uses It

Young creators, residents and visitors

What Happens

Co-creation, viewing, experience and sharing

How AI Intervenes

Assisted editing, subtitles and local content generation


How Feedback Returns

Content performance and user evaluation feed into operation optimization

Concept image | Expresses behavior and mechanism; does not fix building form

51 Agent-Based Urban Services

07 / Main Scenario 02



METRO CORE · ARRIVAL + SERVICE

Who Uses It

Commuters, tourists, seniors and families

What Happens

Arrival, transfer, navigation and assistance

How AI Intervenes

Aggregate mobility, activity and accessibility services

How Feedback Returns

High-frequency issues and route choices calibrate services

Concept image | Expresses behavior and mechanism; does not fix building form

52 Smart Terminal Experience

07 / Main Scenario 03



LANJING LIJIA · EXCHANGE + BUSINESS

Who Uses It

Families, company staff and professional visitors

What Happens

Launch, trial, comparison and negotiation

How AI Intervenes

Terminal adaptation, personalized experience and explanation

How Feedback Returns

Real-use evaluations return to product and business teams

Concept image | Expresses behavior and mechanism; does not fix building form

53 Future City Testing

07 / Main Scenario 04



FUTURE APPLICATION RESERVE

Who Uses It

Residents, operators and R&D teams

What Happens

Controlled testing, observation and public co-evaluation

How AI Intervenes

Robotics, environmental sensing and safety management

How Feedback Returns

Test data determine expansion, adjustment or stop

Concept image | Expresses behavior and mechanism; does not fix building form

54

SC-01 | AI Cross-Campus Knowledge Discovery and Collaborative Co-Creation

AI Origin Community | Knowledge Sourcing / Everyday Innovation | Open–Semi-Open

Connect courses, research topics, project needs and talent distributed across universities, making “passing by—discovering—meeting—collaborating” an everyday path for near-campus innovation.

Users | university researchers and faculty; students and young developers; research staff.

AI role / necessity | aggregate public courses, lectures, projects and research information; assist interest matching, knowledge association, cooperation direction prompts and meeting records. AI supports discovery only and does not replace academic judgment.

Spatial location | AI Origin Community, mainly relying on the PKU–Tsinghua research node, Tsinghua–BFU open learning node, Xueyuan Road shared lobbies and real public slow-mobility links. Specific openings and building conditions require verification.

Spatial carriers | shared research ground floor (conditional); open research forecourt; under-canopy learning space; inter-campus shared lobby; public information interface; real public slow-mobility route.

Operation flow | discover public courses/research topics → AI matches knowledge and peers → short meeting or join learning activity → face-to-face discussion → joint research topics / team cooperation.

Operation data | public course and event information; public papers/project data; user-entered interests, questions and skill tags.

Privacy boundary | no default access to private contacts, unpublished research materials or sensitive personal information; continuous location tracking is not required; ordinary notices, QR codes and human inquiry remain available.

Human review | course opening is confirmed by organizers; academic judgment, cooperation relationships, team entry and sensitive information are handled by humans.

Suggested operator | universities/research institutions and public-space or innovation-service operators (concept proposal; subject to confirmation).

Visualization layers | scenario_sc01_knowledge_exchange; near-campus shared nodes; campus public entrances; open/semi-open learning and research carriers; slow-mobility links; public information interfaces.

Main risks | outdated information or wrong matching; algorithmic filter bubbles; mistaking potential open spaces for confirmed open spaces.

Exit / non-AI alternative | personalized recommendation can be turned off; use public course catalogues, normal notices, QR codes and human inquiry.

Innovation-loop output | cross-campus research topics, learning relationships, cooperation teams and problem lists for further incubatio.

55 SC-02 | AI Urban-Problem Prototype Co-Creation and Public Co-Evaluation

AI Origin Community | Prototype Incubation / Urban Co-Creation | Public Experience + Semi-Open Co-Creation

Start from real urban problems, let university teams build AI service prototypes in controlled spaces, then enter real public routes for public experience and feedback.

Users | students and young developers; university researchers; residents and commuters; public-service staff.

AI role / necessity | integrate public routes and public-service information; assist in organizing feedback, identifying common issues and forming iteration suggestions; does not replace safety judgment or public-service decisions.

Spatial location | AI Origin Community, preferably at the CUGB–Beihang “bridge–corridor–workshop” node; the Xiaoyue River scenario wing can input real needs from community, education, mobility and public services.

Spatial carriers | existing pedestrian bridge and bridgeheads; linear green corridors along roads; existing two-story block (conditional second-level workshop); public co-evaluation points; real walking routes.

Operation flow | raise a real urban problem → teams form service prototypes → voluntary public experience → verify along real routes → AI summarizes feedback → human discussion and prototype iteration.

Operation data | public road and service information; prototype logs; voluntarily submitted experience feedback; necessary and minimized anonymous statistics.

Privacy boundary | does not require collecting full personal trajectories; public experience must be clearly voluntary; sensitive data cannot enter open co-evaluation interfaces.

Human review | safety judgment, product iteration, public-service schemes and sensitive-data handling are completed by humans.

Suggested operator | university teams, node-space operators and relevant public-service partners (concept proposal).

Visualization layers | scenario_sc02_city_problem_cocreation; problem source points; co-creation workshop; public co-evaluation space; real verification routes; feedback-return node.

Main risks | sample bias; prototypes mistaken for formal public services; safety risks in public experience; excessive behavior-data collection.

Exit / non-AI alternative | paper questionnaires, offline interviews, ordinary workshops and manual feedback sorting.

Innovation-loop output | prototypes revised by real-use feedback, problem lists and next-round R&D tasks.

56

SC-03 | AI Outcome Urban Release and Demand Feedback

AI Origin Community | Outcome Translation / Innovation Exchange | Highly Open

Let outcomes from universities and nearby nodes leave campus, enter Wudaokou for urban display, talent/project matching and public experience, and send new market and urban demands back to R&D.

Users | university and research teams; students and start-up teams; corporate clients and professional-service providers; residents and the public.

AI role / necessity | assist plain-language explanation of outcomes, event/project matching, need classification and feedback summaries; does not make investment, cooperation, procurement or public-service decisions.

Spatial location | Wudaokou–AI Origin core: AI Origin building and forecourt, Wudaokou rail station, street commerce and public interfaces. Ground-floor opening and operation conditions require verification.

Spatial carriers | AI Origin innovation core; open ground floor (conditional); AI Origin forecourt; Wudaokou station-front public space; east-station commercial interface; beaded street-corner event fields.

Operation flow | university/near-campus outcomes enter the city → public display and demos → project/talent need matching → public experience → collect enterprise and urban problems → AI summarizes → needs return to universities and teams.

Operation data | authorized public project/product information; public event information; user-submitted needs and feedback; anonymous event statistics.

Privacy boundary | trade secrets, private contact details and sensitive personal information do not enter public matching systems; demo data require explicit authorization.

Human review | cooperation, investment, procurement, outcome evaluation and public-service judgments are confirmed by responsible humans.

Suggested operator | innovation-service platforms, rail/commercial public-space operators and event organizers (concept proposal).

Visualization layers | scenario_sc03_release_feedback; AI Origin core; open ground floor; station-front event space; east-station commercial vitality interface; need-feedback node; outcome-return arrows.

Main risks | over-promotion of outcomes; leakage of commercially sensitive information; matching bias; public mistaking demos for mature deployment.

Exit / non-AI alternative | keep human project consulting, on-site explanation, ordinary event registration and offline feedback channels.

Innovation-loop output | market needs, urban problems, cooperation opportunities and public feedback returning to AI Origin and connecting to Zhongzhi Park engineering.

57

SC-04 | AI Full-Stack Collaborative Development and Engineering Acceleration

Zhongzhi Park | Engineering Collaboration / Acceleration | Semi-Open–Controlled

Around a real AI product or system, organize model, software, chip/terminal, agent and application teams into one engineering collaboration process to reduce interface friction across teams.

Users | AI engineers and product teams; research teams; technical service staff; park professional operators.

AI role / necessity | assist technical document retrieval, interface issue locating, code/model collaboration, version knowledge management and issue tracking; does not replace engineering sign-off or quality responsibility.

Spatial location | shared engineering spaces in Zhongzhi Park key area; specific buildings and carriers require later detailed design and ownership/operation verification.

Spatial carriers | shared engineering hall; team collaboration rooms; demo work areas; technical service desk; bookable meeting rooms; controlled equipment rooms.

Operation flow | set system goal → split interface tasks across teams → AI assists knowledge retrieval and issue locating → joint development and small-scale integration → human engineering review → enter special testing/verification.

Operation data | authorized technical documents; version records; interface descriptions; test samples; public or authorized datasets.

Privacy boundary | data are partitioned by team/project; trade secrets and unpublished technical data must not enter public models or displays.

Human review | architecture choices, code merge, interface confirmation, quality sign-off and launch decisions are handled by engineers.

Suggested operator | park technical platform / engineering-service operator with resident teams (concept proposal).

Visualization layers | scenario_sc04_fullstack_acceleration; shared engineering space; collaboration units; technical service nodes; controlled equipment areas; process interface into testing/verification.

Main risks | erroneous AI-generated code/advice; IP leakage; single-vendor lock-in; wrong-version propagation.

Exit / non-AI alternative | retain human technical review, traditional version control, offline documents and isolated development environments.

Innovation-loop output | integrated versions ready for engineering verification, interface specifications and issue lists.

58

SC-05 | AI Full-Stack Interoperability Engineering Verification Field

Zhongzhi Park | AI Industry Testing & Verification | Controlled Testing + Non-Sensitive Observation

Verify in an isolated, rollback-ready engineering environment whether models, software, toolchains, terminals and agent systems can truly connect and run stably.

Users | AI engineers and product teams; test engineers; park professional operators; potential application teams.

AI role / necessity | assist automated test orchestration, log analysis, anomaly clustering and performance comparison; test pass/fail must be human-signed.

Spatial location | controlled engineering test space in Zhongzhi Park; ordinary public streets, parks or open commercial spaces must not become unapproved industry test fields.

Spatial carriers | isolated test lab; equipment integration room; log/evaluation console; engineer review room; non-sensitive observation window.

Operation flow | prepare test version → deploy in isolated environment → interoperability/stability testing → record anomalies → AI-assisted log analysis → human review → pass / roll back / continue fixing.

Operation data | synthetic or test data; device and system logs; performance metrics; authorized interface data.

Privacy boundary | no real production personal data by default; if real data are necessary, authorization and isolation are required; test network is separated from public network.

Human review | test lead confirms scope, anomaly level and pass/fail; all deployment conclusions are human-signed.

Suggested operator | professional testing platform and park engineering operation team (concept proposal).

Visualization layers | scenario_sc05_interoperability_test; controlled testing area; equipment integration area; control/review room; isolation boundary; non-sensitive observation interface.

Main risks | insufficient test coverage causing false pass; cybersecurity risk; log leakage; overstating local test results as full maturity.

Exit / non-AI alternative | stop testing on anomaly, disconnect network, roll back version and switch to manual investigation.

Innovation-loop output | interoperability reports, anomaly lists and versions ready for next-stage governance/safety evaluation.

59

SC-06 | Trustworthy AI Safety and Governance Evaluation Field

Zhongzhi Park | AI Industry Testing & Verification | Controlled Evaluation + Public Method Display

Before broader urban application, professionally evaluate AI system safety, robustness, bias, content risks and governance rules.

Users | safety evaluators; AI engineers and product teams; governance and standards researchers; park professional operators.

AI role / necessity | assist generating evaluation tasks, comparing benchmarks, summarizing anomalies and drafting initial risk summaries; cannot give final compliance/safety conclusions.

Spatial location | controlled evaluation lab and professional review space in Zhongzhi Park; the public only sees desensitized method explanations and non-sensitive results.

Spatial carriers | controlled evaluation lab; expert review room; risk discussion room; desensitized display window; audit-record facilities.

Operation flow | define evaluation scope → prepare authorized/synthetic test sets → conduct safety and trustworthiness evaluation → AI-assisted anomaly classification → expert review → form risk levels and rectification advice.

Operation data | authorized test sets; public data; synthetic data; evaluation logs and metrics.

Privacy boundary | personal privacy data must not be public display material; sensitive test sets are permissioned by level; evaluation data are separated from public display data.

Human review | final risk levels, release advice and rectification requirements are confirmed by professionals.

Suggested operator | professional evaluation platform, park operator and invited expert mechanism (concept proposal).

Visualization layers | scenario_sc06_trustworthy_ai_evaluation; controlled evaluation area; expert review area; data-level boundary; audit records; desensitized public display window.

Main risks | benchmark overfitting; incomplete evaluation coverage; wrong risk grading; sensitive-data leakage.

Exit / non-AI alternative | if thresholds are not met, stop next-stage entry and return to development for fixing; public display keeps only desensitized information.

Innovation-loop output | trustworthy evaluation reports, rectification lists, audit records and next-step deployment condition.

60

SC-07 | Embodied Intelligence Safety Verification Field

Zhongzhi Park | AI Industry Testing & Verification | Controlled Physical Testing

Verify in a controlled physical environment whether embodied systems such as robots and smart devices are safe in obstacle avoidance, emergency stop and human-machine coexistence.

Users | robotics / embodied-intelligence R&D teams; safety testers; engineers; potential application teams.

AI role / necessity | assist test-scenario generation, sensor log analysis, abnormal behavior recognition and review; does not replace on-site safety officers.

Spatial location | controlled indoor high-bay space or enclosed courtyard in Zhongzhi Park; Jingzhang Heritage Park, ordinary urban roads and everyday public spaces are not normal testing corridors.

Spatial carriers | indoor high-bay space; controlled test courtyard; safety buffer; observation corridor; emergency-stop facilities; equipment maintenance area.

Operation flow | set test conditions → safety check → controlled run → anomaly trigger / emergency stop → AI-assisted log review → human safety assessment → rectify or pass.

Operation data | device telemetry; sensor data; test logs; anonymized environment data.

Privacy boundary | avoid facial identity tracking; public and test areas are physically separated; unnecessary personal data are not collected.

Human review | on-site safety officer can stop at any time; pass/fail is confirmed by professional testers.

Suggested operator | professional embodied-intelligence testing platform and safety operation team (concept proposal).

Visualization layers | scenario_sc07_embodied_safety; controlled testing area; safety buffer; observation corridor; emergency-stop point; equipment maintenance area.

Main risks | collision and physical injury; algorithm anomaly; sensor failure; public entering the test area by mistake.

Exit / non-AI alternative | any anomaly triggers immediate stop, removal of test object and return to manual control.

Innovation-loop output | safety-condition records, anomaly database, rectification requirements and controllable deployment boundaries.

61

SC-08 | AI Agent and New Terminal Urban Experience Station

Dazhongsi | Public Adoption / AI-Native New Business | Highly Open

Place agents and new AI terminals into real commuting, commercial and urban-life settings, allowing ordinary users to try them with low barriers and decide whether they want to use them.

Users | residents and commuters; young consumers; families and visitors; merchants and service staff.

AI role / necessity | provide smart navigation, life-service assistance, multimodal interaction and personalized information recommendation; does not replace high-risk human services.

Spatial location | rail/TOD, commercial ground floors and public-space interfaces in the Dazhongsi key area; specific buildings and operators to be detailed later.

Spatial carriers | station-front / commercial public interface; open ground floor; experience shop / pop-up space (suggested); street-corner rest points; service desk.

Operation flow | pass by or enter voluntarily → choose AI service / terminal → complete a short real task → user decides whether to continue → submit optional feedback → generate product-adoption data.

Operation data | user-entered task information; consented interaction feedback; anonymized usage statistics; public service information.

Privacy boundary | data minimization; avoid forced login and continuous tracking; sensitive information cannot be required for ordinary experience.

Human review | payment, health, safety, identity and major contracts require explicit confirmation by the user or professionals.

Suggested operator | commercial/public-space operators and product teams (concept proposal).

Visualization layers | scenario_sc08_agent_terminal_experience; rail passenger entry; experience interface; open ground floor; public stay point; human-service point.

Main risks | privacy leakage; induced use/consumption; misleading product capability; insufficient accessibility for seniors and special groups.

Exit / non-AI alternative | exit AI service at any time and switch to human service, ordinary guidance or traditional commercial service.

Innovation-loop output | real public adoption feedback, use barriers and new needs returning to product teams and AI Origin.

62

SC-09 | AI Content Co-Creation and Digital Consumption Field

Dazhongsi | Content Co-Creation / New Consumption | Open–Semi-Open

Embed AI content production into commercial and public cultural spaces so the public can both consume content and participate in creation, editing, display and sharing.

Users | young consumers; content creators; merchants; cultural workers; ordinary visitors.

AI role / necessity | assist image/text/audio/video generation and editing, multilingual conversion, personalized content combination and creative inspiration.

Spatial location | commercial ground floors, small content studios, pop-up displays and public-event interfaces in the Dazhongsi key area; specific carriers to be detailed.

Spatial carriers | content co-creation studio; commercial ground floor; pop-up display; small event field; controlled digital display interface.

Operation flow | choose theme/material → AI-assisted creation → human editing and rights check → public display or consumption → public feedback / secondary creation → form new content and new consumption.

Operation data | user-uploaded materials; authorized content libraries; public data; creation-process data.

Privacy boundary | unauthorized personal images, voices and private materials cannot be used for public generation/display; commercial use requires clear copyright and authorization.

Human review | public release, commercial use, copyright/portrait-right verification and sensitive content handling require human confirmation.

Suggested operator | commercial operators, content studios / creator platforms and event operation teams (concept proposal).

Visualization layers | scenario_sc09_ai_content_consumption; content studio; pop-up display; public event field; commercial interface; copyright/human review node.

Main risks | copyright and portrait-right disputes; false or misleading content; low-quality homogeneous content; excessive personalization.

Exit / non-AI alternative | retain traditional creation, human editing, ordinary exhibitions and non-personalized content consumption.

Innovation-loop output | AI-native content, creator cooperation opportunities, public cultural feedback and consumption needs.

63 SC-10 | AI Business Conversion and Urban Cooperation Lounge

Dazhongsi | Market Conversion / Business Cooperation | Public Display + Semi-Open Business

Bring AI products that have gone through R&D and verification to the city and market end, completing conversion through demand release, project matching, demos, business talks and urban cooperation.

Users | AI enterprises and start-up teams; corporate clients; professional-service providers; urban-application demand parties; international visitors/cooperation teams.

AI role / necessity | assist multilingual communication, public supply–demand information sorting, project matching and authorized meeting summaries; does not make contract, procurement, investment or cooperation decisions.

Spatial location | TOD / commercial-business interfaces, shared meetings and release spaces in Dazhongsi key area; specific operating venues to be detailed.

Spatial carriers | open product display; shared meeting space; small release forecourt; business lounge; professional service interface.

Operation flow | public needs/products enter platform → AI assists matching potential partners → demo and face-to-face talk → professional service joins → human business decision → cooperation or new need feedback.

Operation data | voluntarily public product and need information from enterprises; event information; authorized meeting materials; non-sensitive cooperation tags.

Privacy boundary | trade secrets, quotations, contracts and unpublished product information cannot enter the public matching system; meeting summaries require participant authorization.

Human review | contracts, procurement, investment, attraction policies, cooperation commitments and policy matters are completed by responsible humans.

Suggested operator | business/innovation service platforms, venue operators and professional-service institutions (concept proposal).

Visualization layers | scenario_sc10_business_conversion; product display; need release; business lounge; professional service interface; cooperation-feedback flow.

Main risks | overpromising project capability; trade-secret leakage; automatic matching bias; treating concept cooperation as confirmed investment/attraction.

Exit / non-AI alternative | use manual business negotiations, traditional project roadshows and offline professional-service processes.

Innovation-loop output | market cooperation, customer feedback, urban-application needs and next-round product iteration tasks.

64

Public data, conceptual inference and human review jointly form the trust baseline

All uncertain content must be verified before implementation.

Data and Boundaries

- 01 Research scope and key-area boundaries are conceptual expressions
- 02 POI and road networks have timeliness and classification errors
- 03 Ownership, opening status and scale indicators still require verification

Safety and Public Interest

- 01 Robotics and autonomous driving are tested only when necessary and controllable
- 02 Public services retain human responsibility and appeal channels
- 03 Avoid surveillance expansion, algorithmic discrimination and unauthorized collection

Copyright and Generated Content

- 01 Public materials are recorded by source and not claimed as original
- 02 AI-generated images are used only for concept expression and clearly labeled
- 03 Review fonts, images and third-party material authorization before submission

Main Sources

Official taskbook and site package | Public policies of Beijing and Haidian | OSM and public POI | Public cases and institutional materials | Team design judgments and AI-assisted organization

Human review: theme and structure confirmation | figure fact-checking | key-area scheme confirmation | metric recalculation | copyright and compliance checks | pre-submission self-check