

04

P04 reversible recall counter with one sole primary slot per zone: resource, owner, acceptance and exit pass zone

The responsibility map is not an engineering scale; D0/D30/D60/D90 are future evidence gates, eight slots are unassigned, six negatives pre-commit stop rules, and four package counts are zero

P-03 spatial anchor | public walk (green) | controlled back route (orange) | PROV-KEY-003 unchanged

Spatial gate | five zones are removable service requirements, not a physical plan; no entry, recording, installation or service without written venue authorization

D0 / D30 / D60 / D90 EVIDENCE GATES

D0

written entity + venue + data + safety authorization; assign slots; otherwise no start

D30

five-zone reversible mock-up in authorized existing space; otherwise off-site synthetic only

D60

offline + access + fallback + rollback + deletion + N01–N06; any open STOP blocks public drill

D90

independent go / revise / stop; go permits only another bounded trial

D90 go permits only another bounded trial; it is not procurement, attraction, construction or a field outcome

FIVE ZONES × SOLE PRIMARY SLOT

Z1

Public notice + triage → R01

Z2

Staffed continuity + receipt → R03

Z3

Downstream impact map → I01

Z4

Controlled repair + retest → R02

Z5

Exit + restore + archive → A01

EIGHT SLOTS + ZERO BASELINE + SIX NEGATIVES

A01

pilot accountable owner • UNASSIGNED

R01/02/03

counter / repair / continuity leads • ALL UNASSIGNED

C01/02/03

authorization / access / security reviewers • ALL UNASSIGNED

I01

downstream service owner + buyer • UNASSIGNED

ZERO

0 records: field / entity / venue authorization / comparable quotes

STOP

N01–N06; 2 independent comparable written quotes before procurement

N01–N05 → STOP; N06 → NO PROCUREMENT. Two quotes must be independent, written and comparable on frozen quantities/period/tax/installation/maintenance/removal/handover; quotes are not funding or authorization.

BOARD CLAIM

Each zone has one sole primary slot and a resource–responsibility–acceptance–exit contract. Package evidence contains zero field observations, confirmed responsible entities, written venue authorizations and comparable independent quotes; no diagram appoints a person or authorizes a site.

EVIDENCE BOUNDARY

Official exact polygons, statutory controls, existing-condition surveys and live deployment evidence remain unavailable. All proposed layers are recalculated when those inputs arrive.

READABLE DESIGN CONTENT

D0 authorizes and freezes; D30 permits only an authorized reversible mock-up; D60 runs N01–N06 plus offline, access, fallback, rollback and deletion tests; D90 independently decides go, revise or stop. Go permits only another bounded trial.

NEXT EVIDENCE GATE

No procurement without two independent written quotes on one frozen quantity, period, tax, installation, maintenance, removal/restoration and handover basis. Quotes are not funding, venue authorization or pilot approval.

AUDIT ENTRY

proposal.md • assumptions.json • metrics.json • risk.json

All boards are explanatory views; audit quantities, extents and states from the JSON / GeoJSON evidence layer.

1/5



02

Internal land-use topology × regional interfaces: boundaries before proposals

Left: internal program partition. Right: interfaces proposed for co-design—not existing partnerships, commitments or approvals



Data relation: GeoJSON is authoritative; repeated codes are aggregated across precincts and rounded to 0.1%, so displayed values may total 99.9% or 100.1%.

BOARD CLAIM

The land-use topology is an internal design partition, not statutory zoning. Repeated land-use codes are visibly aggregated across precincts.

EVIDENCE BOUNDARY

Official exact polygons, statutory controls, existing-condition surveys and live deployment evidence remain unavailable. All proposed layers are recalculated when those inputs arrive. Issue #846 reports 0% intersection and a 412.5 m OSM cross-check mismatch; this submission has not independently reproduced it, and official geometry must decide.

READABLE DESIGN CONTENT

Open display and restricted evidence are physically separated; reuse and reversible fit-out precede any new-build decision.

NEXT EVIDENCE GATE

Replace the provisional container with official controls and survey each carrier before assigning statutory code, FAR, height or demolition status.

AUDIT ENTRY

geometry/land\_use.geojson • geometry/green\_space.geojson • metrics.json

All boards are explanatory views; audit quantities, extents and states from the JSON / GeoJSON evidence layer.



03

### Three key-area contracts: P04 is a reversible recall counter with one sole primary slot per zone

Release, trace and recall interlock; this is a responsibility map, not an engineering scale, and its slots, gates and negatives do not alter provisional polygons

01

Zhongzhiyuan | Integrity Release Yard

Provisional locator  
Not an official redline



PRIMARY USERS

maintainers, start-up releasers, public buyers

PUBLIC / CONTROLLED INTERFACE

Public: signature state / use / limits / appeal  
Controlled: raw logs / keys / exploitable detail

D0 / D30 / D60 / D90 REVERSIBLE EVIDENCE GATES

D0 venue/owner/safety authorization | D30 synthetic intake | D60 isolated human gate | D90 release drill


ACCEPT / STOP GATE

Accept: offline-verifiable evidence bundle + rollback  
Stop: missing license, owner or rollback evidence

02

AI Origin | Public Trace Hall

Provisional locator  
Not an official redline



PRIMARY USERS

residents, front-line staff, accessibility users

PUBLIC / CONTROLLED INTERFACE

Public: state / evidence level / staffed desk  
Controlled: identity / appeal files / raw evaluations

D0 / D30 / D60 / D90 REVERSIBLE EVIDENCE GATES

D0 opening/data/participant authorization | D30 status card | D60 offline + access | D90 appeal tabletop

ACCEPT / STOP GATE

Accept: phone-free offline query + receipt  
Stop: no human appeal owner or same-level alternative

03

Dazhongsi P04 | One Sole Primary Slot per Zone

Provisional locator  
Not an official redline



PRIMARY USERS

A01 / R01 / R02 / R03 / C01 / C02 / C03 / I01 (all unassigned)

PUBLIC / CONTROLLED INTERFACE

5 zones: notice / continuity / impact / repair-retest / exit-restore

D0 / D30 / D60 / D90 REVERSIBLE EVIDENCE GATES

D0 authorize | D30 mock | D60 six negatives + rollback | D90 go / revise / stop

ACCEPT / STOP GATE

Package baseline: field / entity / venue / comparable quotes = 0  
Buy: 2 comparable independent written quotes

P04 package-evidence baseline: field 0 | confirmed entity 0 | written venue authorization 0 | comparable independent quotes 0. This is not a finding beyond the package; official data still governs siting and engineering.

#### BOARD CLAIM

Release, public trace and recall exchange are three non-interchangeable service contracts, not one showroom copied across provisional polygons.

#### EVIDENCE BOUNDARY

Official exact polygons, statutory controls, existing-condition surveys and live deployment evidence remain unavailable. All proposed layers are recalculated when those inputs arrive.

#### READABLE DESIGN CONTENT

Each contract names primary users, separates public and controlled evidence, binds D30/D60/D90 reversible milestones, and states both acceptance and stop conditions.

#### NEXT EVIDENCE GATE

Official key-area polygons, station interfaces and parcel surveys must relocate—not bend—the concept before professional siting review.

#### AUDIT ENTRY

geometry/key\_areas.geojson • geometry/public\_space.geojson • spatial.json

All boards are explanatory views; audit quantities, extents and states from the JSON / GeoJSON evidence layer.



01

## Overall space × agent.1–6: one auditable taskbook loop

One walk, three stations, two wings and a depot carry six tasks; public state and remedy in front, sensitive evidence controlled





05

Sources, licenses and machine evidence: every value has an entry, every right a boundary

Three core metrics recompute from submitted geometry; synthetic ledgers, citations and contributor checks do not become field observation or independent certification

Design-area measure

11.41 km²

Entry: metrics.json ← GeoJSON geometry formula

Green ratio

16.78 %

Entry: metrics.json ← GeoJSON geometry formula

Public-space ratio

2.29 %

Entry: metrics.json ← GeoJSON geometry formula

MACHINE-AUDIT CHAIN | FIXED FILE

geometry/" .geojson

metrics.json

simulation.json

sources + assumptions

manifest.json

Evidence ladder | no promotion

DECLARED

geometry, formula and owner

SYNTHETIC

fictional tasks, not production

REPLAYED TEST

retain environment and output

OBSERVED

requires real-site records

INDEPENDENT

requires external provenance

This package records provisional geometry and a synthetic drill only; it claims neither field observation nor independent certification.

Release passport / public receipt specimen

synthetic\_non\_operational

RECEIPT ID  
JZ-IV-SYN-0001

VERSION  
v0.5

EXPIRY  
D+90; invalid for field use

STATUS  
PENDING REVIEW

HUMAN ALTERNATIVE  
staffed desk + paper kit

EVIDENCE LEVEL  
SYNTHETIC

APPEAL  
receipt → named human review

OWNER  
pilot accountable owner

RECALL  
signed state + downstream notice

Fictional, non-operational specimen | freeze fields and require named human sign-off before any pilot.

Rights matrix | no blanket relicensing

| MATERIAL            | TERMS           | USE BOUNDARY                                  |
|---------------------|-----------------|-----------------------------------------------|
| Original submission | CC-BY-4.0       | only rights LiuLin1220 can grant              |
| Noto Sans SC fonts  | SIL OFL 1.1     | font terms remain separate                    |
| External mechanisms | citation only   | no copied diagrams or certification claim     |
| OSM, if used        | ODbL            | © OpenStreetMap contributors + ODbL notice    |
| Repository sources  | source-specific | retain each file/source terms and attribution |

Boundary: values match metrics.json and official polygons trigger full recalculation. CC-BY-4.0 covers only original submission material LiuLin1220 can license.

BOARD CLAIM

Three geometry-derived metrics lead into separate machine files for geometry, formulas, synthetic tasks, provenance and inventory; no file role is promoted into a stronger evidence class.

EVIDENCE BOUNDARY

Official exact polygons, statutory controls, existing-condition surveys and live deployment evidence remain unavailable. All proposed layers are recalculated when those inputs arrive.

READABLE DESIGN CONTENT

CC-BY-4.0 applies only to original material LiuLin1220 can license. Font, OSM-derived background when present, repository sources and cited external mechanisms retain their own terms and limitations.

NEXT EVIDENCE GATE

CC-BY-4.0 applies only to grantable original submission rights. Official data, professional controls, lawful security governance and accountable operators precede any live pilot.

AUDIT ENTRY

metrics.json • simulation.json • geometry/phasing.geojson • compliance\_matrix.json

All boards are explanatory views; audit quantities, extents and states from the JSON / GeoJSON evidence layer.