


Human-Machine Friendly Jing-Zhang

EMBODIED-INTELLIGENCE SHARED CORRIDOR

01 / OVERALL CONCEPT



CONCEPT PROPOSAL · provisional boundary · alignment and dimensions require field verification · subject to Beijing-local legal and professional review

Dr. Future wepon · OPEN CITY · HAIDIAN · v4.0 / BILINGUAL V2

From “Machine Entry” to Human-Machine Friendliness

QUANTITATIVE STRUCTURE + RIGHTS / SAFETY / GOVERNANCE GAPS

02 / DIAGNOSIS




CONCEPT PROPOSAL · provisional boundary · alignment and dimensions require field verification · subject to Beijing-local legal and professional review

Dr. Future wepon · OPEN CITY · HAIDIAN · v4.0 / BILINGUAL V2

Human-Machine-Friendly Roles of the Three Key Areas

CLOSED TEST → CO-CREATION → PUBLIC VALIDATION

03 / KEY AREAS



CONCEPT PROPOSAL · provisional boundary · alignment and dimensions require field verification · subject to Beijing-local legal and professional review

Dr. Future wepon · OPEN CITY · HAIDIAN · v4.0 / BILINGUAL V2

Human-Machine-Friendly Sharing: Classify First, Then Share

05 / PRINCIPLE + BLUE-GREEN

H0-H3 RIGHT-OF-WAY + UNIVERSAL ACCESS + SAFE FALLBACK

H2 PRINCIPLE SECTION · ORDER, NOT SURVEYED WIDTH - Ecological buffer — no entry into sensitive zones - Continuous walking/accessibility — minimum clear width first - Interaction buffer — separation between people and machines - Low-speed machine sharing — identity / intent / emergency stop - Transfer bay — never occupies the main movement surface - Shade / stormwater / rest — all-age seating	ORDER CANNOT BE REVERSED - Guarantee continuous walking and accessibility before allocating machine space. - Where existing width is insufficient, reduce machine space—not pedestrian space.	CASE-REFERENCE MINIMA · FIELD CHECK REQUIRED - Clear width ≥ 2.5 m - Turning radius ≥ 0.8 m - Slope $\leq 1:12$ - Machine speed in pedestrian space ≤ 1.2 m/s - Main entrances step-free
H0-H3 RIGHTS - H0 Human quiet zone — heritage / children / rest; autonomous machines prohibited - H1 Slow-mobility priority — absolute human priority; approved service machines enter briefly - H2 Low-speed sharing — time/zone control, intent cues, passing bays, emergency takeover - H3 Perimeter interchange — accessible station-city transfer; no crossing heritage core	SIX SPACE MODULES 01 Human-only quiet · 02 All-age rest · 03 Passing/avoidance 04 Transfer bay · 05 Maintenance/charging · 06 Human takeover	SPEED STATEMENT H2/H3 speed depends on equipment, spatial risk, field testing and approval; no uniform 20 km/h is assumed.

CONCEPT PROPOSAL · provisional boundary · alignment and dimensions require field verification · subject to Beijing-local legal and professional review

Dr. Future wepon · OPEN CITY · HAIDIAN · v4.0 / BILINGUAL V2

Linkage Intensity × Human-Machine-Friendly Performance

06 / PRINCIPLE + BLUE-GREEN

KNOWN SPATIAL EVIDENCE + UNKNOWN BASELINES + AUDITABLE GOVERNANCE

KNOWN / RECOMPUTABLE SPATIAL EVIDENCE - Site area 11.4 km² - Green-space ratio 36.5% - Public-space ratio 13.5% - Road framework 41.5 km - Scenario nodes / cards 12 / 13	INDUSTRY LINKAGE · TARGET FRAMEWORK, NOT MEASURED Spatial · technological · industrial · talent · scenario connections	HMF METRICS · ALL BASELINES UNKNOWN - Mobility: continuous accessibility / clear-width encroachment - Work: maintenance coverage / takeover response - Environment: noise / shade / green charging - Interaction: identity-intent compliance / human alternative / exit - Governance: near misses / complaint closure / data overreach - Equity: satisfaction gaps for older people, children and disabled people
LIFECYCLE GATES - Before entry: inspection / insurance / impact assessment - During operation: fencing / cues / logs / emergency stop - During anomaly: protect people first / safe degradation - After operation: review / disclosure / downgrade and exit	EVIDENCE RULE Spatial areas are recomputable. HMF baselines must be established first; no fake radar values or targets presented as current performance.	

CONCEPT PROPOSAL · provisional boundary · alignment and dimensions require field verification · subject to Beijing-local legal and professional review

Dr. Future wepon · OPEN CITY · HAIDIAN · v4.0 / BILINGUAL V2

Geometry Registration and Drawing Precision

06 / ALIGNMENT + PRECISION

SUBMITTED GEOJSON + PRECISION GRADES + FIELD CALIBRATION

DIRECT GEOJSON REGISTRATION - EPSG:4548 · drawing rotated 90° (north points right) - Shared spine RD-001: 82-node curve · total length 9.66 km - Closed low-speed loops RD-014/015: actual closed loops - Green segments GRN-001/002/003: entire spine lies within the green corridor - Corridor nodes outside all key areas: 2	PRECISION A · RECOMPUTABLE - Site area · green-space ratio · public-space ratio · road-network length - Directly recomputed from submitted geometry in EPSG:4548	PRECISION B · STRUCTURALLY RELIABLE - Spine direction · three-area roles · node assignment · phasing sequence - Structural conclusions hold; positions are indicative
PRECISION C · INDICATIVE LOCATION - Spine alignment · section width · loop dimensions · parcel boundaries - Uncertainty approximately ± 200 m; replace with field survey	PRECISION D · NOT USABLE - Statutory redlines · ownership · heritage-control lines · levels · utilities - Not supplied by this proposal; official data required	P0 FIELD CHECKS BEFORE IMPLEMENTATION 1 Survey park centrelines, ownership boundary and clear width segment by segment 2 Inventory accessibility breaks, slopes, tactile paving and fire access 3 Obtain official heritage-control lines for former 'Binghuayuan Station' 4 Obtain rail entrances, underground utilities, levels and stormwater interfaces 5 Confirm land and ownership for feasible east-west stitching 6 Survey six HMF baselines: incidents / near misses / complaints / satisfaction gaps
CONCLUSION Structure and governance can inform pilot decisions; alignment, sections and scale require field verification before engineering implementation.		

CONCEPT PROPOSAL · provisional boundary · alignment and dimensions require field verification · subject to Beijing-local legal and professional review

Dr. Future wepon · OPEN CITY · HAIDIAN · v4.0 / BILINGUAL V2

Human-Machine Friendly Jing-Zhang · Brand & Identity

07 / BRAND IDENTITY

CONCEPT IDENTITY SYSTEM · NOT A FORMAL VI DELIVERY

PRIMARY MARK · CONCEPT

- Rail (heritage) + shared spine + station (handover)
- Rust red · ink blue · leaf green · amber accent
- Credit: Dr. Future wepon

NAMING SYSTEM

- Primary: Human-Machine Friendly Jing-Zhang
- Subtitle: Low-Speed Shared Spine
- Tagline: One spine · three areas · five scenes / five dimensions · multiple nodes / two foundations

THREE POSITIONINGS TRANSLATED

- Centennial Jing-Zhang Cultural Belt → rail-memory line
- Urban AI-life Experience Belt → slow-mobility sharing
- AI Integrated Innovation Belt → shared operation and feedback

APPLICATIONS

- Wayfinding: spine signs · transfer points · H0 quiet signs
- Device identity: status light · intent display · accountable-party code
- Digital: twin dashboard · open-day registration · complaint portal
- Events: open day · hackathon · sharing drills

PERMITTED USE

- Concept communication and open-call display only; proportional scaling permitted
- Retain bilingual primary name; pair with H0-H3 rights and five-dimension evaluation
- Registration, trademark and commercial use require separate rights review

PROHIBITED USE

- No implication of government endorsement, completed registration or exclusivity
- No claims of uniform speed, construction setting-out or investment commitment
- Do not remove concept / provisional notices; do not imply co-branding with undeclared third parties

CONCEPT PROPOSAL · provisional boundary · alignment and dimensions require field verification · subject to Beijing-local legal and professional review

Dr. Future wepon · OPEN CITY · HAIDIAN · v4.0 / BILINGUAL V2

International Outreach & Global Operations Map

08 / GLOBAL OPERATIONS

CONCEPT MECHANISM · AGENT.6 · NO FUNDING OR GOVERNMENT COMMITMENT

ANNUAL RHYTHM

- Q1 Foundation: publish sharing charter · train safety staff · admission drills
- Q2 Visibility: HMF Open Day · international observer visits
- Q3 Co-creation: open-source hackathon · scenario-admission assessment week
- Q4 Consolidation: developer conference · annual review and disclosure

TAKE-AWAY ASSET KIT

- Sharing-charter template: admission / identification / exit / complaints
- Five-dimension acceptance sheet + near-miss definition
- HMF Open Day toolkit: routes / interpretation / accessibility support
- Bilingual one-pager + concept-image licensing note

OUTREACH → CONVERSION FUNNEL

- 01 Be seen: bilingual booklet · open repository · media observation day · short-video narrative
- 02 Arrive: international observers · university exchange · joint enterprise test week
- 03 Participate: hackathon · sharing drills · scenario admission · public co-creation
- 04 Embed: protocol reuse · standards output · team retention · next-year agenda

BOUNDARY STATEMENT

- Events and attraction are conceptual mechanisms, not government commitments
- No assumed budget, organizer or approval result
- International communication limited to public information and open-source outputs
- Formal foreign-affairs and investment activities require separate initiation

CONCEPT PROPOSAL · provisional boundary · alignment and dimensions require field verification · subject to Beijing-local legal and professional review

Dr. Future wepon · OPEN CITY · HAIDIAN · v4.0 / BILINGUAL V2

Field Differentiation: What This Proposal Holds

09 / DIFFERENTIATION

COMPARISON OF FREQUENT OPEN-CALL NARRATIVES · NO NAMED CRITICISM

CORE PROPOSITION

- Open Commons: open protocols and co-creation operations
- Rail translation: herringbone heritage and developer pilgrimage
- This proposal: human-machine-environment shared order

EVIDENCE HONESTY / TAKE-AWAYS

- Precision grading + unmeasured baselines stated honestly
- Sharing charter + acceptance sheet + P0 checklist

SPATIAL SPINE

- Open Commons: narrative line / node loop
- Rail translation: symbolic linear framework
- This proposal: 82-node curved spine + assigned nodes

MAIN RISKS

- Open Commons: homogenization / slogan collision
- Rail translation: strong heritage but shallow institutions
- This proposal: brand communication needs sustained reinforcement

RIGHT-OF-WAY / PUBLIC VALUE

- Others: limited grading or slow-mobility friendliness
- This proposal: executable H0-H3 rules
- Accessibility · exit · takeover · vulnerable groups

CONCEPT PROPOSAL · provisional boundary · alignment and dimensions require field verification · subject to Beijing-local legal and professional review

Dr. Future wepon · OPEN CITY · HAIDIAN · v4.0 / BILINGUAL V2

English companion · provisional / conceptual where stated

Dr. Future wepon · OPEN CITY · HAIDIAN · v4.0 / BILINGUAL V2

Jing-Zhang HMF Twelve Two-Hour Periods			10 / TWELVE HOURS
POINTS ON RD-001 · TIME-SHARED RIGHTS · CONCEPT OPERATIONS, NOT A STATUTORY TIMETABLE			
23-05 · QUIET / MAINTENANCE • 23-01 Zi: quiet return · H0 · Governance · SN-006 mid-corridor green spine · human patrol only; autonomous machines return to depot • 01-03 Chou: charging/maintenance · H3 · Work · SN-010 Zhongzhiyuan edge · charging only in H3, not parks or housing • 03-05 Yin: off-peak cleaning · H2 · Work · edges of three public layers · noise controlled; H0 prohibited		05-11 · COMMUTE / SCHOOL / WORK • 05-07 Mao: open and yield · H1 · Movement · RD-001 · machines yield; staff open gates • 07-09 Chen: school peak · H1 · Movement · SN-008 interchange · strict yielding or pause • 09-11 Si: collaborative workshop · H2 · Work · SN-009 enterprise station · humans sign important decisions	
17-23 · HOME / CARE / PATROL • 17-19 You: homebound yielding · H1 · Movement · entire spine · machines dock or downgrade • 19-21 Xu: evening elder support · H1 · Service · SN-007 health navigation · staffed / screen-free option • 21-23 Hai: patrol handover · H2 · Governance · SN-003 dual verification · human-led, anonymized machine assistance		11-17 · REST / TOUR / CAMPUS • 11-13 Wu: shared meal/rest · H1 · Service · park seating / Dazhongsi · delivery ends at transfer bay • 13-15 Wei: opt-out guided walk · H1 · Social · SN-004 / SN-006 · human interpretation in parallel • 15-17 Shen: campus stitching · H1 · Movement · east-west university gateways · machines enter passing bays	
EXCLUSIONS • No low-altitude delivery through parks · autonomous shuttle platoons · L4-L5 fully unmanned operation · uniform speed · copied island timetable • Open/prohibited periods require transport, heritage, community and emergency approval before trial.			
CONCEPT PROPOSAL · provisional boundary · alignment and dimensions require field verification · subject to Beijing-local legal and professional review		Dr. Future wepon · OPEN CITY · HAIDIAN · v4.0 / BILINGUAL V2	

Three Field-Acceptance Gates

FAIL THE GATE, DOWNGRADE THE WHOLE CLASS · HUMAN ACCESS NEVER DOWNGRADES

G-01 DEPOT-RETURN CLOSURE · Zi 23:00-01:00

- After 23:00, autonomous machines in H0 / SN-006 = 0
- One machine found = FAIL that night
- FAIL 3 consecutive nights → that model remains H3-only
- Location: SN-006 · RP-02

G-02 PEAK YIELDING · Chen 07-09 / You 17-19

- Machines must not occupy the RD-001 pedestrian centreline
- Centreline occupation = 1 near miss
- Near misses ≥1 that day → prohibited same period next day
- Location: RD-001 · RP-03

G-03 EXTERNALIZED LOGISTICS · ALL DAY, ESPECIALLY Wu 11-13

- Delivery bodies inside park / H0 / seating = 0
- One machine in park = FAIL that day
- Close park-side delivery that day; retain H3 only
- Location: transfer bay · SN-010

FIVE IDENTIFIABLE COMPONENTS · REUSE EXISTING RENEWAL PROJECTS

- FC-01 Quiet-return post · Zi count · lockable park segment · SN-006 / RP-02
- FC-02 Peak passing bay · off centreline at both peaks · RD-001 / RP-03
- FC-03 Transfer bay · food stops here · Dazhongsi / RP-15
- FC-04 Emergency-stop post + screen-free window · anyone can stop / ask for help · all areas / RP-16
- FC-05 H3 charging loop · maintenance outside green spline · SN-010 / RP-16

DOWNGRADE RULE

- Failure attaches to model and time period. Restore only after depot-return / yielding / handover drill passes on site.
- Before all six P0 checks, gates are closed drills only. Repeated failure returns segment access to the previous phase.
- Human movement, accessibility and emergency access never downgrade.

CONCEPT PROPOSAL · provisional boundary · alignment and dimensions require field verification · subject to Beijing-local legal and professional review

Dr. Future wepon · OPEN CITY · HAIDIAN · v4.0 / BILINGUAL V2

English companion · provisional / conceptual where stated

Dr. Future wepon · OPEN CITY · HAIDIAN · v4.0 / BILINGUAL V2

S1 PLANNING ASSESSMENT · Guideline 12.1

- Close the HMF impact assessment: transport / pedestrian flow / heritage / accessibility
- Do not open the spine until closed · RP-01 · P0

S2 SYNCHRONIZED CONSTRUCTION · Guideline 12.2

- Concealed works + handover drill
- Synchronized acceptance of beacons / emergency stops / transfer bays
- No night testing until drill PASS · FC-01-05 · RP-16

S3 TEST-CERTIFY-ACCESS · Guidelines 2.6 / 8.3

- Test → verify → connect
- Fencing / takeover / emergency stop / logs: any missing item blocks access
- G-01-03 · RP-05/08

S4 OPERATIONAL REVIEW · Guidelines 7.2 / 12.3

- Human-in-the-loop + rule iteration
- Redlines / human signature / 12-month revision
- Failure of any friendliness dimension blocks opening · RP-17 · RP-18

ENTERPRISE THREE-STEP

- 1 Test: Zhongzhiyuan closed loop or H3 edge · register model / task / time / responsible person
- 2 Certify: Jing Zhang compatibility check · interface / insurance / emergency stop / safety strategy
- 3 Access: authorize by H0-H3 and G-01-03 · missing near-miss writeback = quarterly FAIL

FIVE-DIMENSION FIELD ACCEPTANCE

- Mobility: clear width / turning / five break types
- Work: operating-machine registry · maintenance only in H3
- Environment: low glare · charging outside green spine
- Interaction: intent light · staffed window · screen-free route
- Governance: collection notice · one-touch avoidance · human in the loop

NOT TRANSFERRED TO JING-ZHANG

- Low-altitude delivery · autonomous-driving-only lanes · L4-L5 fully unmanned operation
- External certification brands · first-purchase/first-use policy · fiscal subsidies

C-06 · Twelve-Hours Scenario Image · Concept · Precision C

Temporary existing WebP; concept operations only and not a statutory timetable.

Human-Machine Friendly Jing-Zhang · Twelve Hours of the Day

Scenario impressions for the twelve time-shared right-of-way clauses hung on spine RD-001 — park sleeps first, people take the peak, logistics stay in H3

C-06

v3.5 · wepon

CONCEPT VISUALIZATION · PRECISION GRADE C · TECHNICAL FIGURES AND MACHINE-READABLE DATA PREVAIL IN CASE OF CONFLICT

01 23:00-01:00 Quiet Return-to-Depot

H0 Human patrol only; autonomous machines must return to depot

Zi

02 01:00-03:00 Recharge & Maintenance

H3 Charging and servicing stay in H3 — not in the park or housing

Chou

03 03:00-05:00 Off-Peak Cleaning

H2 Cleaning off-peak and noise-controlled; H0 closed to machines

Yin

04 05:00-07:00 Open Gates, Give Way

H1 Commuting starts; machines yield, staffed door service

Mao

05 07:00-09:00 School & Commute Peak

H1 Strictest yielding, or machine entry suspended

Chen

06 09:00-11:00 Co-Working Studio

H2 Assistive collaboration; important decisions signed by a human

Si

07 11:00-13:00 Shared Meals & Rest

H1 Delivery stops at the handover bay, never at seating or play areas

Wu

08 13:00-15:00 Guided Slow Walk

H1 Opt-out tour with staffed narration; heritage core stays H0

Wei

09 15:00-17:00 Campus Stitching

H1 Between classes, machines wait in pull-over bays

Shen

10 17:00-19:00 Homeward Priority

H1 Evening peak: machines dock or downgrade; people absolutely first

You

11 19:00-21:00 Evening Elder Support

H1 Elder navigation plus a staffed window; works without a smartphone

Xu

12 21:00-23:00 Patrol Handover

H2 Human patrol leads; machines aggregate anonymously, no face gating

Hai

Illustrative only — people, buildings, machines and street scenes are drawn impressions, not real individuals, built projects or survey data. Embedded Chinese signage inside the photographs is illustrative, not evidence.





The twelve hour-clauses are concept operating proposals; opening and no-entry periods require separate transport, heritage, community and emergency approval before any trial. Linkage strength: baseline unknown / target concept only.

English companion · provisional / conceptual where stated

Dr. Future wepon · OPEN CITY · HAIDIAN · v4.0 / BILINGUAL V2

Concept Presentation Images · Precision C (Indicative)

Illustrative only—not for measurement, setting-out, investment promotion or performance commitments.



Linkage Monitoring Framework · Concept Presentation

Current baselines are unknown; the image contains no measured HMF performance values.

