

01 Rail Commons: Public-Space Repair Loops

Verified small repairs connect three scope levels; provisional geometry stays in the background

PASS / PAUSE / PARTICIPATE

The proposal does not invent another grand axis. It links entrances, crossings, places to pause, service edges and memory interfaces into reversible, auditable repair loops.


- 01

Field baseline first
- 02

Human and paper fallback
- 03

Stop, restore, retest

- Repair greenway
- Accountable node
- Provisional constraint




Source: package GeoJSON, metrics and matrices. Provisional constraint; not an official boundary or engineering conclusion.

- The provisional boundary recedes; repair relationships and accountable nodes lead the story.

Shared edges + low disturbance

02 Land Use as a Public-Value Working Layer

Shared-edge cells cover the site; every use remains subject to official polygons and controls



Source: package GeoJSON, metrics and matrices. Provisional constraint; not an official boundary or engineering conclusion.

■ Building interfaces are conceptual; ownership, DRR and intensity remain pending official evidence.

Repair first, reversible

04 Walking, Cycling and Blue-Green Space: Repair Before Expansion


Routes are conceptual relationships; station, road, heritage and drainage evidence remains pending

OPERATING STATES

- 01 日常 / Everyday
- 02 高温 / Heat
- 03 降雨 / Rain
- 04 夜间 / Night
- 05 活动 / Event
- 06 故障 / Failure

STOP CONDITION

No responsible steward, no consent, safety/privacy anomaly, or no non-digital fallback: stop, restore, review.



Source: package GeoJSON, metrics and matrices. Provisional constraint; not an official boundary or engineering conclusion.

■ Connections do not anchor to unverified stations or roads; field retest precedes deepening.

Three Key-Area Board

Three public-realm responsibilities

03 Three Key Areas, Three Public-Realm Responsibilities

Roles follow the brief; provisional rectangles are not station, road or parcel boundaries

01

Zhongzhiyuan

Garden Lab Commons

■

Open protocol desk

■

Reversible test garden

■

Public AI-governance studio

PROV-KEY-001

Re-anchor after official polygon

Every scenario retains human, paper and stop paths

02

Beijing AI Origin Community

Learning Porch

■

Near-campus learning interface

■

Human service fallback

■

Low-disturbance renewal

PROV-KEY-002

Re-anchor after official polygon

Every scenario retains human, paper and stop paths

03

Dazhongsi

Urban Civic Exchange

■

Four-direction walking concept

■

Enterprise and public service

■

Contribution and honor display

PROV-KEY-003

Re-anchor after official polygon

Every scenario retains human, paper and stop paths

Source: package GeoJSON, metrics and matrices. Provisional constraint; not an official boundary or engineering conclusion.

- Each area covers position, structure, renewal, walking, public space, AI scenario and risk.

AI Scenarios and Operations Board

Human final judgment

- Three testing scenarios, 12 scenario cards, six personas and three pilgrimage/honor nodes.
- Non-digital access, data minimization, stop conditions and restoration ownership are hard gates.

Metrics and Compliance Board

Machine-recomputable + human-readable

05 Metric Evidence Chain: Known, Derived and Pending

Numbers share one GeoJSON source; they are provisional intake evidence, not statutory controls



PENDING OFFICIAL DATA

Official polygons, FAR, height, road redlines, station anchors, building/ownership survey, heritage controls, utilities, accessibility and resident baselines.

Source: package GeoJSON, metrics and matrices. Provisional constraint; not an official boundary or engineering conclusion.

- Twenty-three tasks, five mandatory standards and 15 depth items map to geometry, metrics, drawings and checks.