




AI ON = AI OFF

DUAL-STATE COMPARISON

■ ■ ■ ■ All ten nodes must let a task be completed with AI on and with AI off; where they cannot, work stops at the gate and does not advance.



● AI ON

Navigation, announcements and live status are available; the service runs through digital channels.

● AI OFF

The same nodes are carried by fixed signage, printed information and staffed service. The geometry does not change and neither does the task.

COLOUR SEMANTICS

● teal #177c78 access baseline ● coral #d76450 human handover ● purple #6b5b95 co-design ● gold #d6a13b heritage layer

EVIDENCE GATES

G0 verifies material, permissions and task scripts • G1 reversible prototype • G2 closed paired testing • G3 independent review

TEN OPERATING NODES



OP-01 G2 • OP-02 G1 • OP-03 G2 • OP-04 G0 • OP-05 G2 • OP-06 G1 • OP-07 G1 • OP-08 G3 • OP-09 G3 • OP-10 G3

Colour never carries information alone: every colour-coded state also carries a shape, a word or a tactile cue. Node ids and gates: geometry/constraints.geojson; gate definitions on A3 page 10.


CONCEPT • PROVISIONAL GEOMETRY • NOT A STATUTORY REDLINE • NOT FIELD PERFORMANCE

Interactive dual state and node-by-node differences: [visual/index.html](#) • static fallback [visual/assets/scene-fallback.en.png](#)

Conceptual land use and shared baseline



KEY READINGS ON THIS BOARD




Four conceptual functions share one baseline; the land-use drawing tests functional relationships and never replaces statutory classification, title or capacity conclusions.

CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUND PROVISIONAL CONCEPT PROPOSAL

Three areas: validate — co-design — adopt



Continuous access and AI-switch equivalence

EVERY SENSE JING-ZHANG · URBAN DESIGN ATLAS

Under this figure's convention: AI-off reachability shrinks 46.7%


05 / REACHABILITY · BLUE-GREEN · SLOW MOBILITY

AI-on domain × AI-off domain × the gap as audit target

INDICATIVE CALIBER · PENDING FIELD AUDIT

DUAL-STATE DOMAINS AI-on domain R = 300 m AI-off domain R = 150 m (overlap) Gap · ai_off_service_equivalence_gap · Node access stub (computed)

SLOW MOBILITY Universal Access Baseline Low-Stimulation Quiet Route Cross interfaces BASE LAYERS Blue-green Public Mass Key areas NODE GATES G0 G1 G2 G3



01 / DUAL STATE

One network, two service domains

482,267 m² → 257,208 m²
AI-on union → AI-off union

provisional geometry · not a statutory area

Wayfinding hands over along the network; with AI off only the totem and the help point remain.

Caliber: R_{on} = 300 m · R_{off} = 150 m · band half-width w = 40 m, all network distances; the AI-on union covers 4.23% of the scope.

02 / GAP

The gap is an audit target, not an achievement

225,058 m² | 46.67 %
Gap union | Gap share of AI-on

provisional geometry · not a statutory area or performance figure

Coral marks public space reached only while AI is on: audit it, close it, re-measure it.

Domains overlap, so this row is smaller than the per-node sum; the direct union of per-node gap areas is a different (larger) caliber —

03 / FIRST BREAKS

First audit breaks: the three largest gaps

#	Node	Gate	Gap area m ²	of AI-on
1	OP-04	G0	50,920	49.7%
2	OP-02	G1	48,000	55.9%
3	OP-03	G2	43,959	60.2%

The three breaks are marked coral above; the full ranking is on page 11 of the A3 booklet.

provisional geometry · not a statutory area

04 / KEPT UNKNOWN

The equivalence metric stays unknown

metrics.json registers ai_off_service_equivalence_gap as status=unknown, pending paired task testing. This sheet states only its audit-target geometry.

Full caliber and accountable body: mobility-bluegreen-audit.en.png

All ten nodes declare an AI-off route and a handover role (document completeness, not built evidence).

R_{on} = 300 m / R_{off} = 150 m / band half-width w = 40 m are figure-level constants set by this proposal itself, with no external basis; changing any one of them changes every reading here.

Not an engineering alignment and not a coverage commitment: the domains are an indicative caliber computed here, pending calibration by an authorised team.

Data: geometry/roads 5 · green_space 6 · public_space 10 · key_areas 3 · buildings 4 · site_boundary · constraints.geojson (EPSG:4548, metres) · SCENARIO_NODE 10 · caliber in the companion figure, full ledger on page 11 of the A3 booklet · each panel carries its own bar, an indicative scale, not for measurement.

Basemap data © OpenStreetMap contributors, ODbL 1.0; snapshot osm-fabric-snapshot-20260815 (roads and rail only)

EVERY SENSE JING-ZHANG / 05

05 / MOBILITY + BLUE-GREEN

Acceptance target: service equivalence with AI on or off

The direct multimodal path and quiet alternative run in parallel. With AI off, offline or declined, fixed signs, paper and easy-read information, staffed help and an account-free path remain available. Centrelines express conceptual relationships only.

AI ON: multimodal wayfinding · visible status · human takeover

AI OFF: tactile / visual / easy-read · fixed signs · staffed point

STAGE ZERO: FOUR EVIDENCE GATES

G0 Material and permission
Verify official material, permissions and task scripts

G1 Reversible prototype
Removable, revertible on-site prototype

G2 Closed paired testing
AI-on and AI-off compared in pairs

G3 Independent review
Third-party review and a public receipt

AI ON = AI OFF: when the network or power is down or consent is declined, cast lettering, braille, tactile relief and fixed graphics remain readable; historical content does not disappear when the system is off.

KEY READINGS ON THIS BOARD

16

Scenario cards

1.00

Handoff declaration completeness

1.00

AI-off exit-path declaration completeness

2

Equivalent paths

8

Risk items

All ten nodes must let a task be completed with AI on and with AI off; where they cannot, work stops at the gate and does not advance.

CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUND

PROVISIONAL

CONCEPT PROPOSAL

Brand, culture and international communication

EVERY SENSE JING-ZHANG / 万感京张

Brand system: common gauge translated into universal design

PARALLEL SENSORY LINES + OPEN NODES · LOGO / PALETTE / TYPE / GRAMMAR · AI ON = AI OFF

01 / Identity and mark construction LOGO / TWO GROUNDS / GEOMETRY

ON DARK #10383d



万感京张
EVERY SENSE JING-ZHANG

ON PAPER #f2efe7



万感京张
EVERY SENSE JING-ZHANG

MARK CONSTRUCTION

- Parallel sensory lines** Two solid rails carry the continuous spine for sight and sound; two dotted lines carry tactile paving and the low-stimulus alternative. Four channels run in parallel, none subordinate.
- Open node** The ring keeps openings left and right: a service can be entered and can be left. The node never closes, and never locks in one kind of body or one kind of device.
- Origin** The centre point is Every Sense Origin — where human help, human takeover and the right to stop land. Always visible, always reachable.

All four gaps sit on one construction circle. A common gauge lets different trains share one network; universal design lets different bodies share one city.



02 / Palette and colour semantics SIX COLOURS / CONTRAST RULES

Deep Teal 深青

#10383d

11.0:1
Body text

Urban base and the public baseline; dark ground, and body text on paper.

Rail Teal 永鸭青

#177c78

4.4:1
Body text

The continuous spine and the AI ON path; primary signage and section numbers.

Coral 珊瑚

#d76459

3.1:1
Large text only

Right to stop, emergency stop, human takeover and help; risk and failure notices.

Node Purple 紫

#6b5b95

5.1:1
Body text

The ten independent-completion nodes OP-01—OP-10; tactile dot grids and braille layers.

Assumption Gold 金

#d6a13b

2.0:1
Graphics only

Unverified assumptions and the Jing-Zhang cultural layer; refill triggers and heritage interpretation.

Paper 米白

#f2efe7

11.0:1
Text on dark

Fixed signage, paper procedures and no-account receipts once AI is off.

Contrast recomputed under WCAG 2.1 against paper #f2efe7; the paper row is measured against deep teal #10383d. Deep teal, rail teal and node purple are cleared for body text; coral only above 24px bold or as graphics; gold as graphics and fills only. Text on dark ground uses paper or light teal, never the unlightened primary.

03 / Type strategy ONE FAMILY / THREE WEIGHTS


Display / Medium
Source Han Sans SC Medium · SIL OFL 1.1
万感京张 Every Sense
Section titles, landmark names and exhibition display. Medium weight with open tracking, in place of a serif family.

Text / Bold
Source Han Sans SC Bold · SIL OFL 1.1
One city, many senses
Body copy, signage and easy-read text. Open apertures, stable CJK-Latin mixing, legible at distance.

Data / Tabular
Source Han Sans SC Regular · SIL OFL 1.1
11.41 km² OP-01
Metrics, node identifiers and scenario codes. Tabular figures align columns, in place of a mono family.


Three roles, one family, separated by weight, tracking and tabular figures. Full-book audit of the four drawing PDFs (2026-08-13): zero non-OFL entries; this plate is raster and embeds no font. Georgia, Helvetica Neue and SF Mono stay candidates, to be cleared face by face for commercial use. No corporate marks or portraits. Signage minimum size, leading and viewing distance to be set on site.

04 / Grammar in use SIGNAGE / PAVING / COLLATERAL / INTERFACE




Wayfinding SIGNAGE

The main panel carries the mark and bilingual name, a low panel adds tactile and braille layers, and the coral help post stays in view.




Tactile paving GROUND

Parallel sensory lines become paving bands; the open node becomes a dot-grid circle that can be walked around, with the help post at its centre.



Event collateral PRINT

Posters flood-hill the parallel lines, booklets keep the stop notice, and tickets stay usable without an account through mono codes and a tactile strip.



Interface SCREEN

Both channel states stay visible, stop ranks equal to human handover, and the paper version is the same grammar in an equivalent form.

One city. Many ways to sense it. 一座城市，多种感知，共同行走

INTERNATIONAL LINE / 国际传播句

Concept proposal · provisional boundaries · not statutory planning · not engineering alignments

PUBLIC / PROVISIONAL / CONCEPT

06 / BRAND · CULTURE · GLOBAL

One line grammar carries brand, culture and outward communication

The brand grammar abstracts the Jing-Zhang railway's "one standard gauge" into parallel sensing lines and an open node: one gauge lets different trains share a network, universal design lets different bodies share a city. Cultural work first builds a traceable resource inventory, then chooses carriers, and only then reaches symbols and wayfinding.

One city. Many ways to sense it.

一座城市，多种感知，共同行走

Spine narrative line

SPINE NARRATIVE

Three landmarks

THREE LANDMARKS

Node micro-stories

NODE MICRO-STORIES

AUDIENCE LAYERS

International professionals

Test methodology, protocols and failure samples in the open

International public

Paired AI-on / AI-off comparisons that show service equivalence

Residents along the corridor

Easy-read Chinese, sign language and captions

Developer community

Open problem library and scenario test procedures

KEY READINGS ON THIS BOARD

3

Cultural narrative tiers

3

Cultural landmarks

10

Node micro-stories

6

Colour semantics

4

Application domains

Brand, culture and outward communication share one line grammar; with network, power or consent withdrawn, historical content and public commitments stay readable.

CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUND

PROVISIONAL

CONCEPT PROPOSAL

Metric recalculation and evidence chain

EVERY SENSE JING-ZHANG · URBAN DESIGN ATLAS

06 / METRICS & EVIDENCE

Metrics are not a vision: recalculate what can be, keep the rest unknown

PROVISIONAL PUBLIC MATERIAL · NOT A STATUTORY METRIC

01 / MEASURED

Five recalculated metrics

Display rounding matches the proposal front page and metrics.json; full values and formulas are in the audit companion plate.

11.41 km²
Provisional design scope
site_area_sqm

373,000 m²
Building footprint (approx.)
building_footprint

21.3 %
Provisional green ratio
green_ratio

18.2 %
Provisional public-space ratio
public_space_ratio

3 areas
Key detailed-design areas
key_area_count

02 / COUNTED

Ten structural counts

The proposal's own structural objects; each can be re-counted inside the package.

16
Scenario cards
S01—S16

10
Operating nodes
SCENARIO_NODE

6
Work packages
JZ-01—JZ-06

6
User personas
proposal.md

4
Evidence gates
G0—G3

3
Landmarks
landmark_id

8
Risk items
R-01—R-08

6
Intl. cases
CASE-*

1.00
Handover coverage
10 / 10 nodes

1.00
AI-off exit paths
10 / 10 nodes

03 / KEPT UNKNOWN

Twelve metrics kept unknown

NOT AUTHORIZED4

NOT FIELD-RUN8

floor_area_ratio
Official boundary + key-area polygons
Statutory: height · density · setback · use
Engineering: road lines · stations · utilities

Independent task completion
Multi-channel info coverage
AI-off equivalence gap
Forced abandonment rate
Human handover success
Human handover response time
Sensory load exceedance
Co-design role coverage

04 / ONE DENOMINATOR

Shared denominator site_area_sqm100%

Green envelope green_space21.3%

Public-space envelope public_space18.2%

Both ratios share one denominator and deliberately overlap — they must not be added.

Unknown ≠ 0. Unknown for two reasons only: not authorized · not field-run

Full source → operation → class ledger and the full recalculated values:
Metrics Evidence Audit Ledger companion plate.

Provisional working geometry, not a statutory metric: not an official redline, title boundary or statutory control.

metrics.json · geometry/*.geojson · EPSG:4548

EVERY SENSE JING-ZHANG / 06

07 / METRICS + EVIDENCE

Recalculated metrics show in-package consistency, not statutory figures

Scope area, building footprint, green ratio and public-space ratio derive from the submitted provisional geometry; the green and public-space envelopes share one denominator and deliberately overlap by 448,404.185 sqm, so the two ratios must not be added. Ten structural counts count the proposal's own objects and can be re-counted inside the package. Inclusion performance must come from real participants, reasonable accommodation and outcome testing; all of it is still to be tested.

11.41 km²
Provisional overall scope

approx. 373,000 m²
Conceptual building footprint

21.3%
Provisional green ratio

18.2%
Provisional public-space ratio

TO BE FIELD-TESTED

- Unaccompanied independent task completion
- Two-channel information redundancy
- AI-switch service equivalence gap
- Forced abandonment rate

TEN STRUCTURAL COUNTS

16	Scenario cards	10	Operating nodes
6	Work packages	6	Personas
4	Evidence gates	3	Cultural landmarks
8	Risk items	6	International cases
1.00	Handoff declaration completeness	1.00	Exit-path declaration completeness

KEY READINGS ON THIS BOARD

5
Recalculated geometry metrics

10
Structural count metrics

8
Metrics pending field test

43
Registered sources

9
Standards and codes

Recalculated metrics show in-package consistency, not statutory figures; unknown ≠ 0, and missing data stays blank with a stated collection condition.

CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUNDPROVISIONALCONCEPT PROPOSAL

© OpenStreetMap contributors, ODbL · background_only · public background / provisional constraint / concept proposal

BOARD 06 / 06