

# XIUCHUNLAI

## SUTURE LINE

Stitching the fractured city and its social life back together

— Life is tattered; AI stitches it up —

Centennial Beijing–Zhangjiakou AI Innovation Belt Open Urban Design Call • Submission

A century ago, the “ren” (人) character conquered the mountain; a century later, the “ren” character stitches people together.

Needle-spot spacing

150 m (concept target)

≈2-min walk; design hypothesis to be validated in pilots, not a proven “optimum”

15-min encounter coverage

71.7% (illustrative)

Illustrative 750 m Euclidean-buffer coverage of meeting nodes, not a network 15-min accessibility result

Public activity space / person

9.5 m<sup>2</sup>/person

Green + public space 66.5 ha ÷ 70,000 directly served residents (assumed); pure green ratio 5.63%


Three highlights • Embroidered Chat Furniture (200 LLM terminals) | Token-generating Embroider Bikes | Embroidered Phrase Garden (Transformer landmark)



Three key areas • K1 Embroidery Workshop | K2 Encounter Field | K3 Station-front Hall

Four stitch layers • Encounter → Shared activity → Healing → Warmth (throughout)

### Suture Line — Overall Structure & Three-Level Scope


Provisional boundary PROV-SITE-001 (EPSG:4548 recomputed) • official red line pending





# K2 Origin Community • Encounter Field

Embroidered Phrase Garden (Transformer landmark) + bikes + open-air cinema



Highlights are scenario illustrations (see scenario cards), not engineering drawings;  
encounter-node spacing  $\approx$  150 m (about a 2-min walk).  
Extent is the provisional boundary (official\_boundary=false); recompute after red lines; no  
commercial basemap used.

Indicator Evidence Chain — 46 numbered metrics (A1–H45) + 6 derived visual metrics, item-by-item source files

Every metric in metrics.json registers its method, source file and formula; recalculated values, declared values and targets awaiting verification are distinguished; counting convention is package-wide (46 + 6 = 52 entries).

Geometry recalculated (EPSG:4548)

|     |                              |             |                       |
|-----|------------------------------|-------------|-----------------------|
| A1  | SITE area                    | 1,141.3 ha  | site_boundary.geojson |
| A5  | Chat furniture (count)       | 200 套       | constraints.geojson   |
| B6  | Total road length            | 63.42 km    | roads.geojson         |
| B7  | Road density                 | 5.56 km/km² | roads.geojson         |
| B12 | Land-use mix (Shannon)       | 1.47        | land_use.geojson      |
| E30 | Belt-wide green ratio        | 5.8%        | green_space.geojson   |
| F37 | Building coverage            | 7.2%        | buildings.geojson     |
| F39 | Building volume in key areas | 93.8%       | buildings.geojson     |

Declared / target values (to verify)

|     |                                   |            |                          |
|-----|-----------------------------------|------------|--------------------------|
| C14 | Stitch spacing (concept target)   | 150 m      | assumption • pilot       |
| C15 | Encounter coverage (750 m buffer) | 71.7%      | schematic, Euclid.       |
| C16 | Public space per person           | 9.5 m²/p   | 66.5 ha ÷ 70k            |
| D25 | Chat furniture density            | 17.5 个/km² | constraints.geojson      |
| D26 | AI scenario cards                 | 12         | constraints.geojson      |
| D28 | Pilot landmarks                   | 5 处        | constraints.geojson      |
| D29 | Industry test scenarios           | 3 个        | design_depth_matrix.json |

Population is an assumption (K1≈20k / K2≈30k / K3≈20k, total 70k); all area and density values are recalculated under the design-layer caliber and do not constitute statutory planning indicators; official red line release triggers full recalculation.

|                     |                                                                                                                 |
|---------------------|-----------------------------------------------------------------------------------------------------------------|
| A Overview          | Area 1141.3 ha   Spine 4.03 km   Key areas 3   Needles 31   Chat furniture 200                                  |
| B Spatial structure | Road density 5.56 km/km²   Slow-traffic 30.9%   Needle lanes 29   Mixed-use 1.47                                |
| C Social capital    | ★ Needle spacing 150 m (concept)   ★ Encounter coverage 71.7% (750 m buffer, illustrative)   ★ 9.5 m²/person    |
| D AI facilities     | Chat furniture density 17.5/km²   AI scenario cards 12   Pilot landmarks 5   Industry test scenarios 3          |
| E Green & blue      | Green+public space 66.5 ha   Pure green 64.3 ha   Healing green 29 sites   Key-area green ratio 10.0/11.4/16.4% |
| F Buildings         | 97 conceptual blocks   Coverage 7.2%   Avg depth 25.8 m   Key-area building share 93.8%                         |
| G Honest compliance | Manual fallback 100%   Emergencies bypass AI   Power output symbolic   Provisional boundary to be recomputed    |

★ Headline numbers (for oral defense) • Population assumed (K1≈20k/K2≈30k/K3≈20k, 70k total); recompute after official data release

16 geometric validations all PASS (2026-08-30): legal enumeration / 97 blocks non-overlapping / roads unique & in-bounds / needle spacing 150 m / 200 chat furniture compliant / key-area green ratio ≥8%