


01 Overall Structure

01 / OVERALL STRUCTURE

JING-ZHANG AI SAFETY COMMONS

Three grounds, one public spine and twelve interfaces turn AI safety into accessible civic infrastructure.



Provisional boundaries support generation, discussion and recalculation only; all spatial moves are conceptual recommendations.


Provisional boundary · Conceptual recommendation · Professional deepening required

02 Land Use + Capability

02 / LAND USE + PROGRAM

FROM LAND-USE PARTITION TO SAFETY CAPABILITY NETWORK

Reversible components connect research, open space, enterprise services and community services without asserting statutory land-use change.



-  Assurance Bay
bookable test / isolated network
-  Open Bench
provenance / SBOM /
reproducibility
-  Human Desk
consent / appeal / takeover
-  Incident Room
notice / recovery / review

Land-use areas are recalculated from submitted GeoJSON in EPSG:4548; ratios are not approved planning controls.

03 Three Key Areas

03 / THREE KEY AREAS

THREE DISTINCT SAFETY CAPABILITIES

The three key areas specialize in assurance, open evidence and civic response, forming a loop from testing to adoption and review.

01 ZHONGZHIYUAN

ASSURANCE GROUND

- Model + robotics red team
- AI supply-chain assurance
- Critical-service exercises

GATE record → test → human release

02 AI ORIGIN

OPEN EVIDENCE GROUND

- Data + model provenance
- Maintainer clinic
- Reproducibility + civic review

GATE record → test → human release

03 DAZHONGSI

CIVIC RESPONSE GROUND

- Human desk for high-risk services
- Appeal + recovery
- Pre-release civic trial

GATE record → test → human release


The three rectangles are provisional key-area polygons; location and area require full recalculation after official polygons are released.

04 Mobility + Blue-Green

04 / MOBILITY + BLUE-GREEN

WALKABLE SAFETY INTERFACES + NON-AI EQUIVALENT PATHS

The heritage walking spine carries wayfinding, human service, incident notices and public learning; walking and essential services continue when AI is offline.




Lines express connectivity intent only; actual gaps, rights-of-way, crossings and accessibility require professional verification.

05 Metrics + Evidence

05 / METRICS + EVIDENCE

METRIC TIERS: RECALCULATED, DESIGN LEDGER, PENDING OFFICIAL DATA

A number enters the display only with source, formula, confidence and recalculation trigger.



FAR, building height, rights-of-way, ownership and utility capacity remain pending official data; no false precision is shown.

06 Scenarios + Users

12 interfaces, 6 personas, and 4 controlled testing scenarios.
Every public scenario retains human takeover and a non-AI equivalent.

07 Implementation + Operations

Movable near-term pilots, mid-term three-ground coordination, and long-term permanence only after official geometry and evaluation; seasonal events remain proposals.

08 Risk + Handoff

Recalculate after official boundary, ownership, existing-condition, mobility, utility, heritage and fire data arrive; multidisciplinary professional review is required.