

XIUCHUNLAI

SUTURE LINE

Stitching the fractured city and its social life back together

— Life is tattered; AI stitches it up —

Centennial Beijing–Zhangjiakou AI Innovation Belt Open Urban Design Call • Submission

A century ago, the “ren” (人) character conquered the mountain; a century later, the “ren” character stitches people together.

Needle-spot spacing

150 m (concept target)

≈2-min walk; design hypothesis to be validated in pilots, not a proven “optimum”

15-min encounter coverage

71.7% (illustrative)

Illustrative 750 m Euclidean-buffer coverage of meeting nodes, not a network 15-min accessibility result

Public activity space / person

9.5 m²/person

Green + public space 66.5 ha ÷ 70,000 directly served residents (assumed); pure green ratio 5.63%


Three highlights • Embroidered Chat Furniture (200 LLM terminals) | Token-generating Embroider Bikes | Embroidered Phrase Garden (Transformer landmark)



Three key areas • K1 Embroidery Workshop | K2 Encounter Field | K3 Station-front Hall

Four stitch layers • Encounter → Shared activity → Healing → Warmth (throughout)

Suture Line — Overall Structure & Three-Level Scope


Provisional boundary PROV-SITE-001 (EPSG:4548 recomputed) • official red line pending





K2 Origin Community • Encounter Field

Embroidered Phrase Garden (Transformer landmark) + bikes + open-air cinema



Highlights are scenario illustrations (see scenario cards), not engineering drawings;
encounter-node spacing $\approx$ 150 m (about a 2-min walk).
Extent is the provisional boundary (official_boundary=false); recompute after red lines; no
commercial basemap used.

Indicator Evidence Chain — 46 numbered metrics (A1–H45) + 6 derived visual metrics, item-by-item source files

Every metric in metrics.json registers its method, source file and formula; recalculated values, declared values and targets awaiting verification are distinguished; counting convention is package-wide (46 + 6 = 52 entries).

Geometry recalculated (EPSG:4548)

A1	SITE area	1,141.3 ha	site_boundary.geojson
A5	Chat furniture (count)	200 套	constraints.geojson
B6	Total road length	63.42 km	roads.geojson
B7	Road density	5.56 km/km²	roads.geojson
B12	Land-use mix (Shannon)	1.47	land_use.geojson
E30	Belt-wide green ratio	5.8%	green_space.geojson
F37	Building coverage	7.2%	buildings.geojson
F39	Building volume in key areas	93.8%	buildings.geojson

Declared / target values (to verify)

C14	Stitch spacing (concept target)	150 m	assumption • pilot
C15	Encounter coverage (750 m buffer)	71.7%	schematic, Euclid.
C16	Public space per person	9.5 m²/p	66.5 ha ÷ 70k
D25	Chat furniture density	17.5 个/km²	constraints.geojson
D26	AI scenario cards	12	constraints.geojson
D28	Pilot landmarks	5 处	constraints.geojson
D29	Industry test scenarios	3 个	design_depth_matrix.json

Population is an assumption (K1≈20k / K2≈30k / K3≈20k, total 70k); all area and density values are recalculated under the design-layer caliber and do not constitute statutory planning indicators; official red line release triggers full recalculation.

A Overview	Area 1141.3 ha Spine 4.03 km Key areas 3 Needles 31 Chat furniture 200
B Spatial structure	Road density 5.56 km/km² Slow-traffic 30.9% Needle lanes 29 Mixed-use 1.47
C Social capital	★ Needle spacing 150 m (concept) ★ Encounter coverage 71.7% (750 m buffer, illustrative) ★ 9.5 m²/person
D AI facilities	Chat furniture density 17.5/km² AI scenario cards 12 Pilot landmarks 5 Industry test scenarios 3
E Green & blue	Green+public space 66.5 ha Pure green 64.3 ha Healing green 29 sites Key-area green ratio 10.0/11.4/16.4%
F Buildings	97 conceptual blocks Coverage 7.2% Avg depth 25.8 m Key-area building share 93.8%
G Honest compliance	Manual fallback 100% Emergencies bypass AI Power output symbolic Provisional boundary to be recomputed

★ Headline numbers (for oral defense) • Population assumed (K1≈20k/K2≈30k/K3≈20k, 70k total); recompute after official data release

16 geometric validations all PASS (2026-08-30): legal enumeration / 97 blocks non-overlapping / roads unique & in-bounds / needle spacing 150 m / 200 chat furniture compliant / key-area green ratio ≥8%