


京张轨距

为城市AI铺设可复用的标准

Centennial Jing-Zhang AI Innovation Belt · open co-creation proposal

One spine, three anchors, two wings, twelve stations · when gauges agree, every train can run



Submitter: tfcrft (ox-alpha via DeepSeek Harness) · v1.0 · 2026-08

Provisional rough boundary · all conclusions recalculated with official data

Design Basis and Source List

Four layers: official announcement, agent taskbook, repository data package, public background. Gaps registered as pending — never placeholder numbers.

Three layers

- 1 Announcement: scopes & tasks
- 2 Taskbook: positionings & agent.1-6
- 3 Data package: provisional boundary + codes
- 4 Background: railway history (narrative only)

Data gaps


- Official red lines · regulatory controls
- Heritage scopes · existing buildings & ownership
- Municipal capacities — all unknown with triggers

Boundary clause

All spatial moves are conceptual suggestions; no statutory or governmental conclusion.

Three-Level Scope Framework

Research 43.6 km² (strategy) → overall 11.4 km² (structure) → key areas 368.4 ha (scenarios); provisional recalcs 11.413 km² / 369.3 ha.



Transmission

Strategy answers the niche; structure translates it; scenarios deepen it into packages.

Recalc triggers

When official polygons arrive, boundary, partition and all area metrics are replaced and recalculated.

Naming System and Logo Direction

Master name: Jingzhang Gauge 1435. The gauge = unified standards carrying autonomous innovation.

Naming layers

Commons Spine
Powerhouse (Zhongzhiyuan)
Origin Terminal (AI Origin Community)
Marshalling Port (Dazhongsi)
Dispatch Wing · Proving Wing
Gauge Stations GS-01...12

Logo direction

Twin-rail negative space: 'human' figure + 1435 caliper; monochrome; dynamic = split-flap.
Signal colours: LIVE/PROVING/MAINTENANCE/RETIRED.

Three positionings

Heritage=spine; Experience=scenario track; Innovation=power track; five functions→ five yards.

Four Gauges: The Core Mechanism

Spatial / scenario / testing / governance standard families — every train marshalled, proven and released on the same gauge.

Station module 15×24m · ≥1.8m clearances
Kerb ramps · robot bays · signal wayfinding

Five mandatory declarations per card:
data source / privacy / human review / exit / operator

L1 sim → L2 closed → L3 constrained → L4 full-line
Spatialised along the proving wing

Switches · block sections · signals · re-railing
Track Maintenance Section: social review board

Global Cases and Regional Synergy

Seven global cases + a Beijing-Tianjin-Hebei compute loop (Zhangjiakou hub × Haidian R&D).

Case translations

- KX: public space first
- High Line: linear heritage value
- Punggol: proving path
- Superblocks: components
- Shibuya: station-city
- Sidewalk Labs (negative): governance first
- City Brain: traffic first

Synergy

- S: Xizhimen–Financial St
- E: Xueyuan Rd–ZGC East
- N: Qinghe–Future Science City
- NW: HSR–Zhangjiakou compute hub
- Mechanism: ZGC Forum links

Overall Design: One Spine, Three Anchors, Two Wings, Twelve Stations

9.7 km spine (110 m band) + three yards + two wings + twelve stations; 131 gap-free LU cells.


JINGZHANG GAUGE 1435

A Reusable Standard Gauge for Urban AI

Overall spatial structure of the Centennial Jing-Zhang AI Innovation Belt

FIG 01 · SITE OVERVIEW

One spine, three anchors, two wings, twelve stations




One Spine · Three Anchors · Two Wings · Twelve Gauge Stations

Base map: repository provisional_rough boundary · design layers: agent_generated_design · recomputed in EPSG:4548 · rotated 90° (south left → north right)

Land Use and Renewal Framework

Residential 36.5%, green 22.5%, business 6.8%, roads 9.3%, research 3.8%, education 5.3%, white 4.5%; lay-marshal-release.



Logic

Housing/education = base; green along spine & river;
R&D/business cluster in anchors; white land = tolerance gap.

Renewal


Lay track (public first) → marshal (yards) → release (gates).
Retain heritage; renovate sheds/frontages; demolish blockers (suggested).

Key Area: Powerhouse (Zhongzhiyuan)

Full-stack heart: one loop, three yards + Hall of Gauges; T02/T04 at L2; Wall of Gauges = honour core.

Key Areas: Three Depots, Three Missions

FIG 03 · KEY AREAS



Moves

- Chip/Framework/Model yards on a loop
- Forecourt for launches
- L2 closed ground + compute pilot (NE white land)
- Concept heights 80→24m (massing only)

Scenarios & risks

- T02 sandbox · T04 benchmark arena
- Risks: land ratio pending controls; noise/traffic assessment

Key Area: Origin Terminal (AI Origin Community)

Ecosystem parlour: Zero-Kilometre Post Plaza = global pilgrimage origin; Debut Market = first orders.

Landmark

Ties + mileage rings: all belt mileage starts here;
new contributors engraved yearly — growing public memory.

Scenarios & risks

S01/S05/S02/S03 depart here
Risks: heritage scope pending; university interfaces

Key Area: Marshalling Port (Dazhongsi)

AI-native gateway: business × consumption meet at the Bell-Ring Terrace; release rings = audible trust index.

Landmark


Beside Big Bell Temple (indicative): one ring per L3-certified launch;
annual rings = trust index.

Scenarios & risks

T01 delivery tests · S10 night shuttle + compute kiosk
Risks: multi-party ownership; strict zones in dense flows

Transport, Rail, Municipal and New Infrastructure

Continuous slow network + station integration concepts + compute kiosks; no redline/engineering conclusions.



Slow network

Walk axis 9.7 km · cycleway · river greenway
Designed streets; robot bays keep clearance

Rail & municipal

Station integration (concept); rail corridor = locked existing layer.
Pipe/energy capacities left blank pending official data.

New infra

Compute kiosks · sensing poles & status boards
Distributed energy & heat reuse = directions

Blue-Green Public Space and Character

One belt, one river; green 16.3% / public 7.0% (recalculated); low-transparent-slow character rules.

System

Heritage band = public-space spine (in public_space layer)
One belt, three hearts, twelve stations + pocket parks


Character

Low (heights step to spine) · Transparent (corridors) · Slow (priority)
Railway palette: steel grey / oxide red / signal colours

Commons Spine Section & Station Module Bay

Conceptual schematic (not engineering): 110 m park-band section + 15 m × 24 m station module


公共脊剖面示意 Commons Spine section (concept)



Station module 15×24 m (spatial-gauge component)



Track-laid component tiling: ~800 m standard segment (indicative)



AI Scenario Cards and Personas

14 cards (4 test scenarios) with five-element declarations; 6 personas in acceptance criteria; three hard privacy rules.

Daily S01-S10

S01 commute · S02 civic · S03 elder · S04 accessible
S05 market · S06 triage · S07 guide · S08 inspection
S09 drill twin · S10 shuttle+kiosk

Test T01-T04

T01 delivery · T02 sandbox · T03 shuttle loop · T04 benchmark
L1→L2→L3→L4 release path

Personas & privacy

P1 senior · P2 founder · P3 engineer · P4 intl dev · P5 operator · P6 blind
No excess collection · human review · closable/reversible

Renewal Projects, Policy and Phasing

Ten conceptual projects JZ-01...10 (lead/precondition/exit each); phases: Anchor 2026-27 · Weave 2027-29 · Release 2029-35.

First batch

JZ-01 spine demo · JZ-02 zero-km plaza · JZ-03 first stations
JZ-04 market · JZ-05 L2 ground · JZ-06 constrained segment
JZ-07 Hall · JZ-08 bell ritual · JZ-09 parks · JZ-10 kiosk

Policy

Release whitelist · procurement standards · data licensing template · maintenance-section charter (all conceptual)

Metrics, Compliance and Risk

Three core metrics recomputable and locked to visual data-values; honest unknowns; 23 tasks covered; six risk families.

site 11,412,825 m² · green 16.3% · public 7.0%
spine 9,718 m · stations 12 · cards 14 (4 test)
personas 6 · cases 7 · landmarks 3 · key ≈3,692,895 m²

FAR · controlled height · density
— pending official documents, triggers registered

Risks

Boundary recalc · heritage · tech gates · privacy blocks · concept-only ops · copyright