

JZ//NOW

JINGZHANG IN PROGRESS

KEEP THE CITY OPEN

Open means open to scrutiny, never open access to a work zone.

Open means open to scrutiny, never open access to a work zone.

PROVISIONAL GEOMETRY / CONCEPT PROPOSAL / NOT FOR APPROVAL. Regenerate the complete package after official polygons, project status, and professional conditions are obtained.

EVIDENCE CHAIN: OFFICIAL SCALES, PROVISIONAL GEOMETRY, REAL PAIN POINTS

JZ//NOW

EVIDENCE CHAIN: OFFICIAL SCALES, PROVISIONAL GEOMETRY, REAL PAIN POINTS



1 MAP + 1 THREE-LAYER CONTRACT + 3 FIELDS + 2 WINGS

JZ//NOW

1 MAP + 1 THREE-LAYER CONTRACT + 3 FIELDS + 2 WINGS

OFFICIAL TASKBOOK → JINGZHANG MECHANISMS

P1 Centennial Jingzhang cultural belt → ENGINEERING CULTURE → CONTINUITY → SIGN-OFF
P2 Urban AI-life experience belt → ROUTE + MODEL ROOM + OFFLINE SERVICE → DAILY CONTINUITY
P3 AI-integrated innovation belt → ISOLATED 1:1 TEST → HUMAN ACCEPTANCE → ADOPT / EXIT
F1 Full-stack autonomous AI innovation system → SC07-09: ISOLATED TEST → HUMAN ACCEPTANCE
F2 World-class AI innovation ecosystem → 8 FACTORS + SERVICE WING → COMPLIANT PROCUREMENT
F3 New AI+ scenario-enablement paradigm → SC01-12: TEN FIELDS + HARD STOP + ROLLBACK
F4 Intelligent and vibrant AI city → ACCESS + ESSENTIAL SERVICE + VOLUNTARY PILOT
F5 Global voice in AI governance → G0-G8 + APPEAL + HUMAN TAKEOVER + RECEPTION

8 FACTORS

LAND

INDUSTRY

TALENT

DATA

SPACE

FUNDING

COMPUTE


SCENARIOS

RESEARCH → ISOLATED TEST
→ HUMAN ACCEPTANCE → ADOPT / EXIT
→ KNOWLEDGE RETURN

6 AI ECOSYSTEM CASES × TRANSFER LIMITS

Singapore one-north TRANSFER: MODULE + BRIEF + CLIENT CANNOT: NO LAND POWER / FUNDING / FUTURE CLAIM	Toronto MaRS + Vector TRANSFER: WALKABLE RESEARCH-CLIENT LINK CANNOT: NO MEMBERSHIP / HEALTH DATA / SCALE
Pittsburgh CMU RIC TRANSFER: ISOLATED 1:1 TEST + TRAINING CANNOT: NO PHILANTHROPY / PROPERTY / PUBLIC WORKFACE	Paris-Saclay + DATAIA TRANSFER: UMBRELLA RESEARCH + COMPUTE NETWORK CANNOT: NO NATIONAL REGIME / CAMPUS SCALE / SPECS
HKSTP + AIR@InnoHK TRANSFER: LAB + COMPUTE + CAPITAL + VALIDATION CANNOT: NO GRANTS / HK REGIME / RAW DATA	Seoul Yangjae AI Hub TRANSFER: CITY-OWNER COMPUTE + DATA + POC CANNOT: NO BLANKET TESTBED / INCENTIVE / FUTURE CLAIM

1 MAP + 1 THREE-LAYER START-WORK CONTRACT + 3 FIELDS + 2 WINGS



CONTINUITY SEPARATED, LIT, ACCESSIBLE DIVERSION; SCHOOL / HEALTH / ESSENTIAL SERVICE CONTINUES.	OPEN-WORKS BUFFER VIEW / DISCUSS MODELS AND NOTICES; PUBLIC NEVER ENTERS PRODUCTION.	HANDOVER DESTINATION + OPERATOR + OPEX + DEFECTS + RECEIVER SIGN-OFF.	WING 1 BIM / COMPLIANCE / INSURANCE / COMPUTE / PROCUREMENT / OPEN-SOURCE + IP SERVICES.
P1 • FULL-SCALE WORKS YARD SC-07 / SC-08 / SC-09	P2 • PUBLIC MODEL ROOM SC-04 / SC-05 / SC-06	P3 • STAY-OPEN DISTRICT SC-01 / SC-02 / SC-03 / SC-10 / SC-11 / SC-12	WING 2 LOW-RISK WATERFRONT ECOLOGY / SERVICE TESTS; ONLY WITH PERMISSION.

ONE WHOLE-SITE INTERFACE-MANAGEMENT CONCEPT; NO LAND_USE_CODE / NOT A STATUTORY LAND-USE PLAN



PROVISIONAL GEOMETRY / CONCEPT PROPOSAL / NOT FOR APPROVAL. Regenerate the complete package after official polygons, project status, and professional conditions are obtained.

EQUAL-STATUS, DIFFERENTIATED FIELDS: P1–P3 AND SC-01–12

JZ//NOW

EQUAL-STATUS, DIFFERENTIATED FIELDS: P1–P3 AND SC-01–12


P1 • FULL-SCALE WORKS YARD



SC-07 / SC-08 / SC-09

On failure: de-energise, take over manually, isolate the batch, and preserve evidence.


P2 • PUBLIC MODEL ROOM



SC-04 / SC-05 / SC-06

If siting fails, use a mobile model for an off-site joint review.

P3 • STAY-OPEN DISTRICT



SC-01 / SC-02 / SC-03 / SC-10 / SC-11 / SC-12

Without a real programme, merchant consent, and traffic review, switch to an off-site full-scale rehearsal.

FOUR LANDMARKS



TEN COMPONENTS • EACH ACCEPTABLE / RETURNABLE

C-01 continuous surface panel

C-02 adjustable ramp

C-03 tactile / large-print wayfinding

C-04 human-controlled safety gate

C-05 basic lighting mast

C-06 paper / telephone help point

C-07 public model table

C-08 observation window

C-09 merchant / service cabin


C-10 handover tag

PROVISIONAL GEOMETRY / CONCEPT PROPOSAL / NOT FOR APPROVAL. Regenerate the complete package after official polygons, project status, and professional conditions are obtained.

COMMON SAFETY SECTION, MOBILITY PRIORITY, STATUTORY INTERFACES

JZ//NOW

COMMON SAFETY SECTION, MOBILITY PRIORITY, STATUTORY INTERFACES



Hazard distances come from construction planning and project risk assessment. If boundary, egress, or people–vehicle conflict status is unknown, public activation stays closed.

2.5 m / 20 m / 1 m

Beijing manual § 5.3 reference:
hoarding ≥2.5 m; within 20 m of an intersection, the part above 1 m is permeable and preserves sightlines.
Project assessment/approval prevails.

70 / 55 / +15 / 20min

WHERE GB 12523—2025 APPLIES: DAY 70 / NIGHT 55 / NIGHT MAX +15 dB(A) / Leq 20 min; project owner and contractor are responsible. HJ 1402—2024 statutory automatic monitoring; public display always NON-ENFORCEMENT.

G3 • RAIL ONE-VOTE STOP

ARTICLE 19 TEST → WORK UNIT PROTECTION
+ MONITORING PLANS → OPERATOR CONSENT
→ STATUTORY PERMISSION → LAWFUL
OPERATOR-CHOSEN DYNAMIC MONITORING /
INSPECTION → JOINT ASSESSMENT + FILING
+ IMPACT REMOVAL. EXISTING RAIL /
HERITAGE: SEPARATE CHECK. ANY UNKNOWN
= OFF-SITE.

DB11/T 1116—2024 is an END-STATE road-space/footway-continuity baseline, not a construction-occupation rule.

THE STREET SCENE IS AN INTERFACE-MECHANISM SCHEMATIC. Width, gradient, trees, drainage, lighting, fire, delivery, and gate control require project-specific formal review.

PROVISIONAL GEOMETRY / CONCEPT PROPOSAL / NOT FOR APPROVAL. Regenerate the complete package after official polygons, project status, and professional conditions are obtained.


Open means open to scrutiny, never open access to a work zone.

PROVISIONAL GEOMETRY / CONCEPT PROPOSAL / NOT FOR APPROVAL. Regenerate the complete package after official polygons, project status, and professional conditions are obtained.

SCENARIO TO RECEIVER SIGN-OFF: NO BROKEN EVIDENCE CHAIN

JZ//NOW

SCENARIO TO RECEIVER SIGN-OFF: NO BROKEN EVIDENCE CHAIN



G0 PREREQUISITE + EIGHT HARD GATES G1–G8



CONDITIONAL 100 DAYS: D01–15 → D16–30 → D31–55 → D56–75 [P1 OR P2 OR P3; ONE BRANCH] → D76–90 → D91–100

RACI never replaces statutory authority. Without a receiver, OPEX, and G6 sign-off, no permanent benefit is counted.

PROVISIONAL GEOMETRY / CONCEPT PROPOSAL / NOT FOR APPROVAL. Regenerate the complete package after official polygons, project status, and professional conditions are obtained.

TWELVE-SCENARIO TEN-FIELD LEDGER • 01–06

SC-01	Separated temporary route Belt interfaces; wheelchair users, pedestrians, cyclists	AI: Edge counts flag crowding; no face capture MIN DATA: Anonymous time-banded directional counts and route/open/flood/light status; no faces or raw video. MODEL: Agreement, false alerts, and missed alerts against manual counts.	NO-AI: Approved static signs, continuous lighting, human stewards, and paper audit sheets. OWNER: Site manager; paper map, signs, and stewards remain active SIGN: Site manager and independent representative accessibility auditor sign.	TEST/STOP/ROLLBACK: Day/night and wheelchair audits; any break, flooding, or blocked egress closes the new route and restores the old/backup route FAIL-SAFE: Close the new route and restore the approved original or backup route.	PUBLIC: MET-01.1 availability and MET-01.2 representative accessibility audit. COMPLIANCE: G1/G2 pass; zero public entries into works; no biometric capture. RETENTION: Retain aggregate counts and incident logs only for the approved period; create no raw-video archive. NON-AI ROUTE: Paper map, signs, continuous lighting, stewards, and site telephone.
SC-02	Essential-service priority route School, eldercare, healthcare interfaces; children, older people, patients	AI: Peak prediction supports staffing only MIN DATA: Service status, anonymous time-banded arrivals, and agreed service windows; no eligibility or medical records. MODEL: Peak-prediction error against the human staffing baseline.	NO-AI: Existing service windows, human staffing, telephone booking, and paper emergency contacts. OWNER: Public-service liaison; telephone and staffed booking SIGN: Responsible service operator and public-service liaison sign each window.	TEST/STOP/ROLLBACK: Rehearse every service window; if essential service becomes unavailable, the competent site owner follows the approved plan to pause the relevant activity or activate an approved equivalent substitute. FAIL-SAFE: The competent site owner follows the approved plan to pause the affected activity or activate an approved equivalent substitute, restoring the original/backup service.	PUBLIC: MET-01.3: every essential service retains the original or an equivalent alternative. COMPLIANCE: G1/G5/G8 pass; AI makes no service-eligibility decision. RETENTION: Aggregate staffing data follows the approved service period; retain no eligibility, clinical, or individual-journey data. NON-AI ROUTE: Staffed window, telephone booking, paper timetable, and on-site liaison.
SC-03	Worksite-gate separation Works gates; drivers, pedestrians, riders	AI: Blind-spot alerts assist human control MIN DATA: Device health, anonymous conflict-zone occupancy, and incident timestamps; no faces or number plates. MODEL: Blind-spot recall, false alerts, latency, and link-loss detection time.	NO-AI: Human marshal, gate-closed procedure, flags, signals, and fixed sightline check. OWNER: Traffic marshal releases movement; flags and signals back up SIGN: Traffic marshal releases movement; site manager signs incident closure; the competent owner approves reopening under the protocol.	TEST/STOP/ROLLBACK: Simulate dropout and false alerts; a high-potential incident closes the gate, triggers review, and requires re-approval by the competent owner under the applicable safety protocol FAIL-SAFE: Close the vehicle gate, take over manually, review, and re-approve.	PUBLIC: Pedestrian/cycle waiting and uninterrupted essential passage. COMPLIANCE: G2 pass; zero AI releases; every high-potential incident logged. RETENTION: Safety event logs follow the approved safety plan; identifiable people/vehicle imagery is not retained by default. NON-AI ROUTE: Human marshal, flags, signals, radio, and gate closure.
SC-04	7/30/90-day impact wall Overall area; everyone	AI: Conflict detection flags cumulative impacts MIN DATA: Verified milestones, affected interfaces, owner, status, and timestamp; no individual journeys. MODEL: Conflict correctness, misses, and staleness against human joint review.	NO-AI: Owner-signed spreadsheet/calendar, paper notice, telephone, and weekly human change meeting. OWNER: Project owner signs; paper notice and telephone run in parallel SIGN: Project owner signs; the advisory secretariat through existing mechanisms flags cross-project joint review.	TEST/STOP/ROLLBACK: Weekly verification; unverified status is not published and errors are corrected with an audit trail FAIL-SAFE: Withdraw unverified status, publish correction, retain version trail, and restore paper/telephone channels.	PUBLIC: MET-03.1 notice accuracy and 7/30/90-day completeness. COMPLIANCE: G0/G5 pass; every public status has an owner and timestamp. RETENTION: Versioned change records follow the approved governance period; delete unnecessary working copies after closure. NON-AI ROUTE: Paper impact sheet, telephone, site notice, and human change meeting.
SC-05	Environmental monitor + complaint desk Residential/school edges; residents and workers	AI: Trend alert only; never replaces GB 12523—2025, HJ 1402—2024, human confirmation, or enforcement MIN DATA: Calibration status, compliant level summaries, device health, and de-identified tickets; no raw audio. MODEL: Deviation, drift, false alerts, and misses against statutory/manual readings.	NO-AI: Applicable statutory monitoring, manual inspection, hotline, and responsible-body response. OWNER: Environmental lead; statutory/manual monitoring, inspections, and hotline SIGN: Statutory responsible body and environmental lead sign; AI makes no enforcement or liability finding.	TEST/STOP/ROLLBACK: Cross-check statutory equipment; drift/dropout marks the display unavailable and switches to statutory/manual monitoring, inspection, and responsible-body response FAIL-SAFE: Mark dashboard unavailable and switch to statutory/manual monitoring, inspection, and hotline response.	PUBLIC: MET-03.2 complaint response, escalation, and human closure. COMPLIANCE: G4 pass; valid GB 12523—2025/HJ 1402—2024 interface; dashboard always labelled non-enforcement. RETENTION: Monitoring and tickets follow applicable standards/legal duties; raw audio remains zero. NON-AI ROUTE: Statutory monitoring, human inspection, hotline, paper notice, and human response.
SC-06	Public model co-review Origin Public Model Room; residents, designers, owner	AI: Compare daylight, noise, dust, mobility, and sequencing options MIN DATA: Sourced/dated option parameters, model versions, and voluntary comments; minimise personal identifiers. MODEL: Reproducibility, source completeness, and correction time.	NO-AI: 1:200 physical model, paper cards, facilitated review, and owner’ s written reasons. OWNER: Facilitator records; owner gives a reasoned response within its authority and submits out-of-scope matters to the competent body; paper cards accepted SIGN: Facilitator records; the project owner gives reasoned responses only within its authority, while the competent body decides out-of-scope matters.	TEST/STOP/ROLLBACK: Traceability audit; missing data downgrades output to an assumption and excludes it from approval FAIL-SAFE: Mark missing input as assumption, remove it from approval, and switch to physical model/human review.	PUBLIC: Traceability from comment to reasoned response and equivalent accessible participation. COMPLIANCE: G5/G8 pass; model display is neither consent nor approval. RETENTION: Archive model versions and decision reasons; delete personal identifiers after the response/appeal period. NON-AI ROUTE: Physical model, paper cards, quiet consultation, facilitator, and written response.

TWELVE-SCENARIO TEN-FIELD LEDGER • 07–12

SC-07	Isolated robot operation Zhongzhiyuan test bay; workers and researchers	AI: Embodied-AI handling/assembly test MIN DATA: Machine state, force, speed, geofence, load, and E-stop result; no worker productivity scoring. MODEL: Boundary, abnormal-force, latency, and takeover response under the approved test protocol.	NO-AI: Approved manual method, hard isolation, mechanical lockout, and human observation. OWNER: An independent safety officer explicitly authorised by the test protocol or contract can physically de-energise; the approved manual method is the backup. SIGN: The protocol/contract-authorised independent safety officer and a competent engineering professional sign each step.	TEST/STOP/ROLLBACK: No-load, dummy-load, then live-load; boundary breach, abnormal force, or human intrusion triggers immediate de-energisation FAIL-SAFE: De-energise, lock out, take over manually, preserve evidence, and return to manual work.	PUBLIC: Zero tolerance for injury; zero public entries into the test bay. COMPLIANCE: G0/G2/G8 pass; zero AI engineering acceptances. RETENTION: Test and safety-event records follow the approved safety plan; no biometrics by default. NON-AI ROUTE: Manual method, mechanical lockout, physical E-stop, and human evacuation.
SC-08	Robot emergency-stop + link-loss Zhongzhiyuan test bay; equipment team	AI: Monitor latency, location, and link loss MIN DATA: End-to-end latency, link state, location, E-stop trigger, and safe state; no worker performance data. MODEL: E-stop response, link-loss detection, and safe-state time under the approved protocol.	NO-AI: Physical E-stop, mechanical lockout, human evacuation, radio, and post-change checklist. OWNER: An independent safety officer explicitly authorised by the test protocol or contract leads; mechanical lockout and human evacuation remain available. SIGN: The protocol/contract-authorised independent safety officer leads and signs; the site safety lead retains top authority within statutory/contractual duties.	TEST/STOP/ROLLBACK: Rehearse after every software/hardware change; failed E-stop or link-loss protection forbids live load FAIL-SAFE: Physical de-energisation, mechanical lockout, human evacuation, and no live load.	PUBLIC: Pass after every change; failure forbids live load and public observation. COMPLIANCE: G2/G8 pass; independent witness record complete. RETENTION: Change/drill logs follow the approved equipment-safety plan; no worker ranking. NON-AI ROUTE: Physical E-stop, mechanical lockout, human evacuation, and paper checklist.
SC-09	Component defect detection Component inspection station; engineers and suppliers	AI: Vision/sensor-assisted defect detection MIN DATA: Component-only imagery/measurements, batch, and professional labels; no people or unrelated commercial data. MODEL: Blind-test misses, false positives, and calibration; thresholds approved by a competent professional.	NO-AI: Registered professional follows the approved inspection plan for manual measurement, sampling/full inspection, and batch isolation. OWNER: A professional with the applicable qualification and duty signs; manual measurement is baseline SIGN: A professional with the applicable qualification and duty signs quality; supplier and owner retain contractual responsibility.	TEST/STOP/ROLLBACK: Blind-test false positives/negatives; a high-risk miss stops the model, isolates the batch, and restores full manual inspection FAIL-SAFE: Stop the model, isolate the batch, and restore full manual inspection.	PUBLIC: MET-02.2: a high-risk miss triggers hard stop; speed never substitutes for quality. COMPLIANCE: G0/G8 pass; zero final AI sign-offs. RETENTION: Component data follows the approved quality/defects plan; delete unrelated identifiers and working copies. NON-AI ROUTE: Manual measurement, approved inspection plan, batch isolation, and professional sign-off.
SC-10	Reversible AI Counter Dazhongsi interface; merchants, customers, riders; merchant-controlled pod and pickup pocket	AI: Merchant-selected multilingual descriptions, stock/delivery assistance, and repair booking; no discriminatory pricing or sensitive profiling MIN DATA: Merchant-authorised product descriptions, aggregate stock/delivery demand, trading status, and repair windows; no sensitive consumer profiles. MODEL: Factual errors in multilingual descriptions, stock/delivery cue error, misleading outputs, and human corrections.	NO-AI: Merchant-authored descriptions/stocking, staffed checkout, telephone, cash/physical menus, human pickup, and repair register. OWNER: Merchant controls the switch, may leave and request deletion; staffed checkout, telephone, cash, physical menus, and human pickup remain SIGN: Voluntary merchant controls the switch and confirms daily; site service manager checks access and fire safety.	TEST/STOP/ROLLBACK: Daily checks of access, trading, misleading output, and deletion; loss of connection, fire obstruction, or trading harm returns to manual, moves/removes the pod, and stops the model FAIL-SAFE: Loss of connection, misleading output, or trading harm stops the model, returns to manual, and moves/removes the pod as needed.	PUBLIC: MET-01.4 trading/delivery accessible days; merchant exit/deletion rights and human service remain effective. COMPLIANCE: G5/G8 pass; no fire obstruction; zero discriminatory pricing, sensitive profiles, or AI-decided transactions. RETENTION: Keep authorised product/aggregate operating data only for the shortest consented period; withdrawal or deletion request stops collection and deletes pilot working data. NON-AI ROUTE: Merchant-authored descriptions/stocking, staffed checkout, telephone, cash, physical menus, human pickup, and repair booking.
SC-11	Formally authorised essential-service alternative All three key areas and formally authorised interfaces; residents; navigation, booking/referral, pickup point, or toilet alternative	AI: Queue cue only; no eligibility, diagnosis, approval, or compensation decision MIN DATA: Authorised anonymous queue counts, service status, and device health; no eligibility, diagnosis, approval, compensation, or sensitive personal data. MODEL: Queue-cue error, device availability, and anomaly detection time.	NO-AI: Formal-operator-authorised original service/approved alternative, staffed window, telephone, paper queue, and on-site assistance. OWNER: Competent body/formal operator is responsible; staffed window and telephone remain available SIGN: Competent body/formal operator authorises and signs each service; community/accessibility representatives audit.	TEST/STOP/ROLLBACK: Authorisation and service-equivalence audit; privacy, power, or accessibility failure restores the original service or approved alternative FAIL-SAFE: Restore the original service or approved alternative, stop the queue cue, and return to the formal operator's human control.	PUBLIC: MET-01.3 service equivalence and MET-03.4 raw personal data defaulting to zero. COMPLIANCE: G1/G5/G8 pass; zero AI eligibility, diagnosis, approval, or compensation decisions. RETENTION: Delete aggregate counts after cabin closure; operator retains statutory service records under applicable rules. NON-AI ROUTE: Staffed window, telephone, paper queue, on-site help, and original/backup service.
SC-12	Handover evidence + component return Every completed interface; receiver, residents, contractor	AI: Aggregate evidence; never auto-accept MIN DATA: Asset ID, location, status, acceptance/defect/maintenance/OPEX, and receiver sign-off; minimise personal data. MODEL: Evidence-pack completeness and agreement between automated summary and human register.	NO-AI: Site walk-through, paper checklist, human asset register, defect closure, and receiver signature. OWNER: Owner and receiver sign; paper site checklist SIGN: Specific project owner and asset receiver sign together.	TEST/STOP/ROLLBACK: Defects-period review; failure retains warranty and repair, with temporary items returned to the shared library FAIL-SAFE: Retain warranty and repair; remove or return non-compliant temporary items.	PUBLIC: MET-03.3 signed commitments and MET-03.5 destination for every component. COMPLIANCE: G6/G8 pass; zero automated acceptance; no receiver means not permanent. RETENTION: Retain asset/defect/OPEX evidence for receiver/warranty periods; delete unnecessary personal working data. NON-AI ROUTE: Paper site checklist, human asset register, walk-through, and dual signature.

6 AI ECOSYSTEM CASES + 7 CONSTRUCTION-DELIVERY PRECEDENTS

AI ECOSYSTEM × 6

Singapore one-north + AI Singapore + Kampong AI	8: land/space/industry/funding/talent/compute/data/scenario A conversion unit combining modular space, a real company problem, an engineering team, and a validation client.	Land powers, funding values/ratios, or future outcomes of an incomplete plan.
Toronto MaRS + Vector Institute	8: land/space/industry/funding/talent/compute/data/scenario Compress research institutes, clients, investment, and talent into a walkable urban setting.	Membership systems, health-data permissions, or organisational scale.
Pittsburgh Hazelwood Green + CMU Robotics Innovation Center	8: land/space/industry/funding/talent/compute/data/scenario Brownfield renewal, isolated physical tests, enterprise co-location, and worker training support P1.	US philanthropy, university property/contracts, or public entry into controlled test/work areas.
Paris-Saclay + DATAIA	8: land/space/industry/funding/talent/compute/data/scenario Use an umbrella network to link distributed universities, compute, talent, industry briefs, and transfer.	National research regimes, very large campus scale, or existing compute specifications.
HKSTP + AIR@InnoHK	8: land/space/industry/funding/talent/compute/data/scenario International laboratories, compute, incubation capital, and adjacent manufacturing/health validation.	Historical grants, Hong Kong land/research regimes, or any assumption of open raw data.
Seoul Yangjae AI Hub	8: land/space/industry/funding/talent/compute/data/scenario A city owner links compute, governed data, PoC, and regulatory feedback into an adoption chain.	A blanket city testbed, tax/FAR incentives, future investment, or opening parks without authorisation.

CONSTRUCTION DELIVERY × 7

Crossrail Learning Legacy	Package-level community plans, responsibility interfaces, pre-works commitments	UK contract structure and thresholds
Independent HS2 Construction Commissioner	Independent complaint and accountability role	UK statutory powers
NYC Building Code Chapter 33	Protected, lit, accessible continuity principle	NYC dimensions and approval clauses
Empa NEST / Sprint	Full-scale, replaceable, pre-occupancy validation	Research-facility admission conditions
GLA Meanwhile Use	Short-cycle operation of vacant/temporary space	Local lease and tax system
Melbourne Creative Hoardings	Hoardings as a curated, accountable urban interface	Melbourne visual-permit regime
HafenCity Masterplan	Rolling phases, stable overall goals, continuous calibration	Land system and development parameters

Open means open to scrutiny, never open access to a work zone.

18 PRECONDITIONS: UNKNOWN MEANS NO ACTIVATION

a-boundary-provisional The overall and three key-area polygons are repository provisional geometry, not official redlines.	a-project-status No specific project is treated as currently under construction unless its owner, programme, and status are signed.
a-ownership Land, building, park, and frontage ownership/operating rights are incomplete.	a-construction-boundary Works redlines, hoarding, vehicle gates, hazards, emergency routes, and stage plans are unavailable.
a-rail-interface It is unknown whether an activity is an Article 19 work inside a legally announced rail-protection area and, where applicable, whether the work unit first prepares safety-protection and monitoring plans, then obtains operator consent, then secures statutory permission, supports any dynamic monitoring/inspection lawfully chosen by the operator, and after completion jointly assesses, files, and removes impacts; existing railway assets and heritage lines require a separate check.	a-statutory-controls Approved land use, FAR, height, setbacks, road redlines, parking, heritage, utilities, water, fire, and public-facility controls are incomplete.
a-existing-survey Cleared building-by-building condition, use, structure, service, tree, drainage, and retain/renovate/demolish surveys are missing.	a-safety-assessment Hazard distances and public-buffer dimensions require project-specific professional assessment.
a-accessibility-baseline Day/night/rain, wheelchair, low-vision, school, healthcare, delivery, and emergency continuity baselines are not measured.	a-noise-monitoring Applicable GB 12523—2025/HJ 1402—2024 monitoring design, equipment, calibration, responsible body, and enforcement route are not assigned.
a-data-privacy No personal-data processing is authorised; the default is no face, gait, raw video, worker ranking, or eligibility/compensation profiling.	a-ai-safety Robot E-stop/link-loss, force/geofence, defect-test datasets, thresholds, and competent signatories are not approved.
a-cost-procurement Quantities, capex, OPEX, monitoring, insurance, review, removal, funding, and procurement routes are unknown.	a-opex-receiver Permanent receivers, maintenance roles, annual budgets, defects periods, storage, and exit routes are unassigned.
a-osm-background The OSM cross-check is incomplete public background under ODbL and reports a material mismatch with the provisional site polygon.	a-source-licensing Any later archival image, brand, font, map, model, code, or training data needs separate rights review.
a-advisory-secretariat The advisory in-progress secretariat is a function proposed through existing coordination mechanisms, not a new government body.	a-hundred-day-conditional The 100-day window starts only after selection, a real interface passes G0, and all required consents are obtained.