



THE OPEN GATE LINE

OGP-12 / OPEN GATE PROTOCOL

One heritage line · twelve scheduled, staffed and reversible public gates



Three positions, five functions, three areas plus two wings, and twelve gates form one inspectable response chain.






3 positions

5 functions

3 areas + 2 wings

1 original identity

Documented context is reference-only; provisional geometry, case mechanisms and concept land use keep separate evidence limits.



1,978 context features

6 cases

4 concept zones

0904 semantic fix

Three Origin Gate options face the same hard gates, leaving an explainable reject, revise and advance record.

03 / KEY AREAS

THE OPEN GATE LINE

THREE GATE YARDS · THREE FIELD ACCEPTANCE TESTS

A1

ZHONGZHIYUAN

TVS-01

G01

G02

G03

G04

Accessible task chain

6 users; all critical tasks; route error <5%

stop on incident or graph mismatch

A2

AI ORIGIN

TVS-02

G05

G06

G07

G08

Fair opening schedule

4-week shadow mode; group gap ≤10 pp; appeals ≤48h

stop on unexplained bias or lost walk-in quota

A3

DAZHONGSI

TVS-03

G09

G10

G11

G12

Rain × night dual failure

manual takeover ≤5 min; safe route continuous

stop if takeover or safe-route continuity fails

Provisional study boundary · Concept design · Not an approval basis

OGP-12 / v0.4

3 spatial options

5 spatial hard gates

11 / HUMAN-SCALE DEPTH

THE OPEN GATE LINE

3 REPRESENTATIVE GATES · PLAN, SECTION, TAKEOVER

G05

ORIGIN GATE

science commons / global arrival

PLAN

SECTION

1 step-free 2 rain shelter 3 staffed desk 4 key 5 visible exit

Concept control only; requires survey, fire, heritage and accessibility design

G07

GAUGE GATE

rain learning / manual gauge

PLAN

SECTION

1 step-free 2 rain shelter 3 staffed desk 4 key 5 visible exit

Concept control only; requires survey, fire, heritage and accessibility design

G09

COMMONS BELL

child discovery / shared honor

PLAN

SECTION

1 step-free 2 rain shelter 3 staffed desk 4 key 5 visible exit

Concept control only; requires survey, fire, heritage and accessibility design

Provisional study boundary · Concept design · Not an approval basis

OGP-12 / v0.4

12 / DESIGN DECISION

THE OPEN GATE LINE

THREE GATE FORMS · ONE HARD-GATE TEST

ALT-A

Central spanning gate

REJECT

The frame and trial bay cross the continuous public route, so both ordinary service and removal depend on the trial.

ALT-B

Split twin-bay gate

REVISE

The ordinary route works, but split equipment breaks staff sightlines and exceeds the emergency-stop distance.

ALT-C

Single sidecar gate

ADVANCE

The ordinary route, staffed desk, trial bay and removal path sit in parallel, so the basic task survives AI shutdown or removal.

FIRST 100 DAYS

D0-D15

Lock survey, ownership, heritage, fire, accessibility and operating-responsibility checklists

D16-D30

Review same-task human baselines with users and maintainers without pre-filling success values

D31-D60

Build one reversible 1:1 mock-up away from heritage fabric while preserving a continuous no-device route

D61-D85

Actively rehearse power, network, staff, crowding, accessibility and appeal failures

D86-D100

Named human authorities decide to continue, revise, narrow or exit and publish the reason

Synthetic design audit PASS · 3 alternatives · 0 field results



OGP-12 / v0.4

1 reject + 1 revise

1 advances

BOARD 04 / 06 THE OPEN GATE LINE v0.4

The sidecar kit protects ordinary passage, staff sightlines and independent removal; field results remain zero.



2.4 m ordinary route

22 m e-stop distance

5 operating states

0 field results

AI never holds the final key; binary starts, public metrics and annual audits decide scale or exit.

