

THE OPEN GATE LINE

OGP-12 / OPEN GATE PROTOCOL

One heritage line · twelve scheduled, staffed and reversible public gates

Yunique-hub × OpenAI Codex / 2026-08-22 / Concept design v0.4



3 POSITIONS · 5 FUNCTIONS · 3 AREAS + 2 WINGS

P1

Global window for AI-native innovation

P2

Civic room for Jing-Zhang heritage ×
Zhongguancun innovation

P3

Testbed for verifiable, reversible and
transferable urban AI

FIVE FUNCTIONS

ORIGIN DISPLAY

TECH SERVICE

SCENE TEST

PUBLIC EXPERIENCE

GLOBAL COLLABORATION

A1

COLLECTIVE-INTELLIGENCE TEST AREA

full-stack autonomy / safe prototypes

G01–G04

A2

AI ORIGIN AREA

science translation / global commons

G05–G08

A3

JING-ZHANG CIVIC CULTURE AREA

Dazhongsi life / shared stewardship

G09–G12

W1

ZHONGGUANCUN TECH-SERVICE WING

W2

XIAOYUE RIVER SCENARIO WING

ONE PUBLIC KEY · ONE LEGIBLE STATE SYSTEM




OG / 12

THE OPEN GATE LINE

OPEN ON TIME · CLOSE TOGETHER

The mark combines twin rails, an open threshold and a signal lamp. It copies no historic component and borrows no institutional identity.




RAIL NAVY
#0D2333



OPEN AMBER
#F4B544



ASSIST TEAL
#3AD6C1



CIVIC STONE
#EEF0E8



OPEN



ASSIST



PAUSE



CLOSED

APPLICATIONS: GATE ID · WAYFINDING · ACCESS ROUTE · OPEN CALENDAR · HONOR MARKER · UI

ONE HERITAGE SPINE · TWELVE PUBLIC GATES

43.6 km²

Coordination: partners + resources

11.4 km²


Overall design: walking + public space

368.4 ha


Key areas: three testable prototypes

SPATIAL COMMITMENT

Short cross-links + continuous access + reversible yards + legible exits



REAL URBAN CONTEXT · PROVISIONAL DESIGN OVERLAY



SPATIAL CALIBRATION

Public context, not a survey base


- 01 Published planning describes an approximately 9 km, 70 ha Jing-Zhang railway heritage park.
- 02 The 2024 public plan calls for nine cross streets and east-west walking links.
- 03 A July 2026 public report records three new slow-mobility links and about 70 nearby communities / 450,000 residents.
- 04 A1-A3 and G01-G12 are provisional constraints and concept overlays, not surveyed or approved locations.

OSM SNAPSHOT


green 127 · railway 115 · road 1711 · water 25

OpenStreetMap contributors / ODbL 1.0; retrieved 2026-08-22 for directional context only and excluded from boundaries, land-use areas, building quantities and performance metrics.

6 CASES ARE NOT ANSWERS · 8 RESOURCES MUST CLOSE LOCALLY



FOUR PROGRAM BANDS · THREE REVERSIBLE GATE TYPES



THREE GATE YARDS · THREE FIELD ACCEPTANCE TESTS

A1 ZHONGZHIYUAN
TVS-01



Accessible task chain

6 users; all critical tasks; route error <5%

stop on incident or graph mismatch

A2 AI ORIGIN
TVS-02



Fair opening schedule

4-week shadow mode; group gap ≤10 pp; appeals ≤48h

stop on unexplained bias or lost walk-in quota

A3 DAZHONGSI
TVS-03



Rain × night dual failure

manual takeover ≤5 min; safe route continuous


stop if takeover or safe-route continuity fails

3 REPRESENTATIVE GATES · PLAN, SECTION, TAKEOVER


G05 ORIGIN GATE

science commons / global arrival

PLAN



SECTION




1 step-free 2 rain shelter 3 staffed desk 4 key 5 visible exit

Concept control only; requires survey, fire, heritage and accessibility design

G07 GAUGE GATE

rain learning / manual gauge

PLAN



SECTION




1 step-free 2 rain shelter 3 staffed desk 4 key 5 visible exit

Concept control only; requires survey, fire, heritage and accessibility design

G09 COMMONS BELL

child discovery / shared honor

PLAN



SECTION



1 step-free 2 rain shelter 3 staffed desk 4 key 5 visible exit

Concept control only; requires survey, fire, heritage and accessibility design

THREE GATE FORMS · ONE HARD-GATE TEST

ALT-A

Central spanning gate




REJECT

The frame and trial bay cross the continuous public route, so both ordinary service and removal depend on the trial.

ALT-B

Split twin-bay gate



REVISE

The ordinary route works, but split equipment breaks staff sightlines and exceeds the emergency-stop distance.

ALT-C

Single sidecar gate



ADVANCE

The ordinary route, staffed desk, trial bay and removal path sit in parallel, so the basic task survives AI shutdown or removal.

FIRST 100 DAYS

D0-D15

Lock survey, ownership, heritage, fire, accessibility and operating-responsibility checklists

D16-D30

Review same-task human baselines with users and maintainers without pre-filling success values

D31-D60

Build one reversible 1:1 mock-up away from heritage fabric while preserving a continuous no-device route

D61-D85


Actively rehearse power, network, staff, crowding, accessibility and appeal failures

D86-D100


Named human authorities decide to continue, revise, narrow or exit and publish the reason

SIDECAR GATE · THE ORDINARY ROUTE STAYS CLEAR

PLAN



SECTION




FIVE SPATIAL HARD GATES

- 1 baseline route ≥ 1.8 m
- 2 trial bay outside public route
- 3 staff sees entry and exit
- 4 e-stop to staff ≤ 25 m
- 5 reversible, independent removal

Concept control values pending survey and heritage, fire, structural and accessibility review; not site dimensions, permission, construction drawings or engineering feasibility.

WALKING FIRST · BLUE-GREEN BASE · HUMAN TAKEOVER



01 WALK / CYCLE

slow at gates; no accessible detour

02 LIGHT UTILITIES

metered; separated; mechanical key


03 BLUE-GREEN

hardscape first; visible water; recoverable


04 PUBLIC SERVICE

water, rest, first aid, staffed help

5 STATES OF ONE GATE · PUBLIC PASSAGE SURVIVES FAILURE



OGP-12: THE ALGORITHM NEVER HOLDS THE FINAL KEY



Only the accountable human may advance PILOT / OPEN; any stop trigger may enter PAUSE / ROLLBACK

DATA

MINIMUM DATA

bands, aggregates, reviewed indexes; no default identity

HUMAN

HUMAN AUTHORITY

people decide opening, pause, evacuation, allocation

FALLBACK

NO-AI FALLBACK

paper, fixed signs, mechanical keys, manual counts and guidance

APPEAL

PUBLIC LOG + APPEAL

interpretable output; 48-hour response; quarterly review

12/12

GATE RECORDS

100%

HUMAN AUTHORITY


100%

MANUAL FALLBACK


100%

START + STOP

NINE PACKAGES · BINARY START GATES · REVERSIBLE DELIVERY



ONE NUMBER · ONE EVIDENCE CHAIN · ONE STOP RULE



- KNOWN** geometry and protocol counts recalculate
- UNKNOWN** statutory FAR and real performance are not invented
- STOP** boundary change, incident, bias, or privacy breach triggers recalculation / stop