

THE DATA CO-OP LINE

One no-data main line, three cooperative governance stations and six reviewable gates along the Jing-Zhang Railway Heritage Park. Every spatial anchor remains a conceptual proposal under provisional boundaries.



EVIDENCE CHAIN			
SPINE · DATA-COOP-REVIEW-SPINE-01	FIELD · DAZHONGSI-FIELD-OPS-01	DRILL · DAZHONGSI-DRILL-01	PLAN - DATA-COOP-PLAN-ALIGNMENT-01
966cd7eed4227078342f4bcd5aacf039438f7720a1049fcebe9a67413411e7ee	4613343f7943bc81207db0fc3c8ad2a98bc97fb1e4f0442eb215f1e36a773a61	86ebfa7655e4cc79fb9d155d22cb62c821a131ec5e4882d71153e7dd13bd5507	418cd5a38835f9e8a3f63cb6a751a15c8940f0e06b37637ba87fac73337d959f

Boundary: all areas are conceptual quantities under provisional geometry; the approval document number, exact approval date, complete plan text, statutory drawings and rights-cleared vectors remain unretrieved; this proposal is not government endorsement, an award, or implementation.

FIVE-MINUTE REVIEWER EVIDENCE SPINE

From source authority to fail-closed evidence — separate verified, pending, and prohibited inference


SPINE ID DATA-COOP-REVIEW-SPINE-01

ROUTE 5:00 · 5 STEPS

SHA-256 966cd7eed4227078342f...be9a67413411e7ee

SHORTER REVIEW PATH — NO EVIDENCE UPGRADE.

Provisional geometry ≠ official redline; synthetic pass ≠ field fact; not_observed ≠ risk cleared.



SOURCE visual/assets/reviewer-evidence-spine.json · FREEZE 9782df83a8f2 · SPINE SHA-256 966cd7eed4227078...67413411e7ee


Why this path

R1 source authority → R2 spatial recomputation → R3 operations drill → R4 fail-closed → R5 boundary statement. Each step states verified vs unproven, so reviewers can replay it without opening every appendix. A self-test dropping any step must fail closed.

Authority → recomputation → drill → fail-closed → boundary; 5 steps in 300 s.

Reading the map


Three conceptual key areas inside the provisional boundary: Zhongzhiyuan, AI Origin Community, Dazhongsi; none is an official centre boundary. Provisional computed boundary 11,412,825.386 m²; key-area geometry matches the repository provisional source 4/4. Missing official-control geometry stays a registered empty set; no notice text is digitized.



Heritage-park line, three areas and the provisional boundary; dashed = provisional.

Structure


Land-use polygons fully cover the provisional boundary; adjacent polygons share boundary coordinates; no unlabeled space.
Conceptual green space 2,384,747.221 m² (20.8953%); public space 98,164.982 m² (0.8601%).
Ratios are recomputed from provisional geometry, not statutory controls.



THE DATA CO-OP LINE - EXPIRING DATA TICKET 01

ONE TICKET, ONE NODE: ISSUE, STOP, RESIDUAL, RETURN

SCN-06 / PROV-KEY-001 - two state machines - two synthetic rehearsals - fail closed - strict E2



Network


No-data-equivalent walking/cycling line:
conceptual MVP segment 1,614.218 m;
no-data route coverage 100%.
The blue-green network links the
heritage park with public receipt spaces
across the three areas, serving the full
enter-use-exit journey.
No entrance, right-of-way or accessibility
performance is confirmed; transport and
field surveys pending.

04

THE DATA CO-OP LINE · CENTENNIAL JING-ZHANG AI INNOVATION BELT

NO-DATA MAIN LINE + BLUE-GREEN ACTIVE TRAVEL

People who do not join, scan or contribute data can still travel, understand and complete the same basic service



PROVISIONAL BOUNDARY · CONCEPTUAL RECOMMENDATION · FULL RECALCULATION REQUIRED


SOURCE: submission GeoJSON + metrics.json · 2026-08-14

Walking line, stitches and blue-green space; no real right-of-way conclusions.

THE DATA CO-OP LINE · EVIDENCE CONSISTENCY

METRICS — EVIDENCE — SINGLE SOURCE

GeoJSON is authoritative; metrics, prose, HTML, figures and PDFs share one EPSG:4548 snapshot



INDUSTRY TESTS ARE SCENARIOS 04–06



BOUNDARY AND COMPLETION CONTRACT

All areas and ratios are conceptual quantities under provisional geometry. Rebuild topology and recalculate when official boundaries arrive. All 12 scenarios require human review and a no-data equivalent.

SOURCE: submission GeoJSON + metrics.json · EPSG:4548 · verified 2026-08-15 · c55ef181cb

Recomputation

All metrics are union-recomputed from geometry in EPSG:4548; evidence signature c880c438...c4a52 covers geometry inputs, metrics and the scenario list.

This figure is the only evidence raster pinned pixel-exactly into all four PDFs; any substitution is caught by the raster audit.

FAR, height and density await the official plan and existing-condition survey; no guessed values.

Metrics-evidence-single source of truth; signature and freeze are publicly verifiable.

Dazhongsi Field-Operations Responsibility & Evidence Template

PENDING AUTHORIZATION · FIELD-FILLABLE · NOT A MAP OR FIELD RECORD

PACK ID DAZHONGSI-FIELD-OPS-01

MVP ID DAZHONGSI-MVP-01

SHA-256 4613343f7943bc81207db0fc3c8ad2a98bc97fb1e4f0442eb215f1e36a773a61

NOT OBSERVED

This is a field-fillable responsibility and evidence template. It contains no field observations, confirmed entities, implementation permission, or operating commitment.

Field authorization unknown · Workflow not_observed

5 PENDING COLLECTION POINTS

1 Candidate transit-entrance verification point

2 Continuous accessible-route verification point

3 Purpose-ticket collection point

4 Withdrawal-receipt collection point

5 Public-return collection point

unknown

unknown

unknown

unknown

unknown

3 ROUTES TO VERIFY

01 Entrance—accessibility—purpose-ticket arrival route

02 Data-participation main line

03 No-data-equivalent main line

not_observed

not_observed

not_observed

path null

path null

path null

TIME · FAILURE · PRICE · ACCESSIBILITY · HUMAN TAKEOVER

All not_observed; every value and conclusion is null

6 RACI ROLES · EXACTLY ONE A PER ACTIVITY

1 Field-validation lead

2 Accountable site operator

3 Accessibility review

4 Data and permission review

5 Safety and stop review

6 Evidence custodian

Entity assignments: null / unknown

ACTIVITY	1	2	3	4	5	6
Authorize start	R	A	C	C	C	I
Collect two-line and accessibility observations	A	C	R	I	C	R
Run three-stage paper or synthetic rehearsal	R	A	C	R	C	I
Trigger pause or stop	R	A	R	R	R	I
Seal evidence and signatures	C	A	C	C	C	R
Verify recovery conditions and authorize resume	R	A	C	C	R	I

R / C / I distribute work; they never replace the single accountable role.

6—6—4 OPERATING GATES

6 START · ALL MUST BE VERIFIED

1 Entrance, actual routes, and right-of-way availability verified

2 Continuous accessible route and reasonable accommodation verified

3 Ownership, heritage, utilities, fire, and safety boundaries verified

4 Accountable operator and field lead confirmed in writing

5 Only synthetic, paper, or permitted minimum-necessary material is used

6 Both main lines, human takeover, and emergency stop are testable

unknown

unknown

unknown

unknown

unknown

unknown

6 STOP · ANY TRIGGER PAUSES/STOPS

1 Provenance or permission is unproven, or the rehearsal requires live payment, personal trajectory, or covert identifiers

2 The entrance, accessible route, or either main line is not safely passable

3 Human takeover is unavailable or does not respond within the recorded time

4 An unresolved gap appears between the two lines in time, price, failure, basic output, or safety

5 Derivative mapping is incomplete, residual effects are undisclosed, or staffed/offline withdrawal is unavailable

6 Public return lacks beneficiary, due date, acceptance, or non-delivery status, or is framed as payment for consent

not_observed

not_observed

not_observed

not_observed

not_observed

not_observed

4 RESUME · SAME-METHOD RETEST + JOINT SIGN-OFF

1 Stop cause, affected scope, and responsible role recorded

2 Corrective action completed and retested with the same method

3 All start conditions are re-verified and no new stop trigger is present

4 Site operator, safety reviewer, and field lead jointly sign the resume decision

unknown

unknown

unknown

unknown

11 EVIDENCE RECEIPTS / ALL NOT_OBSERVED

001 Entrance and right-of-way verification

002 Continuous accessible-route verification

003 Purpose-ticket stage record

004 Withdrawal-receipt stage record

005 Public-return stage record

006 Ownership, heritage, utilities, fire, and safety verification

007 Accountable operator confirmation

008 Material provenance and permission register

009 Human-takeover and emergency-stop drill

010 Pause or stop decision

011 Correction, retest, and resume decision

6 SIGN-OFF SLOTS / ALL NOT_SIGNED

Field-validation lead

Accountable site operator

Accessibility review

Data and permission review

Safety and stop review

Evidence custodian

not_signed

not_signed

not_signed

not_signed

not_signed

not_signed

ALL FIELD VALUES REMAIN NULL / UNKNOWN / NOT_OBSERVED · THIS IS NOT A MEASURED MAP

SOURCE visual/assets/dazhongsi-field-validation-pack.json

Field pack

3 collection routes, 5 collection points, 11 evidence-receipt types, 6 sign-off slots; all pending authorization, unobserved, unsigned.
Audit 215/215 passes; tampering that presents the template as measured fails closed.
The unknown / not_observed / not_signed boundary stays visible across the public page and figures.

Provisional boundary and conceptual quantities; not an official redline, approved metric, or implementation commitment.

08 / 12

Dazhongsi Synthetic Drill and Failure Tests

Synthetic fixtures · not a field record · passing proves no site access or risk clearance

SUITE ID DAZHONGSI-DRILL-01

PACK DAZHONGSI-FIELD-OPS-01 · MVP DAZHONGSI-MVP-01

LEDGER SHA-256 86ebfa7655e4cc79fb9d155d22cb62c821a131ec5e4882d71153e7dd13bd5507

SYNTHETIC ONLY

Contract-logic verification only: no field data, no permission, no entity confirmation, no operating commitment.
Field values stay null · unknown · not_observed · not_signed

Six categories · 21/21 pass

- 1

Positive

DRILL-POS-01—04

Pass

All conditions verified → chain/receipts/accountability pass
- 2

Negative

DRILL-NEG-01—04

Pass

Any unverified condition refuses the start
- 3

Withdrawal

DRILL-WDR-01—03

Pass

Withdrawal at any stage maps to receipt + halt
- 4

Service interruption

DRILL-INT-01—03

Pass

Each of six triggers pauses/stops the run
- 5

Recovery

DRILL-REC-01—03

Pass

4 conditions + 3 signatures + same-method retest
- 6

Accessibility


DRILL-ACC-01—03

Pass

No-data equivalence covers 3/3 MVP scenarios

21 cases · all 6 required categories covered

6—6—4 gate state machine



Any insufficient-evidence step halts; not_observed is not risk cleared

8 negative fixtures · all fail-closed

- FIX-DROP-RECEIPT

Drop one receipt

exit 1
- FIX-FILL-OBSERVED

Fill an observed value

exit 1
- FIX-BREAK-EVIDENCE-LINK

Break evidence link

exit 1
- FIX-DUP-RECEIPT-ID

Duplicate receipt ID

exit 1
- FIX-DROP-STOP-CONDITION

Drop withdrawal stop

exit 1
- FIX-SECOND-ACCOUNTABLE

Add second accountable

exit 1
- FIX-DROP-CASE-ID

Drop case ID

exit 1
- FIX-FLIP-NO-DATA

Disable no-data equivalence

exit 1

Meta check: case-ID set pinned incl. itself · a skipped case fails

21
synthetic cases · six categories

21 / 21
passing · exit code 0

8 / 8
negative fixtures fail-closed

6 / 6
required categories 100%


Synthetic contract tests are not field evidence; full recalculation follows official or field data.

SOURCE visual/assets/dazhongsi-drill-tests.json · evidence c880c438...a45bbf · baseline c55ef181...4d656

Drill

The synthetic drill covers charter, licensing, annotation, withdrawal, settlement and the no-data path; 21/21 pass and 8/8 negative fixtures fail as designed.
The drill proves the workflow is executable, not real-site performance. All cases run on synthetic data; no personal or real operational data.

Synthetic drill and failure-test matrix; negative cases are part of the evidence.





PHASE-001 · Charter and synthetic-data pilot

Charter table, provenance clinic and synthetic benchmarks first; every loop is reversible and withdrawable.

PHASE-002 · No-data main line and controlled-compute integration

The walking/cycling line links governance stations; controlled compute stays subject to fire, power, cooling, noise and cybersecurity review.

PHASE-003 · Derivative receipt and public-return evaluation

Withdrawal drills and annual public-return settlement follow complete evidence; no investment scale or schedule is promised.

AUDIT TOKENS - FULL HASHES

DATA-COOP-REVIEW-SPINE-01 = 966cd7eed4227078342f4bcd5aacf039438f7720a1049fcebe9a67413411e7ee
DAZHONGSI-FIELD-OPS-01 = 4613343f7943bc81207db0fc3c8ad2a98bc97fb1e4f0442eb215f1e36a773a61

DATA-COOP-PLAN-ALIGNMENT-01 = 418cd5a38835f9e8a3f63cb6a751a15c8940f0e06b37637ba87fac73337d959f
evidence-signature = c880c438924399d40267391551669d937dcfc5e144850eb511a45bbf024c4a52
sources = JINGZHANG-PLAN-PARTICIPATION-NOTICE-20250208 ; JINGZHANG-PLAN-APPROVAL-REPORT-20260812 ; JINGZHANG-PLAN-OFFICIAL-PUBLICATION-20260817
baseline_upstream_main = c55ef181cbfd1c636b04a644d17c64eaf464d656 · freeze = a8f150d86480f8efc0716069ece406edf013502b
Reproduce: six read-only Node audits incl. evidence-consistency.js; four-gate self-check and preflight rerun after manifest refresh.