

JING-ZHANG COUNTERFACTUAL COMMONS

See another possibility before implementation.

Simulation compares alternatives; it does not predict or approve.



Evidence before implementation


The concept turns uncertainty into a visible civic protocol.

Same question + same inputs + baseline + A/B + uncertainty + role play + reversible pilot + human sign-off.

Site, status, evidence

JZ·CC / 2026

A provisional geometry for auditable intake—not an official redline.



The site and key areas remain rough substitute geometry. Every derived map and ratio must be regenerated when official polygons arrive.

One spine · three labs · two wings


The spatial structure assigns ownership to each validation step.



Six-band reversible structure

A complete conceptual partition; official controls trigger full redesign.

JZ·CC / 2026



-  R&D + autonomy
-  Innovation services
-  Park + evidence spine
-  Civic learning
-  Community services
-  Reversible reserve

No parcel, ownership, FAR or height claims.

1 Boundary Conditions Yard

Controlled physical-AI testing; publish failure and stop rules first.

2 Scenario Assembly Hall

Form the same question and compare baseline/A/B with offline access.

3 Pilot Exchange


Run full-scale reversible pilots; adopt, revise, or retire.

Three key-area responsibilities

Three labs, one public protocol

JZ·CC / 2026

Each key area owns a different step of the compare–test–decide loop.



Twelve everyday scenarios

Each card declares persona, baseline, A/B, risk, evidence gate and owner.

SC-01

Shade and rest chain

轮椅使用者、老人、带儿童照护者

无障碍复核+夏季现场计数

SC-02

Robot–pedestrian co-presence

通勤者、视障者、配送员

封闭场角色扮演+人工安全员

SC-03

Shared curb

骑行者、网约车乘客、商户

两周可撤销标线试点

SC-04

Accessible interchange

轮椅使用者、携婴儿车者

实地滚行审计

SC-05

Offline-first elder service

不使用智能手机的老人

服务人员共同演练

SC-06

Public-service assistant

居民、访客、基层工作人员

红队测试+责任人签字

SC-07

Campus–district access

学生、科研人员、附近居民

活动日小范围试点

SC-08

Night services

夜班人员、女性独行者、保安

夜间陪伴式走访

SC-09

Storm response

步行者、运维人员、商户

雨季观测后校准

SC-10

Delivery micro-hub

快递员、商户、居民

劳动者参与评审

SC-11

Public-space programming

儿童、社团、访客、周边居民

公布排期和退出规则

SC-12

Distributed cooling and energy

设施运维、商户、使用者


工程与消防复核后再深化

Mobility judged by the worst affected

Mobility + blue-green test field

Routes are judged by the worst affected persona, not average speed alone.

JZ·CC / 2026



-  P95 travel time
-  accessible failure path
-  near-miss proxy
-  heat exposure
-  offline completion
-  reversible stop rule

Exact routes require road redlines, station interfaces and field audit.

Known is not confirmed

Metrics with an uncertainty label

JZ·CC / 2026

Known means recomputable from submitted geometry—not officially confirmed.

site_area_sqm

11.413 km²

LOW / PROVISIONAL

green_ratio

10.70%

LOW / PROVISIONAL

public_space_ratio

6.69%

LOW / PROVISIONAL

key_area_count

3

LOW / PROVISIONAL

- Same question
- Same inputs
- Baseline + A + B
- 30+ published runs
- Role play
- 1:1 reversible pilot
- Human sign-off


Prediction claim: NONE

Evidence-gated implementation

No visual score or AI recommendation can bypass missing data, representation, evidence, or responsibility.



EVIDENCE-GATED WORK PACKAGES



SIX OPERATING ROLES



This concept is not official planning, engineering design, investment advice, or a government commitment. Official boundary and controls trigger complete recalculation.