

A CIVIC-ADOPTION LAYER ON THE APPROVED SPATIAL STRUCTURE

latest published context + lived public space + current G0 NO-GO

JING-ZHANG TWO ANSWERS · V16


APPROVED SPATIAL STRUCTURE + STOPPABLE CIVIC-ADOPTION LAYER

Ordinary service first; AI on one side only; field status remains G0 NO-GO



BUILD A CIVIC-ADOPTION LAYER ON THE APPROVED SPATIAL STRUCTURE

9 km Jing-Zhang green belt + one belt/one axis/two centres/multiple nodes + stoppable operating overlay



PUBLIC CONTEXT × DESIGN OV

1668.2 ha

published block-plan area

9 km

Jing-Zhang green belt

1 + 1 + 2

belt / axis / centres

6

haliborne direction interfaces


OPERATING OVERLAY

G0 NO-GO

Approved context is not a permit, build or field operation for this proposal.

Legend: EXISTING PUBLISHED, APPROVED CONTEXT, DESIGN PROPOSAL, URBANIZATIONS. Sources: Beijing government portal 2020-08-12; Beijing Forestry and Parks Bureau 2020-07-14; CDM is directional context only.

TWO 1:200 SECTIONS · PUBLIC BASELINE + PLUG-IN HAVE A LEGIBLE PHYSICAL EDGE



Structure, fire, foundation, wind, drainage capacity and durability remain pending professional review.


G0 NO-GO · 0/8 PERMITS · 0/7 DAYS · 0/4 POSTS

90-SECOND REVIEW ROUTE

published context → operating overlay → Dazhongsi prototype → admission + exit

JING-ZHANG TWO ANSWERS · THE UNBROKEN PUBLIC CROSS

The public route is never sacrificed; AI enters one side only; crossing options are rejected.



THREE OPTIONS, ONE REJECTION

- ALT-A** **REJECT**
cuts public cross
- ALT-B** **REVISE**
fragments supervision/removal
- ALT-C** **ADVANCE**
one-side reversible bay

GO NO-GO

0/8 PERMITS · 0/7 DAYS · 0/4 POSTS

Design prototype complete; trial may not begin.
Public route, waiting and staffed service
operate independently.

T2	S2	S7	12/12	0
RING	GATE	PORCH	CONTRACTS	FIELD RESULTS

SOURCES, DATA GAPS + EVIDENCE LEVELS

published fact, approved context, design proposal and field unknown kept separate

EXISTING PUBLISHED

01

Phase II completion, fishbone slow mobility and government-reported public use; not participant fieldwork.

BASELINE

GATE

HUMAN DECISION

APPROVED CONTEXT

02

1,668.2 ha, 9 km green belt, approved structure and Dazhongsi centre; not an exact redline.

BASELINE

GATE

HUMAN DECISION

DESIGN PROPOSAL

03

Operating overlay, Receipt Porch, trial bay, materials and dimensions await survey and professional review.

BASELINE

GATE

HUMAN DECISION

PROVISIONAL SUBMISSION GEOMETRY

04

The 11.4 sq km recomputable extent does not replace the 1,668.2 ha block-plan context.

BASELINE

GATE

HUMAN DECISION

FIELD UNKNOWN

05

Title, utilities, permits, quote, footfall, efficiency, satisfaction, energy and recovery remain unknown.

BASELINE

GATE

HUMAN DECISION

CURRENT DECISION

06

G0 NO-GO; approved context does not mean this proposal is built, permitted or trial-ready.

BASELINE

GATE


HUMAN DECISION

OVERALL URBAN DESIGN + REGIONAL EXCHANGE

spine/stations/wings as an operating overlay on the approved structure

BUILD A CIVIC-ADOPTION LAYER ON THE APPROVED SPATIAL STRUCTURE

9 km Jing-Zhang green belt + one belt/one axis/two centres/multiple nodes + stoppable operating overlay



PUBLIC CONTEXT × DESIGN OV

1668.2 ha

published block-plan area

9 km

Jing-Zhang green belt

1 + 1 + 2

belt / axis / centres

6

fishbone direction interfaces

OPERATING OVERLAY

non one-directional, not
proposed roads.

GO NO-GO

Approved context is not a
permit, build or field operation
for this proposal.

EXISTING PUBLISHED APPROVED CONTEXT DESIGN PROPOSAL UNKNOWN

Sources: Beijing government portal 2026-08-12; Beijing Forestry and Parks Bureau 2026-07-14. OSM is directional context only.


PUBLIC BASELINE, GROUND INTERFACE, MOBILITY + BLUE-GREEN

existing and approved relations first; timed trial never changes statutory land use

CONTINUOUS GROUND-INTERFACE STRIP · PARK, PUBLIC SERVICE, INDUSTRY + TIMED TRIAL COEXIST

Colour denotes evidence and time rights, not statutory land use or development intensity

01 RING · R&D backstage—public bypass—controlled court



02 GATE · public frontage—account-free passages—review backstage



03 PORCH · park—public cross—staffed porch—one-side trial—service rear



ONE RULE, THREE INTERFACES

EXISTING

park, published slow mobility + daily public use

APPROVED

belt/axis/centres/nodes + Dazhongsi centre

DESIGN

Receipt Porch, trial bay + operating posts

UNKNOWN

title, survey, utilities, permits + performance

Timed trials never change statutory land use.

Phase II completion and published use are context facts; the Receipt Porch, bay and components remain unbuilt design proposals.

THREE LANDMARKS, IDENTITY + CULTURAL MILE

Ring, Gate and Porch enter everyday public life

THREE LANDMARKS IN PUBLIC LIFE · EXPERIENCE, PLAN, SECTION + SERVICE EDGE TOGETHER

Experience views convey perception only; vectors govern route, scale, state and exit




DAZHONGSI RECEIPT PORCH · REVERSIBLE LAYER BETWEEN PARK, RAIL INTERFACE + RENEWAL FRONTAGE

CONCEPT-GENERATED / NOT FIELD EVIDENCE



RING · PUBLIC OUTER, CONTROLLED INNER




VERIFICATION RING · 1:500 PLAN + 1:200 SECTION

The public outer ring stays continuous; arcade + future display remain after court closure

DAZHONGSI BUILDABLE CIVIC CROSS · 1:500 ARCHITECTURE + GROUND PLAN

Dimensions are prototype assumptions; missing context is an adaptation / survey-pending




ALL-DAY PUBLIC CROSS · 4 m CLEAR

RECEIPT PORCH

ONE-SIDED REVERSIBLE TRIAL BAY


TWO 1:200 SECTIONS · PUBLIC BASELINE + PLUG-IN HAVE A LEGIBLE PHYSICAL EDGE



Structure, fire, foundation, wind, drainage capacity and durability remain pending professional review.



GATE · THREE PASSAGES, PLUG-INS CLOSABLE



TRANSLATION GATE · 1:500 PLAN + 1:200 SECTION

Three account-free passages; plug-in wall closes while staffed + static service remain

FIVE REGIONAL EXCHANGE CONTRACTS

input, validation place, evidence product, duty + failure exit

FIVE REGIONAL EXCHANGE CONTRACTS · INPUT, PLACE, OUTPUT, DUTY + FAILURE EXIT

All institutions are proposed roles; no partnership or resource commitment




ZHONGZHIYUAN VERIFICATION RING

public outer bypass, controlled inner court after permit

VERIFICATION RING · 1:500 PLAN + 1:200 SECTION

The public outer ring stays continuous; arcade + failure display remain after court closure



PUBLIC OUTER BYPASS SURROUNDS CONTROLLED TEST COURT


CONCEPT-GENERATED / NOT FIELD EVIDENCE · use vector plans, sections and geometry for spatial and scale judgement

AI ORIGIN TRANSLATION GATE

three account-free paths, staffed desk + night closure

TRANSLATION GATE · 1:500 PLAN + 1:200 SECTION

Three account-free passages; plug-in wall closes while staffed + static service remain




DAZHONGSI CENTRE + RECEIPT PORCH SITING

existing park—directional rail interface—urban-renewal frontage

BUILD A CIVIC-ADOPTION LAYER ON THE APPROVED SPATIAL STRUCTURE

9 km Jing-Zhang green belt + one belt/one axis/two centres/multiple nodes + stoppable operating overlay



PUBLIC CONTEXT × DESIGN OV

1668.2 ha

published block-plan area

9 km

Jing-Zhang green belt

1 + 1 + 2

belt / axis / centres

6

fishbone direction interfaces

OPERATING OVERLAY

non one-directional, not proposed roads.

GO NO-GO

Approved context is not a permit, build or field operation for this proposal.

EXISTING PUBLISHED APPROVED CONTEXT DESIGN PROPOSAL UNKNOWN


Sources: Beijing government portal 2026-08-12; Beijing Forestry and Parks Bureau 2026-07-14. OSM is directional context only.

ALT-C 1:500 ARCHITECTURE + GROUND PLAN

public, trial, fire, maintenance + removal do not occupy one another

DAZHONGSI BUILDABLE CIVIC CROSS · 1:500 ARCHITECTURE + GROUND PLAN


Dimensions are prototype assumptions; missing context is an adaptation / survey-pendin



1:200 SECTIONS + 1:50 / 1:20 DETAILS

physical edge, dry connection + rain boundary

TWO 1:200 SECTIONS · PUBLIC BASELINE + PLUG-IN HAVE A LEGIBLE PHYSICAL EDGE



Structure, fire, foundation, wind, drainage capacity and durability remain pending professional review.

REVERSIBLE ARCHITECTURAL NODES · DRY-ASSEMBLED, MAINTAINABLE, RECOVERABLE

RECEIPT PORCH

1:50

bolted steel · perforated shade · precast ballast

BOUNDARY + EVIDENCE

1:20

weighted fence outside tactile route; replaceable panel + temporary power

PERMEABLE RAIN EDGE

1:20

flush kerb, permeable paving, rain-garden overflow; capacity pending

PUBLIC LIFE, FOUR STATES + BACK-OF-HOUSE


day, night and pause never move the public route



PUBLIC LIFE RUNS FIRST; TRIAL APPEARS ON ONE SIDE ONLY

CONCEPT-GENERATED / NOT FIELD EVIDENCE · use vector plans, sections and geometry for spatial and scale judgement

DAZHONGSI CUTAWAY ASSEMBLY · PUBLIC FIRST, PLUG-IN REMOVABLE, EVIDENCE STAFFED



RETIRE: equipment leaves on a separate service line; the public cross, shade, blue-green edge and staffed porch remain.

TWELVE SCENES, CULTURAL COMPONENTS + CIVIC YEAR

each season produces a reusable public knowledge asset

TWELVE-SCENE DIRECTORY · SPACE, DENOMINATOR, DUTY, STOP + RECOVERY TRACEABLE

Full contracts stay in structured data; the drawing emphasises hero scenes and fallback

T1 · MODEL + DATA REPRODUCTION CATALOG / STABLE ID ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN	T2 · ROBOT PASSAGE HERO CONTRACT / DETAIL ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN	T3 · EDGE DEGRADATION CATALOG / STABLE ID ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN
S1 · ENTERPRISE TRIAGE CATALOG / STABLE ID ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN	S2 · INTERNATIONAL ARRIVAL HERO CONTRACT / DETAIL ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN	S3 · OPEN KNOWLEDGE WORKSHOP CATALOG / STABLE ID ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN
S4 · JING-ZHANG GUIDE CATALOG / STABLE ID ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN	S5 · ACCESSIBLE ROUTING CATALOG / STABLE ID ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN	S6 · CLIMATE REST SERVICE CATALOG / STABLE ID ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN
S7 · TRANSIT FEEDER HERO CONTRACT / DETAIL ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN	S8 · PUBLIC SERVICE DESK CATALOG / STABLE ID ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN	S9 · EVENT FLOW CATALOG / STABLE ID ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN

spring baseline audit · summer controlled test · autumn civic adoption · winter receipt and exit review; organisations and programmes are proposed roles.

COMPONENTS, PERMITS, RACI, 90 DAYS + ASSET EXIT

any failure holds OPEN and blocks TRIAL

GO NO-GO · 90 DAYS ARE FIVE ENTRY CONDITIONS, NOT A PROMISE

Any failure in ordinary service, permits, posts, baseline or removal drill blocks AI trial

DAY 0–15

survey, title, exits, fire, utilities, access and traffic

DAY 16–30

build public route, waiting, shade, staffed service and porch only

DAY 31–45

record seven ordinary operating days; no AI equipment

DAY 46–75

timed trial only after 8 permits + 4 independent posts close

DAY 76–90

stop drill, removal, public review and receipt

EIGHT PERMITS · ALL CURRENTLY PENDING

SITE

Written site-use and asset-owner consent

TITLE

Ownership, boundary and existing-condition survey

FIRE

Fire access, egress apron and temporary-structure review

ACCESS

Audit of accessible routes, ramps, tactile guidance and staffed service

POWER

Temporary power, protection and isolation responsibility

NET

Isolated network, data minimisation and log-retention rule

TRAFFIC

Conventional-interchange priority, operating window and traffic approval

EQUIP

Equipment safety, insurance, emergency stop and supplier removal duty

FOUR POSTS REQUIRE INDEPENDENT COVERAGE

01

VENUE LEAD

PENDING

02

BASELINE SERVICE

PENDING

03

SAFETY LEAD

PENDING

04

DATA RECORDER

PENDING

Safety-critical and baseline-service posts cannot be combined.

No price, total cost, partnership or permit is committed.


16 components, 4 procurement packages and 5 blank forms are documented; all prices are pending_market_quote and do not constitute procurement or construction readiness.

EVIDENCE, RECEIPT, RISKS, SOURCES + NEXT GATES

approved context does not mean this proposal is permitted or operating

EVIDENCE CHAIN · PUBLISHED FACT, DESIGN ASSUMPTION, FIELD UNKNOWN + ADOPTION NEVER MIX

Spatial decision is one design-selection node; permit, maintenance and exit govern field entry



GO FIELD ADMISSION · ALL CURRENTLY OPEN

0 / 8PERMITS

0 / 4INDEPENDENT TESTS

0 / 7BASELINE DAY

0FIELD RESULTS

VERDICT · APPROVED PLAN ≠ THIS TRIAL MAY OPEN

ORDINARY OPEN DAY · PUBLIC SERVICE FIRST, DEVELOPER ENTRY SECOND

08:00OPENknowledge asset

09:00BASELINEknowledge asset

13:00GATEmissing→stay OPEN

16:00REVIEWknowledge asset

18:00ARCHIVEknowledge asset

SPRING AUDIT / SUMMER REPRODUCTION / AUTUMN RECEIPTS / WINTER EXIT REVIEW

ALT-A reject, ALT-B revise and ALT-C advance are design selection only; field civic-adoption result remains empty.