


THE JINGZHANG GROUND

Real heritage spine first; V5 district intervention second

JINGZHANG REAL CITY + URBAN DESIGN



V5 overall structure

- NORTH**
quiet research + ecological commute
- MIDDLE**
campus + heritage connection needs
- SOUTH**
station-city demonstration district

V5 DETAIL

Approx. 8.7 ha at Dazhongsi, with two building-clear public spaces and a 625 m daily walking sequence.

Four north/middle lines show connection needs only. They are not walkable alignments and are excluded from length metrics.

43.6 km2
≈11.4 km2 provisional geometry
≈8.7 ha V5 study window

LAND USE: HONEST LIMITS

FULL SITE / CODE 16
Reserved pending formal land-use and statutory planning data.

DESIGN OVERLAYS ONLY

- Zhongzhiyuan conceptual research interface
- Middle conceptual campus-heritage interface
- Dazhongsi release forecourt ≈685 m2
- Station-edge Retirement Memory ≈535 m2

NOT CLAIMED

FAR / height / ownership / demolition quantity / floor area / station entrances / access rights

10 OSM building candidates | ≈58,500 m2
Context and clearance checks only; not proposed floor area.


THREE URBAN INTERFACES

Dazhongsi is the visual and spatial centre of V5

BOARD 02 / V5

Dazhongsi Release → Retirement Demonstration District


A daily station-city walk, not a process line



SITE-SPECIFIC SECTIONS

Two interfaces that make the district spatial

Ordinary public space first; reversible lifecycle facilities second




HOW AI ENTERS AND LEAVES THE CITY

One mapped lifecycle and two flagship deployment contracts


BOARD 03 / DEPLOYMENT CONTRACT

How an Agent enters and leaves Dazhongsi

Two flagship cases, one mapped lifecycle



PASS → SCALE | CONDITIONAL → RECALIBRATE | FAIL → ROLLBACK / RETIRE



01 Accessible interchange guidance

URBAN PROBLEM
Entrance, obstruction and accessible-route uncertainty for blind and older users.

EVALUATION
Accompanied trip, blocked route, wrong turn, human takeover, complaint closure.

FAILURE / ROLLBACK
Dangerous or unreachable route, or missing staffed fallback: remove live guidance; restore static route + staff.

02 Public-service information Agent

URBAN PROBLEM
Stale, untraceable or humanly unverifiable station-area service information.

EVALUATION
Source traceability, task completion, correction delay, human intervention, complaint closure.

FAILURE / ROLLBACK
Fabricated/harmful output, lost traceability or unresolved complaints: suspend, explain, delete data, retire.

No threshold is invented before field and operating baselines exist.

RELEASE CONDITIONS

Verified scope and entrance data; named operator type; dated source directory; static and staffed equivalent; visible uncertainty and appeal.

PUBLIC VERIFICATION

Users challenge routes and sources along the same daily path. The Agent never becomes the sole access channel.

FAILURE IS SPATIAL

Rollback reasons move from appeal desk to the rail-parallel memory strip. Static guidance and staffed service remain available.


PUBLIC MEMORY + IMPLEMENTATION

A useful everyday place even when no AI event occurs

SITE-SPECIFIC SECTIONS

Two interfaces that make the district spatial

Ordinary public space first; reversible lifecycle facilities second



01 SURVEY FIRST

Verify station entrances, access rights, gradients, tactile paving, trees, utilities and peak pedestrian flow.

02 1:1 REVERSIBLE PILOT

Temporary release marking, staffed appeal desk, ordinary shade and seating, tactile archive strip and static fallback.

03 OPERATE OR STOP

Proceed only with an authorized operator and public complaint process. Otherwise remain a paper design and remove the pilot.

PROFESSIONAL LIMIT

Competition-level conceptual urban design based on a public basemap. Not statutory planning, survey-grade detailed design or construction documentation.