


01 THE JINGZHANG GROUND

Real context + overall structure

JINGZHANG REAL CITY + URBAN DESIGN



V5 overall structure

- NORTH**
quiet research + ecological commute
- MIDDLE**
campus + heritage connection needs
- SOUTH**
station-city demonstration district

V5 DETAIL

Approx. 8.7 ha at Dazhongsi, with two building-clear public spaces and a 625 m daily walking sequence.

Four north/middle lines show connection needs only. They are not walkable alignments and are excluded from length metrics.

43.6 km2
≈11.4 km2 provisional geometry
≈8.7 ha V5 study window

The railway and heritage-park direction structures north, middle and south. V5 concentrates detailed design in an approximately 8.7 ha Dazhongsi study window. Four legacy north/middle lines are connection needs, not route claims.


03 DAZHONGSI DISTRICT PLAN

Release → verification → appeal → rollback → retirement

BOARD 02 / V5

Dazhongsi Release → Retirement Demonstration District

A daily station-city walk, not a process line



The 625 m sequence follows mapped pedestrian and open interfaces around buildings. Two proposed public spaces total about 1,220 m2. All entrances, access rights, gradients and paving require survey.

04 TWO SITE-SPECIFIC SECTIONS

Everyday public space before lifecycle equipment

SITE-SPECIFIC SECTIONS

Two interfaces that make the district spatial

Ordinary public space first; reversible lifecycle facilities second



A–A' links a commercial edge, release forecourt, candidate station interface and rail edge. B–B' links verification, staffed appeal, ordinary shade and seating, tactile archive and railway direction.

05 TWO FLAGSHIP CASES

Deployment contracts, not a sector catalogue


BOARD 03 / DEPLOYMENT CONTRACT

How an Agent enters and leaves Dazhongsi

Two flagship cases, one mapped lifecycle



PASS → SCALE | CONDITIONAL → RECALIBRATE | FAIL → ROLLBACK / RETIRE



01 Accessible interchange guidance

URBAN PROBLEM

Entrance, obstruction and accessible-route uncertainty for blind and older users.

EVALUATION

Accompanied trip, blocked route, wrong turn, human takeover, complaint closure.

FAILURE / ROLLBACK

Dangerous or unreachable route, or missing staffed fallback: remove live guidance; restore static route + staff.

02 Public-service information Agent

URBAN PROBLEM

Stale, untraceable or humanly unverifiable station-area service information.

EVALUATION

Source traceability, task completion, correction delay, human intervention, complaint closure.

FAILURE / ROLLBACK

Fabricated/harmful output, lost traceability or unresolved complaints: suspend, explain, delete data, retire.

No threshold is invented before field and operating baselines exist.

Accessible interchange guidance and public-service information are tied to mapped nodes. No numeric benchmark is claimed before field and operating baselines exist.

06 RETIREMENT MEMORY

Failure becomes public and spatial

SITE-SPECIFIC SECTIONS

Two interfaces that make the district spatial

Ordinary public space first; reversible lifecycle facilities second



Rollback reasons, alternatives and data handling are recorded through durable, tactile, non-screen elements along a daily station-edge walk. Without an AI event, the place still supports shade, seating, waiting and crossing.


07 IMPLEMENTATION

Survey → reversible pilot → operate or stop

BOARD 02 / V5

Dazhongsi Release → Retirement Demonstration District

A daily station-city walk, not a process line



OSM © OpenStreetMap contributors, ODbL 1.0 | API window 2026-08-15 | indicative, not survey-grade

≈8.7 ha

625 m / 0 building crossings

- 1 candidate station interface
- 2 release forecourt ≈685 m2
- 3 public verification
- 4 staffed appeal
- 5 rollback notice
- 6 retirement memory ≈535 m2

LAYER LEGEND

- existing / OSM context
- provisional study boundary
- proposed public interface
- indicative section / survey required


Station entrance, access rights, gradient, paving and peak flow remain unverified.

Phase 1 contracts to Dazhongsi. Verify site and operator conditions first; build a 1:1 reversible sample only second. If public access, human fallback or accountability fails, remove the pilot.

08 EVIDENCE + LIMIT

Professional honesty is part of the design

JINGZHANG REAL CITY + URBAN DESIGN



V5 overall structure

- NORTH**
quiet research + ecological commute
- MIDDLE**
campus + heritage connection needs
- SOUTH**
station-city demonstration district

V5 DETAIL

Approx. 8.7 ha at Dazhongsi, with two building-clear public spaces and a 625 m daily walking sequence.

Four north/middle lines show connection needs only. They are not walkable alignments and are excluded from length metrics.

43.6 km2

≈11.4 km2 provisional geometry

≈8.7 ha V5 study window

Machine metrics retain reproducible precision; drawings use sensible significant figures. Current depth is competition-level conceptual urban design on a public basemap, not statutory or survey-grade detailed design.