

THE LUCID SHANSHUI

Public-space infrastructure for human-machine switching

ONE PROPOSITION · FIVE PROOFS · THREE EXIT-READY PILOTS

BOOKLET STRUCTURE

01 COVER / 02 CONTEXT + DATA GAPS / 03 OVERALL / 04 LAND USE / 05 MOBILITY

06 KEY-AREA INDEX / 07 RESPONSIBILITY-BOUNDARY-EXIT / 08-10 AREA EVIDENCE SHEETS

11 TWELVE-NODE MATRIX + THREE EXAMPLES / 12 METRICS + UNKNOWN CONTROLS


Overall Design and Three Key Areas

One civic spine · three differentiated pilots · twelve auditable service nodes

CENTENNIAL JING-ZHANG AI BELT


01 OPEN-DATA CONTEXT / PROVISIONAL EXTENT

OSM is context only; dashed extents are not statutory redlines




02 SPATIAL ALLOCATION / CONCEPT MASSING

10 land-use codes · 153 design-model massings · three differentiated pilots



03 AT-GRADE PASSAGE / SERVICE NETWORK

9 low-curvature concept centerlines · 12 service nodes · 3 AI landmarks



VISIBLE OWNER · BOUNDARY · EXIT

OWNER

Each node names an accountable role and human reviewer

BOUNDARY

At-grade, non-digital access by default; AI stays inside the declared pilot

EXIT

Insufficient evidence or failed KPI triggers scale-down, stop and restored passage

OSM OPEN-DATA CONTEXT

REPOSITORY PROVISIONAL

PROPOSAL DESIGN MODEL

MISSING / NO CONCLUSION

11.41 km² PROVISIONAL SITE

03 KEY AREAS

12 + 3 NODES + LANDMARKS

153 CONCEPT MASSINGS

CONCEPT DESIGN | Provisional rough boundaries | Recompute when official data is released

Design: submitted GeoJSON / metrics.json;
context: © OpenStreetMap contributors, ODbL 1.0, 21 Aug 2026; not an official redline or construction document

FIG-01 / SITE OVERVIEW

Existing Context, Policy Basis and Data Gaps

CENTENNIAL JING-ZHANG AI BELT

Separate public task evidence, provisional geometry, design models and missing professional inputs

PUBLIC TASK EVIDENCE

Name / levels / announced area

OSM OPEN CONTEXT

4,940 features | completeness unverified

REPOSITORY GEOMETRY

1 overall + 3 key areas | non-statutory

PROPOSAL HIDDEN HERE


Concept massing is not existing survey

AVAILABLE EVIDENCE / PERMITTED USE

- Public announcement: project name, three scope levels and announced approximate areas; no usable official redline.
- 12 Aug 2026 approval news: confirms approval status only; approved plan text/graphics/vector data are not in the package.
- OSM open data: road, rail, building, green-blue and facility context only; not a survey or approval base.
- Cleared taskbook: agent tasks, twelve scenarios and delivery requirements.
- Repository geometry: one overall scope and three provisional key areas for concept comparison and recomputation only.
- Submitted design model: land use, massing, centerlines, green/public space and phasing.

MISSING INPUTS / NO-CONCLUSION ZONE

- Approved-plan deliverables, official overall/key-area/parcel/road redlines and statutory controls
- Existing-building, ownership, population and service-capacity surveys
- Rail, heritage, fire, hazard and other binding constraints
- Terrain levels, hydrology, drainage, underground and geotechnical data
- Utilities, energy/compute interfaces, traffic flows and operating capacity
- Statutory FAR, height, density, setbacks and retain/renew/remove decisions




Overall Design and Three Key Areas

CENTENNIAL JING-ZHANG AI BELT

One civic spine · three differentiated pilots · twelve auditable service nodes


01 OPEN-DATA CONTEXT / PROVISIONAL EXTENT

OSM is context only; dashed extents are not statutory redlines




02 SPATIAL ALLOCATION / CONCEPT MASSING

10 land-use codes · 153 design-model massings · three differentiated pilots



03 AT-GRADE PASSAGE / SERVICE NETWORK

9 low-curvature concept centerlines · 12 service nodes · 3 AI landmarks



VISIBLE OWNER · BOUNDARY · EXIT

OWNER

Each node names an accountable role and human reviewer

BOUNDARY

At-grade, non-digital access by default; AI stays inside the declared pilot

EXIT

Insufficient evidence or failed KPI triggers scale-down, stop and restored passage

OSM OPEN-DATA CONTEXT

REPOSITORY PROVISIONAL

PROPOSAL DESIGN MODEL

MISSING / NO CONCLUSION

11.41 km² PROVISIONAL SITE

03 KEY AREAS

12 + 3 NODES + LANDMARKS


153 CONCEPT MASSINGS

CONCEPT DESIGN | Provisional rough boundaries | Recompute when official data is released

Land-use Structure and Spatial Closure

CENTENNIAL JING-ZHANG AI BELT

All units derive from one site partition; areas recomputed in EPSG:4548



LEGEND		
0701	Housing + talent	18.1%
09	Commercial service	15.5%
0702	Community services	11.3%
0803	Culture and exhibition	9.7%
0802	AI R&D + innovation	15.1%
0804	Education and research	7.7%
16	Flexible reserve	6.0%
1207	Design-model road	4.6%
1401	Park green space	11.0%
1403	Squares + stations	1.0%
100% SITE PARTITION CLOSURE		
Statutory FAR caps, height limits, setbacks and redlines await official controls.		

0701	09	0702	0803	0802	0804	16	1207	1401		Design-model value (not statutory)
AREA → CODE → GEOJSON → METRIC										


THIS FIGURE ANSWERS HOW THE PROPOSAL ALLOCATES SPACE; IT DOES NOT ESTABLISH STATUTORY LAND USE, OWNERSHIP OR CONTROL INTENSITY.

Mobility • Blue-green • Public-service System

A locatable, countable and stoppable network rather than a linear slogan

CENTENNIAL JING-ZHANG AI BELT

OSM ROADS/RAIL ARE CONTEXT ONLY; SOLID COLOURED NETWORK/GREEN/NODES ARE CONCEPT DESIGN; DASHED EXTENTS ARE REPOSITORY PROVISIONAL



SYSTEM LEGEND

- LOW-CURVATURE SPINE / LINKS 09
- ECOLOGICAL INTENT 01
- PUBLIC-SPACE POLYGONS 12
- SERVICE NODES 12
- AI LANDMARKS 03

DEFAULT SECTION

- 01 AT-GRADE
- 02 ACCESSIBLE
- 03 NON-DIGITAL
- 04 HUMAN FALLBACK

RAIL INTERCHANGE, CAPACITY, HYDROLOGY, BLUE LINES AND ENGINEERING LEVELS REMAIN UNVERIFIED.

NON-AI BASELINE USER JOURNEY

- 01 READ PHYSICAL WAYFINDING → 02 MOVE AT GRADE → 03 USE STAFFED SERVICE → 04 FEEDBACK BY PAPER / PHONE → 05 LEAVE SAFELY

Design: submitted GeoJSON / metrics.json;
context: © OpenStreetMap contributors, ODbL 1.0, 21 Aug 2026; not an official redline or construction document


FIG-04 / MOBILITY + BLUE-GREEN

Three Key-area Concept Designs

Parallel comparison; each area fits its extent and carries its own scale bar

CENTENNIAL JING-ZHANG AI BELT

01 INQUIRY • ZHONGZHIYUAN




MASSING 75 • CENTERLINES 4
PUBLIC SPACES 2 • POINTS 2
 SECTION → P8/P9/P10

- 01** Open innovation edges
- 02** Safety-evaluation court
- 03** Shared compute and human review

NOW: CONCEPT PLAN / MASSING / NODES
 MISSING: PARCELS / SURVEY / LEVELS
 FIRE / OWNERSHIP

02 INSIGHT • ORIGIN COMMUNITY




MASSING 45 • CENTERLINES 4
PUBLIC SPACES 2 • POINTS 2
 SECTION → P8/P9/P10

- 01** Learning-living mix
- 02** Screen-optional elder service
- 03** Community co-governance

NOW: CONCEPT PLAN / MASSING / NODES
 MISSING: PARCELS / SURVEY / LEVELS
 FIRE / OWNERSHIP

03 ACTION • DAZHONGSI



MASSING 33 • CENTERLINES 4
PUBLIC SPACES 2 • POINTS 2
 SECTION → P8/P9/P10

- 01** Industry validation
- 02** Heritage-compatible edge
- 03** Long-term operations

NOW: CONCEPT PLAN / MASSING / NODES
 MISSING: PARCELS / SURVEY / LEVELS
 FIRE / OWNERSHIP

LEGEND: HATCH=PROPOSAL LAND/MASSING | DARK TEAL=CENTERLINE | GOLD=PUBLIC SPACE/LANDMARK | GREY=OSM CONTEXT | RED DASH=A-A'

Design: submitted GeoJSON / metrics.json;
 context: © OpenStreetMap contributors, ODbL 1.0, 21 Aug 2026; not an official redline or construction document

FIG-03 / KEY AREAS

VISIBLE RESPONSIBILITY · VISIBLE BOUNDARY · VISIBLE EXIT

EVIDENCE ESCALATION AND DELIVERY PROTOCOL

VISIBLE RESPONSIBILITY

- Name the public decision-maker, operator, data steward and human appeal owner.
- Record accountable roles and sign-off at every review.
- Record: decision-maker / operator / reviewer / appeal owner.

DECIDER

OPERATOR

REVIEWER

APPEAL

VISIBLE BOUNDARY

- State the provisional spatial boundary, users, minimum data and validity period.
- Keep a non-AI baseline and complete human channel.
- Record: place / users / data / duration / baseline.

PLACE

USERS

DATA

VALIDITY

BASELINE

VISIBLE EXIT

- Publish stop thresholds, rollback, data disposition and site-restoration duty in advance.
- Record every renew, scale-down or stop decision.
- Record: trigger / disposition / restoration / disclosure.


TRIGGER

ROLLBACK

DATA

RESTORE


DISCLOSE



CURRENT EVIDENCE	ESCALATION INPUT	NEXT PERMITTED CONCLUSION
Announcement text + provisional scopes	Usable official redline/GIS	Precise scope, area and statutory interface
Participant design model	Survey/ownership/statutory controls	Retain/renew/remove, capacity and engineering
Draft service protocol	Non-AI baseline + time-boxed pilot record	Renew, scale down or stop

01 INQUIRY • ZHONGZHIYUAN

PLAN — TRUE-CUT PROFILE — METRICS — EVIDENCE GATES; RENDERING DOES NOT FILL SURVEY OR ENGINEERING GAPS




A-A' | MODEL-LINKED SPATIAL SECTION

[G] CUT/WIDTH · [A] FLOORS×4.2m/CLEAR* · [T] MODULES · FLAT DATUM≠SURVEY

[G] TRUE CUT B0030 3F/12.6m · B0031 4F/16.8m · B0032 4F/16.8m

[G] TRUE CUT B0033 5F/21.0m · B0034 5F/21.0m · B0035 6F/25.2m

[T] DRAINAGE→GREEN; SLOPE/LEVELS UNSURVEYED



AREA

1.93 km²

MASSING

75

MODEL FAR

0.768

MODEL DENSITY

17.1%

EVIDENCE / GAP

Existing buildings/ownership, energy and fire interfaces unverified

PILOT BOUNDARY

Reversible open courts and evaluation services inside the provisional key area

RESPONSIBLE ROLE

Area operator + safety evaluator + accountable data steward

TRIGGER INPUTS

Base map, ownership, energy, fire and service demand all verified

EXIT STATE

If a gate fails, return to at-grade public space and staff booking

[T] 18m STREET=2.5W+1.5R+1.75C+6.5V+MIRROR


8m PATH=2.5W+3C+2.5S

TARGET REVIEW REQUIRED

TARGET REVIEW REQUIRED
GATE FAIL → AT-GRADE / NON-DIGITAL / REVERSIBLE

02 INSIGHT • ORIGIN COMMUNITY

PLAN — TRUE-CUT PROFILE — METRICS — EVIDENCE GATES; RENDERING DOES NOT FILL SURVEY OR ENGINEERING GAPS



AREA	MASSING
1.04 km²	45
MODEL FAR	MODEL DENSITY
0.875	15.9%


- EVIDENCE / GAP
- Population profiles, service capacity and accessibility baseline unverified
- PILOT BOUNDARY
- Time-boxed community service pilot with a complete non-digital channel
- RESPONSIBLE ROLE
- Subdistrict/community + service provider + human appeal owner
- TRIGGER INPUTS
- Capacity, accessibility, consent and data-minimisation rules verified

EXIT STATE

If review fails, scale down or stop and publish the review


[T] 18m STREET=2.5W+1.5R+1.75C+6.5V+MIRROR
8m PATH=2.5W+3C+2.5S
TARGET REVIEW REQUIRED
GATE FAIL → AT-GRADE / NON-DIGITAL / REVERSIBLE

A-A' | MODEL-LINKED SPATIAL SECTION



03 ACTION • DAZHONGSI

PLAN — TRUE-CUT PROFILE — METRICS — EVIDENCE GATES; RENDERING DOES NOT FILL SURVEY OR ENGINEERING GAPS



AREA	MASSING
0.72 km²	33
MODEL FAR	MODEL DENSITY
0.880	13.2%

EVIDENCE / GAP
Rail, heritage, ownership, traffic and long-term operations unverified

PILOT BOUNDARY
Removable validation events outside heritage/rail control zones


RESPONSIBLE ROLE
Local authority + competent agencies + site operator

TRIGGER INPUTS
Rail/heritage, egress, structure, traffic and cost gates verified

EXIT STATE
Any binding-gate failure triggers removal and restores public passage

[T] 14m LANE=2.5W+1.5R+6 SHARED+1.5R+2.5W
TARGET REVIEW REQUIRED
GATE FAIL → AT-GRADE / NON-DIGITAL / REVERSIBLE

A-A' | MODEL-LINKED SPATIAL SECTION



TWELVE AI+ SERVICE PROTOCOLS

READABLE 12-NODE REGISTRY + 3 REPRESENTATIVE VALIDATION CARDS; FULL FIELDS REMAIN IN THE BILINGUAL PROPOSAL AND HTML

01 Registry of Public Sensing Public-facility entrance 90-day / NOT APPROVED NON-AI Paper register + staffed desk	02 Clear Screen-Free Walk Continuous ground trail 180-day / NOT APPROVED NON-AI Fixed map + tactile signs + attendant	03 Inquiry Tactile Model Hall Community cultural facility One-term / NOT APPROVED NON-AI Physical model + human guide + Braille/print
04 Study Deep-Reading Room Quiet indoor public space 90-day / NOT APPROVED NON-AI Print catalogue + librarian search + offline booking	05 Sincerity Algorithm Clinic Near service counter 30-day / NOT APPROVED NON-AI Full staffed counter + paper receipt	06 Rectify Edge Experiment Market Demountable test area One-market-season / NOT APPROVED NON-AI Offline counter + paper process + physical feedback card
07 Cultivate Safety-Drill Court Isolated test space 90-day / NOT APPROVED NON-AI Human evaluation + physical isolation + immediate stop	08 Family Elder-Friendly Loop Community ground route 180-day / NOT APPROVED NON-AI Volunteer escort + physical signs + staffed point	09 Stewardship Open Compute Day Controlled shared facility 180-day / NOT APPROVED NON-AI Staff approval + offline schedule + human technical support
10 Practice Quiet Retail Street Station ground floor 180-day / NOT APPROVED NON-AI Cash/physical receipt + complete staffed service	11 Ground-Floor Five-Piece Set Street frontage and forecourt One-year / NOT APPROVED NON-AI Named manager + physical directions + alternatives	12 Virtue Answer Bell Event Cultural node One-year-renewable / NOT APPROVED NON-AI Silent visual version + moderator + public hearing

06 Rectify Edge Experiment Market PLACE / SERVICE Demountable test area Test note → review → timed demo → feedback → NON-AI BASELINE Offline counter + paper process + physical feedback card EVIDENCE Consent, complaint and removal records / monthly review EXIT Stop the stall/session after data breach, unmanageable complaint or scope expansion KPI Voluntary use, removal execution, feedback closure	07 Cultivate Safety-Drill Court PLACE / SERVICE Isolated test space Publish boundary → exercise → log → human review → summary NON-AI BASELINE Human evaluation + physical isolation + immediate stop EVIDENCE Issue and shutdown ledgers / review after every session EXIT Stop if a critical issue remains open, the test leaks or isolation fails KPI Issue grading, closure, recurrence record	09 Stewardship Open Compute Day PLACE / SERVICE Controlled shared facility Apply → purpose/resource review → timed use → log NON-AI BASELINE Staff approval + offline schedule + human technical support EVIDENCE Booking, delivery, energy and termination logs / monthly review EXIT Scale down/stop if delivery, energy/security or ownership gates fail KPI Resource delivery, energy disclosure, termination record
---	---	---

Recomputed Metrics and Evidence Chain

CENTENNIAL JING-ZHANG AI BELT

Every known value returns to GeoJSON; missing statutory controls remain unknown

