

INTELLIGENCE IN COMMON

The Jing-Zhang Open Intelligence Commons

Not an AI showcase belt, but an urban public protocol that anyone can enter and every technology must answer to.

12

auditable scenarios

3

spatial prototypes

4+1

governance gates + exit

G0-G4

delivery gates

CORE THESIS + OPEN COLLABORATION

One public spine, three differentiated commons, two wing interfaces, and twelve auditable scenarios.




CONCEPTUAL LAND USE + DELIVERY LOOP

Seven conceptual carriers cover the provisional boundary without becoming approved land use or statutory intensity.

02 / LAND USE & STRUCTURE

完整分区不是结论，而是可复算的讨论底板

同一临时边界拓扑切分 · 七类概念用地 · 公地主脊优先于大体量增量



- 科研 0802
- 文化 0803
- 居住 0701
- 绿地 1401
- 教育 0804
- 商业 05
- 社区 0702

概念承载梯度，不是审定用地
official geometry 与控规到位后整体重算

临时粗略边界 | 仅用于生成、展示与内容审查 | OFFICIAL POLYGONS 到位后统一复算

VERSION 1.2 / 2026-08-07

空间—产业—运营的五步闭环

- 01 问题进入**
由社区、企业、科研和公共部门提出真实问题，先说明公共价值与数据边界。
- 02 能力组队**
三区两翼匹配模型、算力、法务、标准、运营和用户代表。
- 03 沙盒验证**
隔离环境、风险分级、现场急停和人工复核先于公共部署。
- 04 公共复盘**
展示方法、失败、纠错和申诉处理，不只展示技术效果。
- 05 规模转化**
条件成熟后才进入专业规划、采购、审批和运营深化。

7	0.8%	18.6%	UNKNOWN
概念用地类别	概念建筑覆盖	蓝绿网络比例	法定开发强度

INTELLIGENCE IN COMMON · JINGZHANG

02 / LAND USE + DELIVERY LOOP

A RECALCULABLE DISCUSSION BASE

Complete partition is evidence, not an approved plan

SEVEN CONCEPTUAL CARRIERS
Research 0802 · Education 0804 · Culture 0803 · Commercial 05 · Housing 0701 · Community Services 0702 · Park Green 1401.

01 · PROBLEM INTAKE
Communities, enterprises, researchers, and public agencies state real problems, public value, and data boundaries.

02 · CAPABILITY TEAM
The Three Zones and Two Wings assemble models, compute, legal support, standards, operators, and user representatives.

03 · SANDBOX VALIDATION
Isolation, risk grading, on-site emergency stop, and human final review precede public deployment.

04-05 · PUBLIC REVIEW + SCALING
Publish methods, failure, correction, and appeal handling. Scale only when professional planning, procurement, approval, and operating conditions are ready.

AUDIT SNAPSHOT
7 categories · 0.8% conceptual prototype footprint ratio · 18.6% blue-green network envelope · statutory development intensity pending official data.

ENGLISH COUNTERPART · ORIGINAL EVIDENCE RETAINED
PROVISIONAL DESIGN · NOT AN OFFICIAL REDLINE OR APPROVAL

THREE KEY-AREA SPATIAL PROTOTYPES

Safety gradient, porous sharing, and station-city living room create comparable and removable spatial grammars.

03 / THREE COMMONS / SPATIAL PROTOTYPES

三种城市角色，落实为三套不同的空间语法

安全梯度 / 孔隙共享 / 站城客厅；图示为非测绘空间原型，不替代重点区总平面

01 众智园

安全治理公地

清河公共界面 / 待河道资料

空间序列
公众花园 - 解释廊 - 测试环 - 安全后场

首期三动作
治理门厅 / 可撤测试铺装 / 公共复叠台

阶段门
G1河道消防 / G2安全沙盘 / G3限时试点

缺任一责任人、急停、申诉或专业前置条件即退出

02 AI原点社区

开源转化公地

空间序列
校园园区孔隙 - 成果街 - 共享首层 - 生活支路

首期三动作
成果橱窗 / 贡献者客厅 / 无障碍共创台

阶段门
G1边界首层 / G2内容清权 / G3时段共享

缺任一责任人、急停、申诉或专业前置条件即退出

03 大钟寺

智能原生生活公地

空间序列
站城门厅 - 四象限缝合 - 全天候街 - 申诉会客厅

首期三动作
导航服务岛 / 数据授权厅 / 可关闭路演界面

阶段门
G1站口断面 / G2人车组织 / G3可关闭试验

缺任一责任人、急停、申诉或专业前置条件即退出

空间原型 / 非现场测绘 / 待 official polygons、公开现状与现场踏勘校准

VERSION 1.2 / 2026-08-07
INTELLIGENCE IN COMMON / JINGZHANG

03 / THREE COMMONS + SPATIAL PROTOTYPES

THREE ROLES, THREE SPATIAL GRAMMARS

Non-surveyed prototypes; not official master plans

ZHONGZHIYUAN · SAFETY GOVERNANCE

Sequence: public garden edge → interpretation gallery → controlled test loop → secure back-of-house. First actions: governance foyer, removable test surfacing, public review table. Exit if accountability, emergency stop, appeal, river, fire, or ownership conditions are unresolved.

BEIJING AI ORIGIN · OPEN-SOURCE TRANSLATION

Sequence: campus/park pores → Open Outputs Street → shared ground floors → everyday lanes. First actions: traceable outputs window, Contributors' Living Room, accessible co-creation table. Pilot only after rights, fire, time-sharing, and resident consultation.

DAZHONGSI · AI-NATIVE LIVING

Sequence: station-city foyer → four-quadrant ground stitching → all-weather AI-Native street → appeal and international reception hall. First actions: staffed service island, data-consent living room, closable demonstration interface.

SHARED RULE

One named accountable operator, emergency stop, appeal, and a professional exit gate are mandatory in every key area.

ENGLISH COUNTERPART · ORIGINAL EVIDENCE RETAINED
PROVISIONAL DESIGN · NOT AN OFFICIAL REDLINE OR APPROVAL

SPINE SEGMENTS + SECTIONS + GOVERNANCE

Six conditional segments and two modular sections remain subject to public existing-condition data and professional verification.

04 / COMMONS SPINE + BLUE-GREEN

把九公里主脊设计成六种可校准的城市段落

先保证连续无障碍与公共价值，再由道路、文保、河道和消防资料确定工程断面



04 / COMMONS SPINE + BLUE-GREEN

SIX CONDITIONAL URBAN SEGMENTS

Continuity and public value first;
engineering later

SIX SEGMENTS

01 river-park safety · 02 heritage reading · 03 campus collaboration · 04 community everyday life · 05 cross-road stitching · 06 station forecourt living room · Segment locations await field and professional verification.

FROM PROBLEM TO SPACE

Railway memory is continuous while east-west access may fragment
→ one spine with three stitches. AI is visible while accountability is not → four governance gates. Innovation must not stop at display → five-step open review loop.

TWO MODULAR SECTIONS

A: heritage-commons spine - existing tree conditions, 3-4 m walking and cycling, 2-6 m sponge planting, 4-8 m flexible commons. B: east-west stitching - continuous accessibility, visible crossing, cycling, staffed public-service interface.

FOUR GATES + ONE EXIT

01 Notice: purpose, accountable party, opening hours. 02 Data: minimization, no continuous tracking. 03 Decision: human final review for high impact. 04 Appeal: staffed correction and deletion. 05 Exit: stop, restore, publish review.

THREE PROTOTYPES × TWELVE SCENARIOS

A controlled tests: S02-S04. B public corridors/co-creation: S05, S06, S10. C display/service/collaboration: S01, S07-S09, S11-S12.

ENGLISH COUNTERPART · ORIGINAL EVIDENCE RETAINED
PROVISIONAL DESIGN · NOT AN OFFICIAL REDLINE OR APPROVAL


PUBLIC VALUE + G0-G4 DELIVERY GATES

Spatial metrics remain recalculable; operating targets require baselines, accountability, audit frequency, and harm guardrails.

05 / PUBLIC VALUE + DELIVERY GATES

评价一个 AI 城市，不只看面积，也看责任是否闭环

空间数值保持可复算；运营目标必须有责任人、频率、伤害护栏和退出阈值



05 / PUBLIC VALUE + DELIVERY GATES

AREA IS NOT ENOUGH;
RESPONSIBILITY MUST CLOSE

Recalculable space + accountable operating targets

JING-ZHANG PLACE STORY

01 Connection: railway trace and urban entry. 02 Learning: public learning and technical explanation. 03 Open source: traceable, rights-cleared contribution. 04 Audit: questioning, appeal, and correction. 05 Coexistence: technology as everyday public capability.

G0-G4 DELIVERY GATES

G0 rights and data clearance. G1 professional review. G2 safety sandbox. G3 time-limited pilot with public success/failure. G4 independent decision to adapt, scale, or exit. These are risk gates, not a construction timetable.

PILOT TARGETS

100% named responsibility, notice, risk grading, and emergency-stop drill before launch. 100% human final decision for high-impact outputs. Zero default biometrics and continuous personal trajectory retention.

APPEAL + PUBLIC REVIEW

Appeal acknowledgement target: 1 business day; target response: 5 business days. Failed, corrected, and exited trials form a public post-mortem. Each key area retains at least one staffed public-service point.

NON-STATUTORY SPATIAL METRICS

11.41 km² provisional package area · 9.4 km conceptual spine · 18.6% blue-green network envelope · 2.0% scenario-support envelope · 0.8% prototype footprint ratio. Recalculate after official geometry.

ENGLISH COUNTERPART · ORIGINAL EVIDENCE RETAINED
PROVISIONAL DESIGN · NOT AN OFFICIAL REDLINE OR APPROVAL

THREE SPATIAL PROTOTYPES / TWELVE GOVERNANCE CARDS

Each scenario is spatialized as a controlled test field, public corridor/co-creation point, or display/service/collaboration hall. Every journey includes notice, human review, emergency stop, appeal, and exit.

TYPE A · S02-S04

Controlled Test Field

Notice gate · buffer · test zone · safety-officer sightline · audience boundary · logistics access · emergency stop. Journey: apply → enclose → test → publish review → restore the site.

TYPE B · S05 / S06 / S10

Public Corridor + Co-Creation

Continuous accessibility · non-tracking sensing · staffed help · facility-level data mirror. Journey: enter → choose service → receive human help → give anonymous feedback.

TYPE C · OTHER SCENARIOS

Display / Service / Collaboration



Open foyer · content rights clearance · human final review · appeal desk · retractable archive. Journey: consent → collaborate → publish → appeal or withdraw → archive.

SHARED PILOT TARGETS

100% named responsibility, notice, risk grading, and emergency-stop drills · 100% human final decision for high-impact outputs · zero default biometric capture and continuous personal trajectory retention · appeal acknowledgement target 1 business day / response target 5 business days.


A FIVE-CHAPTER PUBLIC JOURNEY + SELECTIVE CASE TRANSLATION

The railway once shortened distances between cities; open intelligence can now shorten the distance between technology and the public.



ACCOUNTABILITY, COUNCIL, PROJECTS, AND ANNUAL OPERATION

Shared scrutiny never replaces one named operator, statutory approval, or incident responsibility.



EIGHT-PROJECT ACCOUNTABILITY MATRIX

JZ-01/02	commons spine + Zhongzhiyuan	site operator / safety officer	G1-G3
JZ-03/04	AI Origin outputs street + shared ground floors	park operator / rights holder	G1-G3
JZ-05/06	Dazhongsi foyer + staffed service island	station operator / service provider	G1-G3
JZ-07/08	contribution archive + annual operation	council secretariat / independent auditor	G0-G4

FOUR-SEASON CYCLE

Spring open-source contribution · Summer controlled testing · Autumn commons forum · Winter contribution archive and failure review

BOTTOM LINE: one named accountable operator per scenario; the council cannot dilute statutory or incident responsibility.

RISK, EVIDENCE BOUNDARIES, AND RECALCULATION COMMITMENT

Professional depth is preserved by separating what is known, what is recommended, and what still requires official data.

BOUNDARY

BOUNDARY

Official SITE_BOUNDARY and KEY_AREA polygons remain unavailable. Every area and relationship is recalculated after official geometry.

EXISTING CONDITIONS

EXISTING CONDITIONS

Roads, stations, buildings, water, heritage, ownership, utilities, and pedestrian flows await public material and field surveys.

SEMANTICS

SEMANTICS

Blue-green network, scenario-support envelope, and prototype footprints are not statutory green space, facility footprints, or Building Coverage Ratio.

AI GOVERNANCE

AI GOVERNANCE

Pause when responsibility, notice, human final review, emergency stop, appeal, correction, deletion, or exit is absent.

COPYRIGHT

COPYRIGHT

Original diagrams and layout; no commercial basemap, remote tile, corporate mark, portrait, or unauthorized material.

SUBMISSION

SUBMISSION

The PR changes only this package. The authenticated GitHub author confirms attribution and intellectual-property boundaries.

NON-APPROVAL STATEMENT

Every spatial move is a Conceptual Recommendation, reference scheme, or material for professional teams to deepen. Nothing replaces statutory planning or constitutes government approval, investment, procurement, construction, or implementation commitment.