


## ORIGIN One-Spine / Three-Node Spatial Prototype

FIG-01R · expanded concept plan / evidence locator


### Expanded design plan (not for siting)



INTERFACE PROTOTYPE · NOT FOR SITING · NOT AN OFFICIAL REDLINE · SCALE AND DIMENSIONS TO BE CALIBRATED

### Legend and evidence locator

- accessible service loop
- blue-green slow loop
- rail heritage trace
- controlled test node




Locator uses provisional geometry only

The expanded plan communicates relationships, not true distances, boundaries or engineering alignments. Recompute and relocate after official polygons arrive.

## Beyond Land-Use Bands: Three Urban Interfaces and a Shared Armature

FIG-02R · same-source layers / spatial interface reading

### Three spatial prototypes: R&D · community/heritage · station services



CONCEPTUAL SPATIAL INTERFACES · NOT STATUTORY LAND USE · NOT AN ENGINEERING PLAN · DIMENSIONS TO BE CALIBRATED

### Authority and design layers

- provisional boundary
- complete land partition
- green / public realm
- road / slow armature
- reversible components

Area, boundary and coverage remain authoritative in GeoJSON. This figure translates the same layers into interfaces and creates no statutory land-use or retain/renovate/demolish decision.

## ORIGIN Brand and Public Wayfinding System

FIG-06 · rail ∞ infinity / open contribution

### Core symbol



ORIGIN / 无限

rail memory × infinite collaboration × public contribution

Clear space: 1× symbol height

Original concept mark; not registered and no third-party logo used.

### System rules

- Rail Basalt
- Signal Orange
- Data Cyan
- Civic Green

### Three sub-brands

- ORIGIN Lab: R&D source
- ORIGIN Court: living symbiosis
- ORIGIN Rail: heritage activation

### Wayfinding principle

Equal CN/EN hierarchy · high contrast · icon+text redundancy · color never sole code

CONCEPT ONLY · NOT AN OFFICIAL REDLINE · provisional geometry for generation, display and recomputation only

### BOARD LOGIC / REVIEW TRACE

#### CORE JUDGMENT

One spine connects A1/A2/A3; two wings link technology services and civic experience.

#### SPATIAL MOVE

Coordinated land, green, public space and road layers define the innovation cell.

#### REVIEW GATE

Recompute the entire package after official polygons, controls and inventory arrive.

#### EVIDENCE


site\_boundary / key\_areas / land\_use / roads / sources



## Three Key Areas: From Program Lists to Spatial Prototypes

FIG-03R · distinct plans / shared delivery gates


A1




An evaluation court sits inside the R&D district, separating controlled tests from public routes.

Entry: rights ledger + safety protocol

Shared exit: pause and restore baseline when safety, inclusion or operations fails.



A2




A community court faces the rail-heritage green, linked by an accessible co-design and memory loop.

Entry: co-design + non-digital fallback

Shared exit: pause and restore baseline when safety, inclusion or operations fails.



A3



The station micro-center layers service, transfer and showcase while retaining clear egress and a staffed desk.

Entry: capacity check + operator duty

Shared exit: pause and restore baseline when safety, inclusion or operations fails.




ALL THREE ARE INTERFACE PROTOTYPES · NOT FOR SITING · NOT ENGINEERING PLANS · DIMENSIONS, CAPACITY AND FIRE CONDITIONS TO BE CALIBRATED


## A2 Interface Prototype, Two Sections and Reversible Kit Axon

FIG-10 · non-siting concept / interfaces for professional development


A2 concept plan: community - heritage - station




C01-C06 reversible-kit exploded axon



Section A-A: heritage spine - community lab



Section B-B: station micro-center - accessible route



INTERFACE PROTOTYPE · NOT FOR SITING · NOT AN OFFICIAL REDLINE OR ENGINEERING SECTION · ALL DIMENSIONS, SLOPES, LOADS AND FIRE CONDITIONS TO BE CALIBRATED

## Scenario, Space, Operator and Evaluation-Gate Matrix

FIG-07 · 12 services + 4 controlled tests

| ID  | Scenario                    | Space           | Suggested operator    | Baseline                  | Pilot gate                                | Exit trigger             |
|-----|-----------------------------|-----------------|-----------------------|---------------------------|-------------------------------------------|--------------------------|
| S1  | Community co-design copilot | Community       | Community org         | manual handling time      | rights+privacy+accessibility+human review | pause on any failed gate |
| S2  | Slow-path guide             | Heritage park   | Park operator         | wayfinding feedback       | rights+privacy+accessibility+human review | pause on any failed gate |
| S3  | Accessible companion        | Community       | Public service        | assistance success        | rights+privacy+accessibility+human review | pause on any failed gate |
| S4  | Building energy advice      | Public building | Facility operator     | current energy curve      | rights+privacy+accessibility+human review | pause on any failed gate |
| S5  | Green-space care            | Blue-green      | Green operator        | maintenance cycle         | rights+privacy+accessibility+human review | pause on any failed gate |
| S6  | Culture-memory guide        | Heritage park   | Culture operator      | content review log        | rights+privacy+accessibility+human review | pause on any failed gate |
| S7  | Developer sandbox           | Near-campus     | Joint lab             | no shared benchmark       | rights+privacy+accessibility+human review | pause on any failed gate |
| S8  | Mobility micro-loop         | Station         | Mobility operator     | transfer walking time     | rights+privacy+accessibility+human review | pause on any failed gate |
| S9  | Public-space inspection     | Public realm    | City operator         | manual inspection tickets | rights+privacy+accessibility+human review | pause on any failed gate |
| S10 | Startup service copilot     | Near-campus     | Innovation service    | manual consulting time    | rights+privacy+accessibility+human review | pause on any failed gate |
| S11 | Multilingual city service   | Station         | Public service        | language access           | rights+privacy+accessibility+human review | pause on any failed gate |
| S12 | Community memory archive    | Community       | Community org         | consented archive count   | rights+privacy+accessibility+human review | pause on any failed gate |
| T1  | Urban model benchmark       | Near-campus     | Joint lab             | current manual workflow   | offline protocol-stop threshold           | pause on any failed gate |
| T2  | Slow-path simulation        | Station         | Mobility operator     | current manual workflow   | offline protocol-stop threshold           | pause on any failed gate |
| T3  | Energy peak test            | Public building | Facility operator     | current manual workflow   | offline protocol-stop threshold           | pause on any failed gate |
| T4  | Multi-agent drill           | Community       | Professional operator | current manual workflow   | offline protocol-stop threshold           | pause on any failed gate |

CONCEPT ONLY · NOT AN OFFICIAL REDLINE · provisional geometry for generation, display and recomputation only

### BOARD LOGIC / REVIEW TRACE

#### DISTINCT ROLES

A1 safety and tools; A2 near-campus translation and life; A3 AI services and station interfaces.

#### SPATIAL PROTOTYPES

Three prototypes bind reversible kit, staffed fallback, entry gate and exit trigger.

#### SHARED FLOOR

Rights, privacy, accessibility, human review and exit gates are mandatory.

#### EVIDENCE


key\_areas / scenario tables / compliance\_matrix



## Slow Mobility, Blue-Green and Public-Service Network

FIG-04 · continuous public-realm concept

### Spatial network



CONCEPT ONLY · NOT AN OFFICIAL REDLINE · provisional geometry for generation, display and recomputation only

### Service standards and components

Continuous walking and accessible path

Human/phone channel always retained

Sensors and terminals removable by scenario

Every AI recommendation has owner and appeal

### Eight reversible components

Seating

Bilingual signs

Accessible rails

Scenario terminal

Open-source honor display

Shade

Cycle parking

Community notice

## Public Interest, Inclusion and Data-Governance Service Standards

FIG09 · AI augments rather than replaces civic service

### Ten user groups × multi-channel service

**P1 Young researchers**

digital + human + phone + on-site

co-design / appeal / exit

**P2 Older residents**

digital + human + phone + on-site

co-design / appeal / exit

**P3 Startups**

digital + human + phone + on-site

co-design / appeal / exit

**P4 Local families**

digital + human + phone + on-site

co-design / appeal / exit

**P5 City operators**

digital + human + phone + on-site

co-design / appeal / exit

**P6 International visitors**

digital + human + phone + on-site

co-design / appeal / exit

**P7 Children**

digital + human + phone + on-site

co-design / appeal / exit

**P8 Low-income tenants**

digital + human + phone + on-site

co-design / appeal / exit

**P9 Caregivers**

digital + human + phone + on-site

co-design / appeal / exit

**P10 Non-digital users**

digital + human + phone + on-site

co-design / appeal / exit

### Proposed service levels

**100%** critical civic services retain non-AI channel

**0** facial recognition as default input

**1** minimum co-design test per pilot

**000** AI advice, human decision and appeal outcome

### Minimum-data lifecycle

**1** purpose and basis

**2** minimum input

**3** local/de-identified processing

**4** human review

**5** retention limit


**6** deletion and appeal

CONCEPT ONLY · NOT AN OFFICIAL REDLINE · provisional geometry for generation, display and recomputation only

## 90-Day Candidate Prototype: Workstreams, Resource Bands and Evidence Gates

FIG08R · 12-week rehearsal / not an approved schedule

### Biweekly delivery rhythm



D1 rights/source ledger · D2 1:1 interface mock-up · D3 fixed-input rehearsal · D4 inclusion walk-through · D5 operations/exit drill · D6 public review pack

### Resource bands and dependencies

**People**

22-31 people-weeks

**Equipment**

2-4 workstations / one offline node / low-fidelity making kit

**Temporary space**

time-shared 30-50 m<sup>2</sup>; no permanent construction

Dependencies: cleared rights → site permission → accessibility/fire pre-check → local data environment → operations/removal owner. Any failed prerequisite stops advancement.

### RACI / responsibility matrix

|                                 | Public body | Professional team | Community panel | Operator | Independent review |
|---------------------------------|-------------|-------------------|-----------------|----------|--------------------|
| W0 evidence & rights            | A           | C                 | C               | I        | R                  |
| W1 reversible spatial prototype | C           | A/R               | R               | C        | C                  |
| W2 synthetic evaluation         | C           | C                 | C               | A/R      | C                  |
| W3 community & accessibility    | I           | C                 | C               | C        | A/R                |
| W4 operations readiness         | I           | C                 | A/R             | C        | C                  |

ILLUSTRATIVE 12-WEEK / 90-DAY REHEARSAL ONLY · NOT AN APPROVED PLAN, GOVERNMENT, PROCUREMENT OR FUNDING COMMITMENT · RESOURCE BANDS TO BE CALIBRATED AFTER GO

### BOARD LOGIC / REVIEW TRACE

#### PUBLIC REALM

Slow paths, blue-green links and reversible components form a continuous service network.

#### INCLUSIVE SERVICE

Digital, human, phone and on-site channels cover ten user groups.

#### DELIVERY LOGIC

Evidence gates advance projects; a failed gate pauses them regardless of schedule.

#### EVIDENCE

roads / green\_space / public\_space / phasing



## Evidence Loop: Spatial Recomputation + Eight-Task Fixed-Input Rehearsal

FIG-05R · recomputable metrics / not field performance

### Fixed-input synthetic rehearsal (seed 20260811)

8

tasks

75%

success rate

100%

schema pass

1

energy violation

100%

audit complete

#### Per-task outcomes

OK

T1-A

success

STOP

T1-B

exit triggered

OK

T2-A

success

OK

T2-B

success

OK

T3-A

success

STOP

T3-B

exit triggered

OK

T4-A

success

OK

T4-B

success

Failures remain visible: T1-B triggers the synthetic-canary safety gate and T3-B exceeds the rehearsal energy budget; both retain complete audit and exit records. Results demonstrate recomputable test-vector aggregates and gate logic only and do not predict field performance.

### Provisional-geometry recomputation

11.41 km<sup>2</sup>

provisional design boundary

12.34%

concept green ratio

7.33%

concept public-space ratio

3

key-area count

### One auditable evidence chain




Spatial metrics and rehearsal metrics use distinct sources and are shown side by side; no synthetic result is promoted to official, field or user evidence.

FIXED-INPUT SYNTHETIC REHEARSAL · NOT A FIELD PILOT, USER STUDY OR OFFICIAL PERFORMANCE · SEE PER-TASK LEDGER IN simulation.json

## ORIGIN One-Spine / Three-Node Spatial Prototype


FIG-01R · expanded concept plan / evidence locator

### Expanded design plan (not for siting)



### Legend and evidence locator

- accessible service loop
- blue-green slow loop
- rail heritage trace
- controlled test node



Locator uses provisional geometry only


The expanded plan communicates relationships, not true distances, boundaries or engineering alignments. Recompute and relocate after official polygons arrive.

INTERFACE PROTOTYPE · NOT FOR SITING · NOT AN OFFICIAL REDLINE · SCALE AND DIMENSIONS TO BE CALIBRATED

## 90-Day Candidate Prototype: Workstreams, Resource Bands and Evidence Gates

FIG-08R · 12-week rehearsal / not an approved schedule

### Biweekly delivery rhythm



### Resource bands and dependencies

- People**  
22-31 people-weeks
  - Equipment**  
2-4 workstations / one offline node / low-fidelity making kit
  - Temporary space**  
time-shared 30-50 m<sup>2</sup>; no permanent construction
- Dependencies: cleared rights -> site permission -> accessibility/fire pre-check -> local data environment -> operations/removal owner. Any failed prerequisite stops advancement.

### RACI / responsibility matrix

|                                 | Public body | Professional team | Community panel | Operator | Independent review |
|---------------------------------|-------------|-------------------|-----------------|----------|--------------------|
| W0 evidence & rights            | A           | C                 | C               | I        | R                  |
| W1 reversible spatial prototype | C           | A/R               | R               | C        | C                  |
| W2 synthetic evaluation         | C           | C                 | C               | A/R      | C                  |
| W3 community & accessibility    | I           | C                 | C               | A/R      | A/R                |
| W4 operations readiness         | I           | C                 | A/R             | C        | C                  |

ILLUSTRATIVE 12-WEEK / 90-DAY REHEARSAL ONLY · NOT AN APPROVED PLAN, GOVERNMENT, PROCUREMENT OR FUNDING COMMITMENT · RESOURCE BANDS TO BE CALIBRATED AFTER G0

### BOARD LOGIC / REVIEW TRACE

#### RECOMPUTATION

Every known metric returns to one GeoJSON source, CRS and formula.

#### EVIDENCE LOOP

Layers, metrics, figures, HTML, PDFs and manifest share one version.

#### EXPLICIT GAPS

Official boundaries, controls, ownership, heritage and engineering conditions remain pending.

#### EVIDENCE

metrics / self\_check / metrics / manifest SHA-256