

02 Design judgment and precedent translation

Comparative mechanisms change spatial actions; they do not prove Beijing facts or delivery capability.



issue

A long provisional site cannot rely on one reduced overview; governance needs entry, front, boundary, maintenance, return.

ruling

Six-segment index + H1/H2/H3 + three V/X/D spatial grammars.

evidence boundary

Cases/standards are comparative methods only; official boundary, existing, engineering, rights, statutory, operations remain unknown.

rail / linear public space

continuous-but-differentiated, section families → I01–I06 + V/X/D; no heritage form copied.

key spaces

arrival–handoff–public front–controlled back–maintenance/return → H1/H2/H3.

public AI

public summary, human explanation, testing is not certification → physical plaques, status boards, pause.

open / exit / resource

export/exit destinations, stable/fast-change layers, boundary/gaps → passport fields.

explicitly rejected

Tourism/consumption replacing public responsibility; copied rail/heritage form; heat/reduction/capacity/investment/visitor numbers; overseas law/KPI/certification; online/phone-only entry; and every unverified Beijing fact or partnership. Full precedent matrix: report/narrative.md.


03 Overall index: six segments, three handoffs, four contracts

Overview carries index only; service logic is H1 → H2 → H3.



01 Overall index: six operating sequences, three handoffs, and the joint four-contract passport

The full line indexes only public-accountability spine, I01–I06, H1/H2/H3, and return loops; local relations enlarge in key areas.



H1 / H2 / H3

submit → verify → accept/refuse → pause → restoration acceptance



Where four contracts attach to space



H1/H2/H3 are spatial procedures inside provisional containers; no real gate, station, road, or operating permit is asserted.

Provisional container: official_boundary=false · provisional_constraint · provisional_rough; design/topology only, not redline/existing-condition/approval evidence.

JINGZHANG OPEN COMPUTE COMMONS · v1.3 · Source: package provisional geometry, metrics, taskbook, and background-method study; not an existing-condition map.

index / note

I01–I06: conceptual reading index, not actual chainage/station/construction sequence.

index / note

H1 → H2 → H3: archive/migration → controlled verification/resource → limited public adoption/return.

index / note

Any missing field: refuse/pause and return to human service, prior safe configuration, or ordinary city service.


04 Spatial structure and renewal strategy

Provisional partition is topology background; design is conflict separation among front, control, maintenance, restoration.



02 Spatial structure: spine, six segments, transverse handoff courts, and reversible modules

Seven conceptual uses are a gap-free topology background only; urban design arises from separating public front, controlled, maintenance, and restoration conflicts.



Provisional container: official_boundary=false · provisional_constraint · provisional_rough; design/topology only, not redline/existing-condition/approval evidence. JINGZHANG OPEN COMPUTE COMMONS · v1.3 · Source: package EPSG:4548 topology recalculation and precedent translation; statutory use/intensity/setback/ownership unknown.

index / note

Land: gap-free concept relation partition, not parcels/statutory use.

index / note

Modules: stable public base/replaceable infill/maintainable equipment pack, not structure or approved massing.


index / note

Paths: public, controlled, maintenance/exit, emergency recovery do not mix.



Directional plan


H2 · I06 · V: verify / maintain / controlled observation



The public reaches only outside observation and physical explanation; testing, unloading, and exit use an independent rear edge.

Typical section / spatial sequence

stable public base → replaceable infill → maintainable equipment pack



Observation/front and equipment maintenance are separate; after exit only ordinary service and return space remain.

public → controlled

Front is reachable; accessible/physical entry remains outside; the public does not cross test, review, or unloading.



maintenance → return

Maintenance, reverse logistics, and equipment exit use a distinct rear edge; never the public main flow or ordinary service.



enter / refuse / stop

Missing resource method, maintenance edge, stop authority, or restoration material: remain at observation/manual rounds; no public evaluation.



four states / recovery



Pause retains physical wayfinding, human inquiry, and non-AI equivalent; after exit, ordinary-service and


06 Beijing AI Origin | Open Compute Exchange

Directional plan, section, conflict separation, and four-state recovery; conceptual relation inside a provisional container.



Directional plan


H1 · I03 · X: exchange / learn / review



An inquirer completes paper, telephone, or face-to-face ordinary service without crossing archive, review, or back-of-house.

Typical section / spatial sequence

stable public base → replaceable infill → maintainable equipment pack



Observation/front and equipment maintenance are separate; after exit only ordinary service and return space remain.

public → controlled

Front is reachable; accessible/physical entry remains outside; the public does not cross test, review, or unloading.



maintenance → return

Maintenance, reverse logistics, and equipment exit use a distinct rear edge; never the public main flow or ordinary service.



enter / refuse / stop

Unclear provenance, right, export, or human path: H1 refuses and returns to ordinary inquiry and paper/telephone/face-to-face workflow.



four states / recovery



Pause retains physical wayfinding, human inquiry, and non-AI equivalent; after exit, ordinary-service and


07 Dazhongsi | Compute Dividend City Lounge

Directional plan, section, conflict separation, and four-state recovery; conceptual relation inside a provisional container.



Directional plan


H3 · I01 · D: service / evaluate / ordinary recovery



The ordinary lounge, static wayfinding, human counter, and accessible stay always precede a digital trial.

Typical section / spatial sequence

stable public base → replaceable infill → maintainable equipment pack



Observation/front and equipment maintenance are separate; after exit only ordinary service and return space remain.

public → controlled

Front is reachable; accessible/physical entry remains outside; the public does not cross test, review, or unloading.



maintenance → return

Maintenance, reverse logistics, and equipment exit use a distinct rear edge; never the public main flow or ordinary service.



enter / refuse / stop

Stale information, closed human counter, blocked access, unreviewed feedback, or incomplete exit material: remove the digital interface.



four states / recovery



Pause retains physical wayfinding, human inquiry, and non-AI equivalent; after exit, ordinary-service and


08 Mobility, blue-green, and ordinary-service continuity

Four path types, five concept centrelines; pause and exit retain public and human paths.



04 Mobility and blue-green: four path types, five concept centre lines, and a recovery network

Public/accessibility, controlled observation, maintenance/reverse logistics, and emergency takeover/ordinary recovery do not mix; no existing mobility or rail is drawn.



Path separation and handoff nodes

- 01 public and accessible service | centre lines 01–02**
walking/accessibility priority; any cycling needs later safe separation/management and never crosses control or unloading.
- 02 controlled observation | centre line 03**
enter only with passport, human responsibility, and safety condition; otherwise return to observation court.
- 03 maintenance, reverse logistics, exit | centre line 04**
arrival, disconnect, inventory, removal, exit use rear side; never public main flow.
- 04 emergency takeover and ordinary recovery | centre line 05**
retains human and non-AI service during network/device/vendor failure.

Typical transverse relation (not an engineering section)



Crossing occurs only at visible handoff courts H1/H2/H3: the public reaches the front; controlled, maintenance, and exit have separate edges; pause retains public and human paths.

Provisional container: official_boundary=false · provisional_constraint · provisional_rough; design/TOPOLOGY/04 · JINGZHANG, OPEN COMPUTE COMMONS/v1.3 · Blue-green proposes shade, buffer, quiet observation, and return space only; blue denotes resource-observation method, not a verified water system; no unmeasured environmental benefit is claimed.

public/access

Physical wayfinding, paper, telephone, face-to-face, seating, accompaniment do not cross control or unloading.

resource/blue-green

Only shade, buffer, quiet observation, return space are proposed; without method/coverage/gap disclosure, no environmental benefit is claimed.

maintenance/exit

Reverse logistics, removal, emergency takeover use a separate edge; ordinary service and public space jointly accept restoration.

09 Three industrial validation protocols and twelve scenario cards


Common RACI/continuity is centralized; each card keeps its distinctive entry, refusal, stop, restoration, evidence.




P01 cross-stack portability



P02 energy–thermal budget



P03 exit and ordinary-space restoration




S01migration package	S02resource ledger	S03exit restoration	S04physical wayfinding
S05open learning	S06accessible inquiry	S07maintenance rounds	S08provenance review
S09shared scheduling	S10microclimate explanation	S11citizen review	S12closure return

10 Implementation gates, responsibility roles, and regional conceptual interfaces

No investment, schedule, procurement, permit, or partnership commitment; every step has input, decision, output, failure destination.




G0 ordinary-service baseline and passport intake



service proposer

Proposes four-field material, spatial carrier, non-AI equivalent; cannot self-certify.


G1 controlled verification and resource-ledger method



verify/receive role

Verifies, keeps controlled evidence, accepts or refuses.

G2 limited public evaluation and joint return



public-interest/safety maintenance

May pause, require evidence, retain access/ordinary service.

ordinary-service/space return

Jointly accepts paper/human path and space restoration.

regional conceptual interfaces (not partnership commitments)

Taskbook objects such as Beiwie Community, Future Science City, Huairou Science City, E-Town, and Jing-Jin-Ji are only future interfaces for portable service packages, open tools, resource methods, exit records; data, compute, procurement, space, or cross-region work needs separate rights, responsibilities, condition checks.

11 Evidence, metrics, brand, and disclosure

Read proposition at distance, space at middle distance, evidence, source, method, unknowns at close range.



05 Metrics and evidence: geometry-derived, operational pending, and statutory unknown cannot substitute for each other

The joint service passport organizes space, service, resource, and exit through four evidence fields, five decision rights, and three handoffs.

Geometry-derived

provisional boundary area
11.41 km²
concept-module footprints
21.4k m²
concept public space
221.6k m²
five centrelines
30.4 km
six / three / three
I01–I06 / V-X-D / H1–H3

Operational pending

cross-stack migration: untested

resource ledger: unmeasured

exit restoration: undrilled

environmental benefit: not claimed

public evaluation: not occurred

Statutory/engineering unknown

FAR / height / density / green ratio

setback / redline / ownership / heritage extent

municipal / energy / cooling / heat recovery

investment / schedule / procurement / partners

accessibility and site-safety conditions

Joint four-contract passport: what is public, who keeps controlled evidence, who refuses a missing field

Open

interface, version, provenance, licence, export, replacement

Resource

boundary, point/instrument, method, coverage/gap, maintenance, stop

Public Dividend

physical service, access, human responsibility, feedback/challenge, no resident-data sale

Exit

degrade, migrate, disconnect, inventory/remove, ordinary service and space return

Brand and physical application: neutral plug-in mark, not a phone/account/identity gateway

passport header

ledger desk

physical wayfinding

pause sign

return node

Provisional container: official_boundary=false - provisional_constraint - provisional_rough; design/topology only, not redline/existing-condition/approval evidence

INGZHANG OPEN COMPUTE COMMONS - v1.3 - Numbers and drawings derive from package geometry/metrics and disclosure; operational and statutory data are not disguised as concept values.

geometry-derived

Provisional boundary, land, public space, modules, centrelines are EPSG:4548 recalculations; not statutory values.

operational pending

Migration, resource ledger, exit restoration, public evaluation are untested/unmeasured/unoccurred.

statutory/engineering unknown

FAR, height, setback, rights, municipal, energy/cooling, investment, schedule, procurement, partners unknown.

image and copyright

Technical figures are local SVG/PNG; one built-in generated abstract base at 4.5% only, carrying no fact.

neutral mark

Four plug-in ports; color, number, and text used together.

physical applications

passport, ledger desk, wayfinding, pause sign, return node.

sources/assumptions

sources.json, report/narrative.md, assumptions.json; cases are comparative methods.

Provisional containers are for design organization/topology only; not official redline, existing, engineering, or approval evidence.

v1.3 · 11/12


12 Risks, unknowns, sources, and professional follow-up

What is complete: spatial/governance mechanisms and data-gap path, not engineering, statutory, or delivery commitments.




official boundary and controls

With trusted official polygon, controls, road/rail/station/heritage/property material, recalculate layers, areas, lengths, access, drawings.



existing and professional checks

After authorization, perform existing, access, safety, structure, fire, MEP, logistics, noise, resource, ecology, operations checks; this package has not.



service/governance pilot

First set responsibility, replaceable procurement, data retain/export/delete, human continuity, exit material, challenge route.



evidence/publication

Disclose method, coverage, gaps, decisions; never replace human professional review with untested results, cases, or machine checks.



traceable files

Taskbook/standards metadata: brief/site-package/; sources/comparative matrix: sources.json, report/narrative.md; assumptions/unknowns: assumptions.json; geometry/metrics: geometry/*.geojson, metrics.json; matrices: compliance_matrix.json, standard_matrix.json, design_depth_matrix.json; copyright: report/copyright_statement.md.