


Jing-Zhang City Model Commons

From Centennial Railway to an Open Spatial Intelligence Benchmark Belt



Three positionings

Centennial cultural belt · urban AI life-experience belt · AI-integrated innovation belt.

Five functions


Full-stack innovation · world-class ecosystem · AI-enabled scenarios · active city · governance voice.

Three Zones and Two Wings

Zhongzhiyuan, Origin Community, Dazhongsi + Zhongguancun Technology Services Wing + Xiaoyue River Scenario Enablement Wing.

Ecosystem and public-space system

Four landmarks, six components, and three wayfinding levels make governance a usable public interface.




Wayfinding level	Spatial task	Public output
Z1 Version Line	Continuous slow route, version marker, direction and service	Source, date, change, human question
Z2 Landmark	Pause, explanation, honor, and cultural narrative	Model card, contribution record, reproduction log
Z3 Service / trial	Help, handover, observation, and exit	Human fallback, emergency stop, incident log, sunset

Spatial floor

Physical wayfinding, human help, accessibility, and exit paths remain available. The three levels turn abstract governance into a legible public interface without making AI a prerequisite for movement or service.

From scenario cards to long-term operations

Fourteen scenarios, seven personas, and four industry validation scenarios share one responsibility chain.



14 / 4 / 7

scenarios / validation / personas

22.5%

conceptual green share, not statutory

Developer community

Open workshop -> mentor/reviewer -> contribution record -> public benchmark. Every scenario carries a model card and a stop plan.

Open scenarios

Scenario contract -> public model card -> controlled trial -> failure library. Human takeover, incident logging, and sunset conditions remain mandatory.

International translation

Bilingual case -> public method -> partner trial -> portable standard. No recruitment, investment, fiscal, or government commitment is implied.

Unknown controls

FAR, height, parking, transit, municipal, ownership, heritage, and formal redline await authoritative evidence.

Haidian evidence baseline - five regional interfaces - six component handoff contracts

Public signals provide current context only; every design response has a verification gate. Interfaces and proof-mile entries are conceptual contracts, not proof of construction, approval, partnership, budget, or endorsement.

CONTEXT ONLY · CONCEPTUAL · NO APPROVAL CLAIM

01 Public signals and design responses (5 regional interfaces)

Public signal	Design response	Verification gate
Beijing population / rail	No growth or future-footfall assumption; test service and reuse by time, user, and person-hours	Verify station, walking, coverage, and time-of-day observations before sizing
Haidian economy	Research -> validation -> public explanation -> everyday adoption, not an AI island	Survey institutions, building capacity, ownership, demand, and operating owner
Ageing society	Shade, seating, physical signs, human help, and non-digital routes before AI	Run a consented all-ages accessibility / heat-safety walk and publish negatives
Jing-Zhang heritage park	Translate the roughly 9 km renewal/green context into an open version line; no invented alignment	Reconcile station, road, heritage, ownership, fire, and emergency records
Haidian AI policy context	A translation layer between research, controlled tests, public service, and accountability	Name owner, data permission, safety, service baseline, and exit decision

02 Five component handoff contracts

Direction	Input	Minimum output	Contract gate
Beiwèi / AI Origin	Resident questions, accessibility gaps	De-identified problem card, human-service gap, close reason	Consent, rights/privacy, named safety owner, maintenance record, withdrawal
Future Science City	Edge models, embodied devices, engineering validation	Model card, device passport, failure list, re-test condition	Voluntary test, IP, safety, maintenance/recall, exit/re-test
Huairou Science City	Measurement, calibration, research methods	Calibration note, uncertainty, independent-review question	Permission/consent, professional safety, IP, maintenance handoff, withdrawal
Beijing E-Town	Engineering, manufacturing, supply chain, maintenance	Interoperability evidence, maintenance, stop/recall condition	Voluntary, product safety/consumer rights, maintenance/recall, exit
Beijing-Tianjin-Hebei	Cross-city problems and portable rules	Location-agnostic schema, negative result, version difference, handoff	Local legal review; rights, safety, maintenance, withdrawal/no recognition

03 Six component handoff contracts (6 component handoff contracts)

ID	Spatial anchor and owner	Opening gate	Positive -> negative evidence / stop decision
C-01	Heritage green spine / public-node edge Public-space or park operator	Consented accessibility/heat walk + maintenance owner	Usable rest and human help; close or relocate when unsafe/unmaintainable, publish why
C-02	Version-line model / scenario entries City-model commons trustee	Named maintainer reviews source and version register	Visitor can see source, date, uncertainty; hide or revert if source cannot be verified
C-03	Version-line public-service node Public-service window operator	Human fallback, consent language, accessibility sign-off	Choice between AI and human help; disable AI but keep ordinary service when explanation/fairness fails
C-04	Zhongzhiyuan low-speed loop / observation edge Bounded-test operator + independent evaluator	Permission, risk assessment, separation, trained operator, emergency drill	Reproducible and contained; return to simulation after critical failure until independent re-test
C-05	AI Origin / Dazhongsi service corridor Model-card and public-service operator	Model card, public notice, human owner, appeal route, sunset date	People understand limits and can appeal; withdraw algorithmic service if explanation/fairness fails
C-06	Submission wall / city-model museum / contribution nodes Commons curator + independent reviewer	License/consent, review state, public correction, accessible display	Contribution reproducible, attributed, challengeable, withdrawable; quarantine unresolved rights/privacy/accuracy

5 regional interfaces

Problem -> capability -> credential. Each direction records consent, rights/IP, safety, maintenance, and withdrawal/no-recognition gates.

6 component contracts

Spatial anchor, minimum data, human takeover, maintenance record, positive/negative evidence, opening and stop decisions.

0 approval illusions

Statistics are context only; the boundary remains provisional; no partnership, budget, construction, endorsement, or forecast claim.

Dazhongsi local official-source evidence | appendix

This page adds verified Beijing public-resource transaction attachments to the evidence chain. It anchors HD00-1603-01/03A and its mobility/municipal interfaces; it does not replace formal controls for the 43.6 km2 research area, 11.4 km2 overall design area, or the 72 ha Dazhongsi key area.

01 Official source chain

Transaction record | survey report (2025 survey no. 0074) | supply-plan review (no. 0006) | municipal/traffic plan | water-impact review (letter no. 153)

DATA-SRC-DAZHONGSI-TRANSACTION-20251231 | DATA-SRC-DAZHONGSI-SURVEY-20250806 | DATA-SRC-DAZHONGSI-SUPPLY-REVIEW-20251218 | DATA-SRC-DAZHONGSI-MUNICIPAL-TRAFFIC-2025 | DATA-SRC-DAZHONGSI-WATER-20250819

02 Verified controls

- 39,522.111 m2 | surveyed local total
- 60 m | HD00-1603-01 height
- FAR 2.45 | approx. 96,656.065 m2 above ground
- min 25% | green ratio
- min 30 m | North Third Ring setback

03 Mobility + municipal interface

- 300 m | station integration radius (local report)
- 16 bus lines / 3 stops
- ~0.14 ha | bicycle parking
- 3,190 person-trips/h | 491 pcu/h (model)
- 36% | rail share (model)

04 Water + delivery gates

- 2027 planning year
- 214,000 m3 annual production/living water cap
- 129,000 m3 new-water cap
- Runoff coefficient max 0.34; rainwater to Tucheng ditch
- Approval pending; not a whole-belt baseline

05 Boundary + next gate

The survey PDF does not make CRS, axis order, or units explicit. The original local coordinate table is retained as evidence only; it has not been converted to GeoJSON or used to replace formal boundaries. Upgrade to approval-ready geometry only after CRS, permission, and formal controls are confirmed.