


One spine · three zones · two supporting wings · multiple cross-city paths

总体功能结构深化 | 从连接走向流动
新质时空，智运未来——串联三区，两翼织密环，多径融城市

概念建议 | 征集方案临时 polygon 承载范围(虚线)

N ↑

作用：持续输入创新要素
范围外协同背景 | 非建设范围作用：提出需求并反馈效果
范围外协同背景 | 非建设范围

总体设计范围约11.4km²的临时替代边界

京张遗址公园：承载记忆、共享交流、展示体验与创新成果流动连续公共主脉

横向公共序列：城市街道 → 街角/小游园 → 建筑前场 → 开放首层/半室外 → 共享院落

— 京张公共主脉 — 横向公共路径 (虚线为潜在支脉) — 创新要素输入 — 成果运输 — 需求反馈 — 总体设计临时范围 — 共享节点 (节点+触点)

— 纵向路径开放界面 —

01 众智园 | 集成加速

任务书定位：全栈自主创新体系 + AI治理全球话语权

• 全栈自主技术集成与工程加速

• 标准制定、安全治理与受控验证

• 产业协作、系统发布与国际化交流

• 输出：系统、标准、工程能力

02 AI原点 | 知识策源

任务书定位：世界级AI创新生态

• 高校源头创新与开源社区协作

• 青年人才交流、创业与近郊孵化

• 成果翻译、发布和早期专业服务

• 输出：知识、技术、团队、原型

03 大神寺 | 市场体验

任务书定位：智能原生新业态

• 智能体、智能终端与内容消费

• 产品发布、商务转化和国际路演

• 公众体验、城市采用与运营反馈

• 输出：市场、应用、反馈、新需求

成果运输回路

原点策源孵化 → 众智园集成加速 → 大神寺市场与公众采用 → 城市市场反馈 → 返回原点

任务书定位与功能落位

任务书要求

主要空间落位

本方案的表达方式

百年京张文化带

京张遗址公园全线

铁路记忆、创新文化与连续公共空间叙事

都市生活体验带

大神寺 + 小月河翼 + 沿线公共节点

可体验的公共服务、文化展览与智能原生业态

AI融合创新带

三区协同 + 中关村科技服务翼

策源—集成—市场采用—反馈的成果运输回路

CORE FIGURE — DETAILED ENGLISH GUIDE


Three-Level Scope and Overall Functional Structure

- Spatial structure: one continuous Jing-Zhang public spine connects three key zones, while cross-city public links stitch the park to surrounding campuses, communities and commercial districts.
- Zone roles: Zhongzhiyuan integrates and accelerates systems; AI Origin Community supplies knowledge, talent and incubation; Dazhongsi converts results into market applications and public experience.
- Flow logic: the western Zhongguancun wing supplies research, talent, computing and capital; the eastern Xiaoyue River wing returns community demand and operating feedback. Orange routes carry innovation results and green dashed routes return demand.
- Status: the approximately 11.41 km² overall-design boundary is a provisional conceptual boundary, not a statutory red line. Shared nodes and open interfaces are design proposals subject to later survey and ownership verification.

三个重点片区定位与协同关系

轨联时空，智运未来 · JINGZHANG FLOW

重点片区定位位置 | 人类可读取



三区分工与成果运输回路

01 众智园 | 集成加速

• 全栈自主技术集成与工程加速

• 标准制定、安全治理与受控验证

• 输出：系统、标准、工程能力

02 AI原点 | 知识策源

• 高校源头创新与开源社区协作

• 青年人才交流、创业与近郊孵化

• 输出：知识、技术、团队、原型

03 大神寺 | 市场体验

• 智能体、智能终端与内容消费

• 产品发布、商务转化和公众反馈

• 输出：市场、应用、反馈、新需求

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

数据来源：geometry/key_area/geojson (PROV-KEY-001-003) 与已确认总体结构。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。


边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

边界与面积为征集方案临时概念信息，不作为法定红线。权属或权属边界保留。

AI创新生态图谱 | 从知识策源到城市采用的成果流动系统

三区承担差异化环节，两翼提供专业服务与公共反馈，八类要素贯穿全周期

功能循环示意 | 不是企业名录或地理顺序图



Jing-Zhang Heritage Park becomes a continuous civic spine that carries railway memory, public exchange and the movement of innovation results.

轨联时空，智运未来
JINGZHANG FLOW一条串联城市空间，传承京张记忆，运载创新成果的城市发展带
Time Linked · Space Woven · Future in MotionZHONGZHIYUAN · integration and acceleration
AI ORIGIN · knowledge sourcing and incubation
DAZHONGSI · market conversion and experience

Retain the urban base, renew through mixed use, and add only where necessary

总体用地结构规划 | 存量延续、混合更新、少量增量

完整城市更新设计范围、统筹科研教育、城市生活、公共服务与绿地开放空间

概念建议 | 非现状图

N ↑

用地组织原则

保留现有高校科研、社区和成熟商业的主体功能

沿公园两侧叠加公共性和创新服务，而非全线改性

增量优先进入低效、闲置或条件相对明确的机会空间

北段 | 科研教育与创新服务

延续科研主体，补充公共服务、专业服务和有限工程协作空间

中段 | 科研、社区与公共服务混合

开放校园和园区边界，完善社区生活、文化服务与共享交流空间

南段 | 商务商业与城市生活

强化站点、商业、公共文化和居住社区之间的复合城市界面

京张遗址公园与铁路记忆构成贯穿全线的公园绿地和公共开放空间主脉

灰色虚线为总体设计范围临时替代边界；内部色块为概念性完整分区，不对应现状宗地或法定控规

■ 教育用地 0804 ■ 科研用地 0802 ■ 公共管理与公共服务 08 ■ 商业服务业 09 ■ 居住社区服务 07 ■ 绿地与开敞空间 14 ■ 道路交通 1207

主体功能延续

保留高校科研、成熟社区和商业服务的基本格局，不以AI主题推动全城改性。

界面混合更新

橙色线条表示沿公园的界面、前场和院落开放，不表示整条用地性质改变。

公共空间贯通

公园绿地主脉与横向路径共同连接科研、社区、商业公共空间。

数据边界：本图采用存量空间的 provisional boundary，并依据前期公开资源调查形成概念分区。设有正式控规、用地、权属和现状建筑调查，则不必画出精确比例尺、用地性质、现状建筑调查等。正式数据补充后应重新分区和制图。

约11.4km²总体设计范围临时替代边界；公园宽度、建筑空间单元均为类型示意，非精确比例

01 贯通京张公共主脉

遗产记忆、连续慢行、日常休憩与共享活动复合，不做孤立景观带

02 | 公共性沿横向支脉渗透

支脉不仅承担通行，还串联街角绿地、前场、院落和开放首层进入两侧街区

03 | 界面开放支撑横向联系

面园首层分段打开，重点服务横向路径穿过建筑前场、半室外空间和共享院落

04 | 沿支脉放大复合公共节点

重点交汇处扩大为口袋公园、入口广场、桥下客厅及可承接活动的共享场所

05 | 优先激活存量空间

保留建筑主体，优先改造首层、街角、附属用房和低效边缘空间

06 | 少量轻量、可逆的增量

只在条件相对明确的机会空间补充服务亭、廊架、共享设施或小型建筑

横向往公共联系模式 | 根据现场条件选择，不构成固定序列

01 直接渗透型

城市街道 → 街角绿地 / 过街节点 → 横向支脉 → 京张公园

02 建筑穿透型

城市街道 → 开放首层 / 公共廊道 → 共享院落 → 京张公园

03 前场联动型

城市街道 → 建筑前场 / 入口广场 → 复合公共节点 → 张公园

04 特殊空间转化型

道路或站点 → 桥下 / 基础设施边缘 → 横向支脉 → 京张公园

05 园区分时共享型

校园 / 园区内部路径 → 共享院落 → 分时开放入口 → 京张公园

保留提升

改善慢行、绿化、照明、导航和基础设施。

开放共享

打开首层、前场、院落和必要的内部通道。

功能植入

在低效空间植入交流、展示和公共服务。

轻量增量

条件明确时补充可逆设施和少量小型建筑。

本图回答空间如何更新，不决定具体AI场景。涉及校园、企业、社区和建筑内部的开放均为分级共享建议；不构成权属调整、拆改、道路工程或建设实施结论。

CORE FIGURE — DETAILED ENGLISH GUIDE

Overall Land-Use Structure — Retain, Renew, Mix and Selectively Add

Planning principle: retain the established research, education, community and mature commercial base; add public and innovation services along the park edges through existing-building renewal, ground-floor activation and only limited infill.

North: research, education and innovation services. Middle: a mixed research-community-public-service district with more permeable campus and compound edges. South: commerce, urban life and a mixed station-area interface.

Legend reading: pink indicates education; pale blue research; light gray public administration/services; peach commercial/service uses; lavender residential/community services; green open space; blue-gray transport. Hatched blocks indicate conditional opportunity areas rather than confirmed construction sites.

Status: the dashed outline is provisional and the colored blocks are a conceptual complete-coverage model. Parcel use, ownership, building status and statutory controls require official verification before implementation.

总体空间操作策略 | 从线性公园到开放城市网络

一脉贯通、横向缝合、界面开放、存量激活、节点共享、少量增量

概念建议 | 可供专业团队

N ↑

01 | 贯通京张公共主脉

遗产记忆、连续慢行、日常休憩与共享活动复合，不做孤立景观带

02 | 公共性沿横向支脉渗透

支脉不仅承担通行，还串联街角绿地、前场、院落和开放首层进入两侧街区

03 | 界面开放支撑横向联系

面园首层分段打开，重点服务横向路径穿过建筑前场、半室外空间和共享院落

04 | 沿支脉放大复合公共节点

重点交汇处扩大为口袋公园、入口广场、桥下客厅及可承接活动的共享场所

05 | 优先激活存量空间

保留建筑主体，优先改造首层、街角、附属用房和低效边缘空间

06 | 少量轻量、可逆的增量

只在条件相对明确的机会空间补充服务亭、廊架、共享设施或小型建筑

约11.4km²总体设计范围临时替代边界；公园宽度、建筑空间单元均为类型示意，非精确比例

01 直接渗透型

城市街道 → 街角绿地 / 过街节点 → 横向支脉 → 京张公园

02 建筑穿透型

城市街道 → 开放首层 / 公共廊道 → 共享院落 → 京张公园

03 前场联动型

城市街道 → 建筑前场 / 入口广场 → 复合公共节点 → 张公园

04 特殊空间转化型

道路或站点 → 桥下 / 基础设施边缘 → 横向支脉 → 京张公园

05 园区分时共享型

校园 / 园区内部路径 → 共享院落 → 分时开放入口 → 京张公园

保留提升

改善慢行、绿化、照明、导航和基础设施。

开放共享

打开首层、前场、院落和必要的内部通道。

功能植入

在低效空间植入交流、展示和公共服务。

轻量增量

条件明确时补充可逆设施和少量小型建筑。

本图回答空间如何更新，不决定具体AI场景。涉及校园、企业、社区和建筑内部的开放均为分级共享建议；不构成权属调整、拆改、道路工程或建设实施结论。

建筑更新与分期实施 | 存量优先、轻介入、渐进落地

不逐栋作拆除判断，以建筑类型、公共界面和更新时序构成可执行框架

概念建议 | 待现状建筑、权属与控规条件校验

N ↑

四类建筑更新动作

保留使用

高校科研、成熟社区、有效产业空间

整治提升

首层、立面、前场、院落与绿色界面

适应性再利用

闲置办公、低效配套及特殊空间

少量增量补充

仅进入条件明确的机会空间

三级实施顺序

近期 | 公共性先行

打开首层与院落、整治前场、建设口袋空间和临时展示节点

中期 | 存量再利用

将低效空间转为共享研发、交流展示和创新服务空间

远期 | 系统性完善

在权属、控规与实施条件明确后，完善重点片区和跨区公共网络

控制底线

不以AI主题推动全城拆建

不对未知权属建筑作拆除结论

不把概念体量写成法定高度或强度

总体设计范围临时替代边界 | 建筑色块只表示更新类型与空间关系，不对应现状单体

■ 保留使用 ■ 整治提升 ■ 适应性再利用 ■ 少量增量 ■ 首层与公共界面开放 ■ 近期微更新 ■ 中期片区更新 ■ 远期系统完善

实施层级	空间动作	代表性项目	启动条件
近期	轻介入、可逆更新	开放首层、口袋空间、过街与快闪节点	运营协调与公共空间许可
中期	存量建筑功能复合	共享研发、成果展示、青年服务与社区共享	权属、消防、结构和运营方案
远期	重点片区与系统整合	创新服务节点、公共网络和基础设施完善	正式控规、投资与工程条件

资料边界：本图满足规划对建筑、拆改、更新项目和分期的概念性可见表达；精确建筑基础、建筑高度、开发强度、拆除对象和实施主体仍须在正式现状调查、权属、控规及工程条件补充后确认。

Existing-Building Renewal and Phasing

Prioritizes retained buildings, interface improvement and adaptive reuse; conditional infill follows only where ownership, controls and engineering conditions are verified.

01 街道连续型

提升街道慢行连续性与过街安全，形成可持续的横向公共支脉

适用场景：建筑界面空间 | 建筑广场 | 穿车边线 | 高架绿地

平面示意图

图例说明

空间意向

Street continuity

02 前场激活型

将建筑前的消极空间转化为连接城市与公共支脉的共享节点

适用场景：建筑界面空间 | 建筑广场 | 穿车边线 | 高架绿地

平面示意图

图例说明

空间意向

Forecourt activation

03 建筑穿透型

通过开放首层与共享院落，使公共空间穿过建筑并连接街区内部

适用场景：大体量建筑 | 封闭庭院 | 共享院落 | 内部通道潜力

平面示意图

图例说明

空间意向

Building porosity

04 边界共享型

通过选择性开口与分级开放，将封闭边界转化为可共享的城市界面

适用场景：校园边界 | 园区围墙 | 社区界面 | 共享入口潜力

平面示意图

图例说明

空间意向

Shared boundary

05 基础设施转化型

将桥下、高架边缘或基础设施实施缝转化为可通行、可停留的公共节点

适用场景：桥下空间 | 高架边缘 | 轨道附属空间 | 高架与关键节点

平面示意图

图例说明

空间意向

Infrastructure reuse

06 蓝绿串联型

利用绿地、水系与小游园串联形成连续的公共开放网络

适用场景：小游园 | 线性绿地 | 街角绿地 | 水系网络

平面示意图

图例说明

空间意向

Blue-green linkage

07 枢纽连接型

强化交通枢纽与周边公共空间的多维链接，构建高效慢行网络

适用场景：交通枢纽 | 换乘节点 | 步行网络 | 公共空间节点

平面示意图

图例说明

空间意向

Hub connection


Conceptual urban-design proposal · boundaries, land use and metrics require official-data verification

02 / 07

A north-south slow-mobility spine with cross-city stitching, transit access and distributed ecological nodes

综合交通—蓝绿公共空间系统 | 慢行贯通、横向缝合、生态织补
以步行骑行行为优先，组织轨道接驳、公共交通、京张公园、小月河联系与分布式绿色节点

概念建议 | 非交通工程



京张公园与南北慢行主脉 横向步行骑行联系 城市道路关系 轨道接驳节点 公交接驳 重点过街 小月河方向水系联系 口袋绿地与绿色织补 雨洪调蓄节点

交通系统 | 从“经过”转向“可达”
轨道、公交和城市道路负责到达片区；连续步行骑行、重要过街和公园入口完成最后一公里连接。

步行优先
缩短绕行，保证连续与无障碍。
本图不提出新道路红线、轨道站位、桥隧或水利工程技术。所有线路和节点均为概念性关系，可供交通、市政、园林和规划专业团队在正式数据与现场调查基础上深化。

骑行贯通
强化南北连续和站点换乘。

公交接驳
以短距离慢行组织站园联系。

海绵织补
在小空间分散消纳雨水并增加遮荫。

蓝绿系统 | 从“一条公园”转向“分布式网络”
京张公园是主骨架，小月河方向联系、口袋绿地、雨水花园和林荫节点把生态与空间织入街区。

CORE FIGURE — DETAILED ENGLISH GUIDE

Integrated Mobility and Blue-Green Public-Space System

- Six coordinated moves: (1) a continuous north-south walking and cycling spine inside Jing-Zhang Park; (2) stronger east-west pedestrian and cycling links through streets, crossings, compound passages and public nodes; (3) short, continuous and barrier-free transfers between rail/bus stops and park entrances.
- (4) A Jing-Zhang-Xiaoyue River blue-green relationship using continuous planting, slow routes and sponge nodes; (5) safer priority crossings at key junctions; and (6) distributed rain gardens, shade and permeable stopping spaces for stormwater and heat mitigation.
- Legend reading: teal is the park slow-mobility spine; blue lines are cross-city links; purple marks rail connections; orange marks bus connections; diamonds identify priority crossings; green blocks are pocket green spaces and ecological infill; light blue marks the Xiaoyue River relationship and sponge nodes.
- Status: alignments and node symbols express relationships and typologies, not engineering design. Final routes depend on official transport, station, utilities, water-system and site-survey data.

SIX COORDINATED MOVES

- 01 North-south slow-mobility spine · continuous walking, cycling and heritage routes
- 02 Cross-city walking and cycling links · streets, crossings, compound passages and shared nodes
- 03 Rail and bus access · short and barrier-free connections to park entrances
- 04 Jing-Zhang-Xiaoyue blue-green relationship · planting, slow routes and sponge nodes
- 05 Safer key crossings · continuous paving, refuge islands and clear wayfinding
- 06 Distributed stormwater and heat mitigation · rain gardens, shade and permeable stopping places

慢型
连续性以过街安全，形成可持续的慢行公共走廊

联型
水系与小游园串联形成连续的公共开放网络

接驳型
站内有接驳公共空间的垂直通道，构建无缝慢行网络




Slow mobility and crossings

Blue-green public network

Multi-level hub access

Park publicness extends into surrounding districts through transverse links, green-space infill and enlarged shared nodes.

AI is not a stand-alone facility: knowledge, engineering, market adoption and public feedback form a continuous loop



10 AI SCENARIOS · three-zone roles with public experience separated from controlled validation



Knowledge sourcing and near-campus incubation · five nodes translate university resources into a civic collaboration network



ENGLISH READING GUIDE

AI Origin Community — Spatial Structure

Builds the AI Origin Community around a connected public-space framework linking universities, incubation resources, neighborhood services and the Jing-Zhang spine.



Wudaokou-AI Origin Core



PKU-Tsinghua Node

关键空间操作：连—开—启—聚—渗

以连续公共空间序列释放高校创新资源，不对应具体地块或工程边界



空间结果：从单一交通通道转向可停留、可交流、可持续更新的知识公共空间网络

ENGLISH READING GUIDE

AI Origin Community — Key Spatial Operations

Concentrates intervention on connected slow routes, active ground floors, shared thresholds, pocket nodes and adaptive reuse that can release existing innovation resources to the public realm.



Tsinghua-BFU Node



Xueyuan Road Three-University Node



CUGB-Beihang Node

SPATIAL STRATEGY

Use real streets and public passages as cross-city links; activate ground floors, forecourts, bridgeheads, shaded learning spaces and shared halls; organize learning, collaboration, prototype co-creation, result release and urban feedback through five nodes.

IMPLEMENTATION BOUNDARY

Campus access, building use and new structures remain conditional proposals subject to ownership, safety, planning and operator confirmation.

03 | 总体区位与周边资源：众智园处于知识、交通与产业交汇点



ENGLISH READING GUIDE
Zhongzhiyuan — Surrounding Resources
Maps nearby research, enterprise, service and ecological resources to explain where integration, testing, exchange and public interfaces can be strengthened.

04 | 总体定位：三流叠合蓝绿交织



ENGLISH READING GUIDE
Zhongzhiyuan — Overall Positioning
Defines Zhongzhiyuan as a system-integration and engineering-acceleration district connected to the Jing-Zhang public spine and the Xiaoyue River community wing.

05 | 众智园用户与创新链：从科研成果到成长企业



ENGLISH READING GUIDE
Zhongzhiyuan — Users and Innovation Chain
Relates researchers, engineers, enterprises, public-service operators and residents to the innovation chain, revealing where shared space and feedback interfaces are needed.



Result Connection and Shared R&D
Provides shared R&D, exchange and result-connection spaces that reduce institutional separation and support collaboration between research and engineering teams.



Enterprise Growth and Result Expansion
Uses flexible buildings and expandable shared services to support enterprise growth without relying on a single large redevelopment project.



Campus Testing and Validation
Places controlled testing and validation close to research and engineering resources while separating specialized test areas from everyday public space.



Innovation Street Interface
Activates ground-floor interfaces and street-facing shared facilities so research and enterprise activity becomes visible and accessible along the public realm.



Xiaoyue River Eco-Innovation Interface
Links ecological space, community services and selected innovation demonstrations along the Xiaoyue River as a public-facing feedback interface.

Public exchange and professional testing are spatially separated: everyday shared spaces remain open, while interoperability, safety governance and embodied-intelligence tests use isolated, reversible and human-supervised environments.

Market conversion and urban experience · a four-quadrant public hub, three-layer network and AI-native urban life

DAZHONGSI 3D URBAN COMMONS

Exploded Axon Master Diagram
大钟寺四象限立体公共枢纽总主图

ENGLISH READING GUIDE

Dazhongsi — Four-Quadrant Public Hub Masterplan

The conceptual masterplan organizes a four-quadrant public hub around connected ground, underground and selective upper-level routes.

资源不缺，真正的问题是四象限之间缺少连续接口



ENGLISH READING GUIDE

Dazhongsi — Four-Quadrant Diagnosis

Diagnoses fragmented station, commercial, neighborhood and cultural quadrants around Dazhongsi and identifies the missing public connections between them.

AI场景运营主体闭合图 / AI Scenario Operating Framework

四大场景 × 四类运营主体 × 闭环反馈，驱动智慧体验与价值共生
4 Scenarios × 4 Operator Layers × Closed Loop Feedback, Driving Smart Experiences and Shared Value

ENGLISH READING GUIDE

AI Scenario Operating Framework

Organizes scenario partners, spaces, operating responsibilities, public access and feedback so AI-enabled activities can continue beyond one-off events.



MOVE 人群与成果移动

SHOW 沿线展示

MEET 日常交往

TEST 小规模应用

REFLOW 反馈回流



ENGLISH READING GUIDE

AI Content and Urban Life Stage

Combines AI content display, cultural programming and everyday urban life in a flexible public stage rather than a single-purpose exhibition hall.

AI content and urban-life stage



ENGLISH READING GUIDE

Urban Agent Service Chain

Connects digital urban-agent services to physical consultation, navigation, community support and feedback points distributed through the public realm.

Urban-agent service chain



ENGLISH READING GUIDE

Smart-Terminal Experience and Launch

Provides controlled experience, demonstration and product-launch spaces for smart terminals before wider market adoption.

Smart-terminal experience and launch



ENGLISH READING GUIDE

Future Application Reserve

Keeps adaptable indoor and outdoor capacity for future applications whose spatial requirements cannot yet be fixed.

Future-application reserve

Results that have passed research and validation enter public display, urban experience, business conversion and city partnerships here; market and public feedback returns along the Jing-Zhang spine.